

STRAW REAPER

स्ट्रा रीपर हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/माडल का विवरण तथा पंजीकृत फर्मों द्वारा पंजीयन के समय कोट की गई दरें

| क्र. सं० | मूल विनिर्माता फर्म का नाम | यंत्र का नाम | डीलर का नाम | मेक/माडल | स्पेसिफिकेशन | पंजीकरण के समय फर्म द्वारा कोट की गई दरों का विवरण | | | | |
|----------|---|----------------------|--|---------------------------------------|--|--|----------------|------------|------|--------------|
| | | | | | | बेसिक प्राइज | एक्साइज ड्यूटी | सी०एस० टी० | वैट | कुल कीमत (₹) |
| 1 | Gobind Industries, Dashara Bagh, Haidargarh Road, Barabanki, UP | Straw Reaper Combine | 1 M/s Santosh Agriculture Implement, Nadehe Road, Jaspur, US Nagar | GOBIND-2014/NRFMTTI, Hisar tested | Tractor power 42.5 hp & above, working width-2100mm, bevel gears, tine bar pick-up reel, 5 tine bars, rectangular star type beater, reversible serrated blades, rectangular M.S. sheet baffle plate, cutting width-2150mm, screw auger on both ends with scoops between auger section, no. of scoops-20, concave M.S. sheet grain pan, 2 straw blowers, rate of work-0.382-0.434 ha/h, weight-1980kg | 270000.00 | 0.00 | 0.00 | 0.00 | 270000.00 |
| 2 | Amrik Agriculture Industries, Amritsar Road, Near Railway Fatak, Batala, Punjab | Wheat Straw Reaper | 1 M/s Sandhu Agro Industries, Poliganj Majola, U.S.Nagar-09927701313 2 M/s Avon Agriculture Industries, Scania Road, Gadarpur-09837667925 | AMRIK-525/NRFMTTI, Hisar tested | Cutter Bar assembly- No. Of blades 30, Effective Cutter Bar Width-2230mm, knife stroke-75cm, Screw Type Fiding auger, Size of auger-Dia-430 mm Width-2210.00mm, Grain Pan Capacity-31.65 kg, Straw Blower-3 And Dia 600 mm, Rate of Work- 0.40 to 0.42 ha/h | 245000.00 | 0.00 | 0.00 | 0.00 | 245000.00 |
| 3 | Dasmesh Mechanical work, Nabha-Malerkotla Road, Amargarh, Sangrur, Punjab | Wheat Straw Reaper | 1 M/s Guru Kripa Agency, Bhood, Sitarganj Road, Khatima, US Nagar 2 M/s Singh Trading Corporation, Near Singh Automobiles, Dehradun Road, Roorkee, Haridwar-09897629171 3 M/s Chaudhary Automobiles, Siddiqui Market, Moradabad Road, Kashipur, US Nagar-09927396850 4 M/s Cheema Tractors&Farm Equipment, 2&3 Ishwar Colony, Near Hotel Rudra Continental, Rudrapur-09837184224 5 M/s Janak Engineering Co., D-7.8, Cohan Market, Haridwar Road, Dehradun-09634365589 | DASHMESH DST-56/NRFMTTI, Hisar tested | Cutter bar assembly, cutting width-2130mm, knife strike-80mm, no. of knife guards-28, spacing between knife guards-145mm, no. of blade-28, chaffer cylinder dia-820mm, grain pan size-1430mmx380mmx110mm, mass of gram pan-30.0kg | 260000.00 | 0.00 | 0.00 | 0.00 | 260000.00 |

Ashwani Gauram

37

| क्र० सं० | मूल विनिर्माता फर्म का नाम | यंत्र का नाम | डीलर का नाम | मेक/माडल | स्पेसिफिकेशन | पंजीकरण के समय फर्म द्वारा कोड की गई दरों का विवरण | | | | |
|----------|---|--------------------|---|---|---|--|----------------|------------|------|-----------------|
| | | | | | | बेसिक प्राइज | एक्साइज ड्यूटी | सी०एस० टी० | वैट | कुल कीमत (₹में) |
| | Dasmesh Mechanical work, Nabha-Malerkotla Road, Amargarh, Sangrur, Punjab | | 6 M/s Roorkee Machinery Store, Haridwar Road, Laksar, Haridwar 7 M/s Kissan Tractors, Haridwar Road, Near Solani Bridge, Roorkee, 8 M/s A.H. Associates, Chatti Chauraha, Bazpur Road, Kashipur, US Nagar 9 M/s Kisan Fertilizer, Bazpur Road, Kashipur 10 M/s Tyagi Agro Sales, Bareilly Road, Kichha, US Nagar 11 M/s Ramson Engg. Company, Railway Road, Saharanpur | | | | | | | |
| 4 | Vishvakarma Agro Ind. Kadiyal Road, Dirba Mandi, Distt-Sangrur, Punjab | Wheat Straw Reaper | 1 M/S Jai Gurudev Industries, C-19/20, Industrial Estate, Kichha Bypass Road Rudrapur, U.S. Nagar | Vishvakarma 741/NRFMTTL, Hisar tested | Recommended power source-above 45hp, Cutter Bar assembly- No. Of blades 28, Effective Cutter bar Width-2075mm, knife stroke-85mm, Screw Type Feeding auger size of auger-Dia-432 mm Width-2040.00mm, Chaffer Cylinder-No. of Bars-16, Grain Pan Capacity-36.20 kg, size of grain pan-1600x570x10mm, Rate of Work- 0.41 to 0.46 ha/h | 255000.00 | 0.00 | 0.00 | 0.00 | 255000.00 |
| 5 | New Vishwakarma Agro Industries, Sangrur Road, Dirba, Dist-Sangrur, Punjab | Wheat Straw Reaper | 1 M/s Dashmesh Agriculture Implements & Industries, Sitarganj, US Nagar | New Vishwakarma NVD-851/FMTTL, Hisar tested | Cutter Bar assembly- No. Of blades 75, Effective Cutter Bar Width-1940mm, knife strike-75cm, Size of auger-Dia-260 mm Width-1920.00mm, Chaffer Cylinder-No. of Bars 16, Grain Pan Capacity-40 kg, Straw Blower-2 And Dia 560 mm, Rate of Work- 0.402 to 0.56 ha/h | 235000.00 | 0.00 | 0.00 | 0.00 | 235000.00 |
| 6 | Kartar Agro Industries Pvt. Ltd., Amloh Road, Bhadson, Patiala, Punjab | Straw Reaper | 1 M/s Ajay Tractor, Kashipur, US Nagar 2 M/s Gagan Tractors, Gadarpur, US Nagar | KARTAR-51 DB/FMTTC, Ludhiana tested | Tractor powered, pneumatic ribbed wheel, track width-2000mm, universal, telescope shaft, no. of tyne bars-4, cutting width-2135mm, screw & scoop type feeding auger, square sector type beater, serrated type blades, trapezoidal type grain pan, 2 straw blowers, rate of work-0.34-0.44 ha/h | 265000.00 | 0.00 | 0.00 | 0.00 | 265000.00 |

Ashwani Jaiswal

(Handwritten signature)

(Handwritten mark)

| क्र० सं० | मूल विनिर्माता फर्म का नाम | यंत्र का नाम | डीलर का नाम | मैक / माडल | स्पेसिफिकेशन | पंजीकरण के समय फर्म द्वारा कोड की गई दरों का विवरण | | | | |
|----------|--|--------------------|--|--|--|--|----------------|------------|------|-----------------|
| | | | | | | बेसिक प्राइज | एक्साइज ड्यूटी | सी०एस० टी० | वैट | कुल कीमत (₹में) |
| 7 | Saaron Mechanical Works Mansa Road, Cheema Mandi, Distt.-Sangrur, Punjab | Wheat Straw Reaper | | Jagatjit /FMTTI, Hisar tested | Cutter Bar assembly- No. Of blades in cutter bar- 27, Effective Cutter Bar Width 2230.00 mm, knife stroke-72mm, no. of knife guards-30, Size of auger-Dia-455.00 mm Width-2160.00mm, Chaffer Cylinder-No. of Bars 16, chaffing cylinder width-1250mm, Grain Pan Capacity-50 kg, Straw Blower-2 And Dia 550 mm, Rate of Work- 0.48 to 0.51 ha/h | 245000.00 | 0.00 | 0.00 | 0.00 | 245000.00 |
| 8 | Patiala Disc Corporation, Village Neelpur, Patiala Bypass, Near Railway Crossing, Rajpur | Straw Reaper | 1 M/s Jai Gurudev Industries, Industrial Area, Rudrapur 2 M/s Dashmesh Tractor, Sitarganj | Poonar 656 (P84)/FIMTTI, Bikaner tested | Tractor powered, 45hp & above, pneumatic ribbed wheel, track width-2145mm, 3 rectangular drive shaft, bevel gears, cutting width-2075mm, rectangular star type beater, reversible serrated blades, curved M.S. sheet fabrications grain pan, 2 straw blowers, rate of work-0.41-0.55 ha/h, weight-1856kg | 240000.00 | 0.00 | 0.00 | 0.00 | 240000.00 |
| 9 | Gurbaz Agriculture Works, Dhatunda, Sirhind-Patiala Road, Distt.-fatehgarh (Pb.) | Wheat Straw Reaper | 1 M/s Sandhu Agro Industries, Khatima 2 M/s Punjab Agro Spare Parts, Tempo Stand, Gadarpur, US Nagar 3 M/s Jai Gurudev Industries, Rudrapur. | GURBAJ-513/ NRFMTTI, Hisar tested | Cutter Bar assembly- No. Of blades 29, Effective 2090mm, knife stroke-75mm, Screw Type Feeding auger Size of auger-Dia-437 mm Width-2040.00mm, Reversible Chaffer Cylinder-No. of Bars 16, Grain Pan Capacity-40 kg, Straw Blower-2 And Dia 575 mm, Rate of Work- 0.50 to 0.64 ha/h | 250000.00 | 0.00 | 0.00 | 0.00 | 250000.00 |
| 10 | North Agro Industries, Sangrur Road, Dirba-148035, distt.-sangrur (Pb.) | Straw Reaper | 1 M/S Balbir Industries, Khatima Road, Nanakmatta, U.S.Nagar-09756609683 | North Agro India 749-56"/FMTTI, Hisar tested | Cutter Bar assembly- No. Of blades 26, Effective Cutter Bar Width 1980.00 mm, knife stroke-75mm, Screw Type Feeding auger Size of auger-Dia-45.00 mm Width-1890.00mm, Chaffer Cylinder-No. of Bars 16, Grain Pan Capacity-60 kg, Straw Blower-2 And Dia 540 mm, Rate of Work- 0.42 to 0.51 ha/h | 250000.00 | 0.00 | 0.00 | 0.00 | 250000.00 |

Ashwari gautam

39

| क्र० सं० | मूल विनिर्माता फर्म का नाम | यंत्र का नाम | डीलर का नाम | मेक / माडल | स्पेसिफिकेशन | पंजीकरण के समय फर्म द्वारा कोड की गई दरों का विवरण | | | | |
|----------|--|----------------------|--|---------------------------------------|--|--|----------------|------------|------|--------------|
| | | | | | | बेसिक प्राइज | एक्साइज ड्यूटी | सी०एस० टी० | वैट | कुल कीमत (₹) |
| 11 | Gobind Agriculture Works, Devi Wali Gali, Moga Road, Panjgrain kalan-151204, kothkapura, Distt.- Faridkot (Pb.) | Straw Reaper Combine | 1 M/s Sandhu Agriculture, kashipur Road Jaspur, U.S.Nagar-09917043016 2 M/s Janta Tyre House, Sitarganj, US Nagar-09837230813 3 M/S Balbir Industries, Khatima Road, Nanakmatta, U.S.Nagar-09756609683 4 M/s Kalsi Agro Tech, Killa Kherra, US Nagar-09837480784 5 M/s Harbhajan Singh & Bros., Gadarpur, US Nagar-09917090941 6 M/S Guru Nanak Engine Works, Kashipur Road, Gadarpur, U.S. Nagar-09917090941 | Gobind-756 DB/FMTTI, Hisar tested | Cutter Bar assembly- No. Of blades 28, Effective Cutter Bar Width 2065.00mm, knife stroke-75mm, Screw Type Feeding auger Size of auger-Dia-453.00 mm Width-2045.00mm, Chaffer Cylinder-No. of Bars 16, Grain Pan Capacity-33 kg, Straw Blower-2 And Dia 644 mm, Rate of Work- 0.37 to 0.58 ha/h | 245000.00 | 0.00 | 0.00 | 0.00 | 245000.00 |
| 12 | K S Agriculture Industries PVT. Ltd, Raikot Road, Malerkotla, Punjab | Wheat Straw Reaper | 1 M/s A.H. Associates, Chatti Chauraha, Bazpur Road, Kashipur, US Nagar 2 M/s Kisan Fertilizer Agency, Chatti Chauraha, Kashipur, US Nagar 3 M/S Dhillion Agro Sales, Rudrapur Road, Kichha, U.S.Nagar | KSA 756 DB/NRFMTTI, Hisar t ested | Recommended power source- above 40hp, Cutter Bar assembly- No. Of blades 28, Effective Cutter Bar Width 2060.00 mm, knife stroke-80mm, Screw Type Feeding auger , Size of auger-Dia-253.00 mm Width-2025.00mm, Reversible Serrated Threshing Drum, Grain Pan Capacity-30.30 kg, Straw Blower-2 And Dia 607 mm, Rate of Work- 0.42 to 0.78 ha/h | 255000.00 | 0.00 | 0.00 | 0.00 | 255000.00 |
| 13 | Jagdeep Agriculture Works, Kadial Road, Dirba Mandi, Sangrur, Punjab | Straw Reaper | | Jagdeep JAW-742/NRFMTTI, Hisar tested | Recommended power source- above 35hp, Cutter Bar assembly- No. Of blades 26, Effective Width 1890 mm, knife stroke-80mm, Screw Type Feeding, Size of auger-Dia-260 mm Width-1900.00mm, reversible Chaffer Cylinder-No. of Bars 18, Grain Pan Capacity-45 kg, Straw Blower-2 And Dia 588 mm, Rate of Work- 0.41ha/h | 242000.00 | 0.00 | 0.00 | 0.00 | 242000.00 |

Ashwari Jantam

कृषि निदेशक,
उत्तराखण्ड

40