

# कृषि निदेशालय उत्तराखण्ड, नन्दा की चौकी, प्रेमनगर, देहरादून।

(दूरभाष संख्या-0135-2772677, फ़ैक्स-0135-2771881, ई मेल-dir.agri.Uttarakhand@gmail.com)

पत्रांक-कृ0नि0/2749/SMAM/पंजी.-कृषि यंत्र/2021-22 /दिनांक- 08 सितम्बर, 2021

1. समस्त मुख्य कृषि अधिकारी, उत्तराखण्ड।
2. समस्त कृषि एवं भूमि संरक्षण अधिकारी, उत्तराखण्ड।

**विषय- कृषि यंत्रों/उपकरणों हेतु पंजीकृत फर्म तथा माडल विषयक।**

निदेशालय के पत्र संख्या-कृ.नि./7033/पंजी/कृषि यंत्र/2021-22, दिनांक 19 मार्च, 2021 के द्वारा विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध करने हेतु विज्ञापन जारी किया गया था। उक्त के क्रम में उत्तराखण्ड अधिप्राप्त नियम 2017, विभिन्न योजनाओं के अन्तर्गत कृषि यंत्रों/उपकरणों पर अनुदान उपलब्ध कराने जाने हेतु कृषि मशीनों तथा यंत्रों/उपकरणों के मूल विनिर्माता फर्मों से प्राप्त पंजीकृत प्रपत्रों का गठित पंजीकरण समिति द्वारा परीक्षण करने के उपरान्त विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध/पंजीकरण हेतु उपयुक्त पाया गया। सूचीबद्ध/पंजीकरण हेतु चिन्हित किए गए यंत्रों/उपकरणों का विवरण निम्नानुसार है।

क्र. सं.	फर्म का नाम	सूचीबद्ध/पंजीकरण होने वाले कृषि मशीनों/यंत्रों/उपकरणों का विवरण
1.	Avtar kalsi Agro Works, Moga Link Road, Talwandi Bhai, Ferozepur, Punjab	Rotavator/ Lazer Land Levler
2.	Avon Agriculture Industries, Sakainiya Road, Gadarpur, USNagar	Rotavator
3.	Beri Udyog Pvt.Ltd., 235-240, Sec-3, HSIDC, Karnal, Haryana	Rotavator/ Lazer Land Levler
4.	Bir Singh & Sons, Chandigarh Road, Samrala, Punjab	Rotavator
5.	Bhagwan Enggneering Works, Rajkot Road, Malerkotla, Punjab	Rotavator
6.	Bhoomi Agro Industries, Kishan Gate, Lodhika GIDC Rajkot, Gujraat	Rotavator
7.	Dasmesh Mechanical Work, Nabha-Malerkotla Road, Amargarh, Sangrur, Punjab-PIN-148022	Rotavator/ Lazer Land Levler
8.	Dasmesh Agricultural Industries Pvt. Ltd. Raikot Road Malerlotla, Punjab	Rotavator/ Lazer Land Levler
9.	Tractors and Farm Equipment Limited, 77, Nungambakkam High Road, Nungambakkam, Chennai	Rotavator
10.	GSA Industries, Village Daulatpur, Rasulpur Jaura Road, Patiala, Punjab	Rotavator/ Lazer Land Levler
11.	Guru Kripa, Mechanical Works,, Suman Road, Cheema Mandi Punjab	Rotavator/Lazer Land Levler
12.	Ghuman Motors, Bhatti Road, Punjab	Rotavator
13.	Hoshiarpur Steel, Vill-Dhadha, Jalandhar Punjab	Rotavator
14.	Jaswant Agriculture Works, Patiala Road, Sunam Sangroor, Punjabn	Rotavator/ Lazer Land Levler
15.	Jai Auto Pvt. Ltd., Sitelv, Ind. Area Sahibadab, Ghaziabad, UP	Rotavator
16.	Jaggi Agriculture Works, Kabbopur, Distirct- patiala	Rotavator
17.	Jai Gurudev Industries, C-19/20, Industrial Area, Kichha, Bye Pass Road, Rudrapur, US Nagar	Rotavator/ Lazer Land Levler
18.	Kartar Singh & Sons,Station Road, Kashipur, Uttrakhand	Rotavator
19.	Mobility Solution Ltd. Chandigarh-ambala Rod, Punjab	Rotavator
20.	MTD Product India Pvt. Ltd., Gut No-53/01, Pune Nasik Highway, Kuruli Tal, Khed, Pune	Rotavator

21.	Mahindra & Mahindra Ltd. Swaraj Divison, B-4, Matrix Tower, Sector 32, Noida	Rotavator
22.	Maschio Gasparado India Pvt. Ltd., Plot No-F-27,MIDC, Ranjangaon, Village-Karegaon, Tal-Shirur, Pune	Rotavator
23.	Machino Agriculture Implements Pvt. Ltd. Karnal Haryana	Rotavator
24.	Pratap Iron Works Near Namastey Chowk, G.T. Road, Karnal	Rotavator
25.	Punjab Febrication Derabasi Mohali Punjab	Rotavator
26.	Piara Singh and Son's, G.T. Road, Karnal Haryana	Rotavator
27.	Punjab Farm Equipment Pvt. Ltd. Unjapura Baragaon Raod Mugal Majra Road Karnal Haryana	Rotavator
28.	Saron Mechanical Works Mansa Road, Cheema Mandi, Distt.-Sangrur, Punjab-148029	Rotavator/ Lazer Land Levler
29.	Sarswati Krishi Udhyog, asandh, Karnal Hariyana	Rotavator
30.	Sandhu Agri Industries, Piliganj Majhola, Khatima, USNagar	Rotavator
31.	Sonalika Agro Solution , Sonalika Industries, Jalandhar Road, Hosiarpur Punjab	Rotavator
32.	Tirth Agro Technology Pvt.Ltd., Near Hotel Krishna Park, NH-27, Vavdi, Rajkot, Gujrat-360004	Rotavator
33.	Hexagon Geosystems India Pvt. Ltd, Golf Course Road, Sector 53, Haryana	Lazer Land Levler
34.	KS Powertech, Rajkot Road, Near Sherwanikot, Punjab	Lazer Land Levler
35.	Expert International, Janta Nagar, District Ludhiana Punjab	Lazer Land Levler
36.	T &D Electronic Systems, 79 R Industrial Area B, New Bhagwan Chowk Ludhiana	Lazer Land Levler
37.	Moba Mobile Automation India pvt. ltd, Gandhinagar, Gujraat	Lazer Land Levler
38.	Kamla Agro Industries, Parsakhera Industrial Area, Rampur Road, Bareilly UP	Lazer Land Levler
39.	Vinod kumar Virendra Kumar, chandpur Road, Dhanaura, Amroha UP	Lazer Land Levler
40.	Gahir Agro Industries Ltd. Village Kular Khwa, District Sanrur Punjab	Lazer Land Levler

सलंगन सूची के अनुसार कृषक द्वारा सूचीबद्ध/पंजीकृत विनिर्माता फर्म/फर्मों के अधिकृत डीलर से सलंगन सूची में अंकित माडल को कय करने पर ही अनुदान देय होगा। अनुदान देते समय निम्न बिन्दुओं को ध्यान में रखा जाए।

1. उपरोक्त पंजीकरण पत्र जारी होने वाले दिनांक से दो वर्ष तक वैध रहेगा।
2. कृषकों को कृषि यंत्रों/उपकरणों पर अनुदान **Submission on Agricultural Mechanization (SMAM)** की गाईडलाइन के अनुसार होगा। पैरा 6.4.2 अथवा संबंधित योजना की गाईडलाइन में इंगित व्यवस्था के अनुसार अनुपालन सुनिश्चित किया जाये। साथ ही यह ध्यान रखा जायेगा कि अनुसूचित जाति, अनुसूचित जनजाति, महिला तथा लघु सीमांत कृषकों को प्राथमिकता मिले।
3. कृषि यंत्रों/उपकरणों पर अनुदान भारत सरकार/राज्य सरकार द्वारा निर्धारित/अनुमन्य अधिप्राप्त सीमा तक ही देय होगा।
4. सूचीबद्ध/पंजीकृत फर्म को बिल स्वयं अथवा विनिर्माता की संस्तुती पर नियमानुसार अधिकृत विक्रेता भी बिल जारी कर सकेगा बिल/कैश मैमो पर पूर्ण स्पेसिफिकेशन के साथ कृषि यंत्र का माडल/ब्राण्ड/गारन्टी/कम संख्या/चेचिस संख्या, वारन्टी अवधि का अनिवार्य रूप से अंकन करेगा।
5. अनुदान कृषक/मूल विनिर्माता द्वारा अधिकृत विक्रेता से कृषक द्वारा कयित कृषि यंत्रों/उपकरणों के सूचीबद्ध माडल/मेक पर ही देय होगा। फर्म/अधिकृत विक्रेता नियमानुसार टेक्स का अंकन करते हुए टैक्स जमा करना होगा।
6. निदेशालय स्तर पर सूचीबद्ध/पंजीकृत फर्म/माडल/मेक [agrimachinery.nic.in](http://agrimachinery.nic.in) पर अपलोड करनी होगी, जो कम से कम एक वर्ष तक नहीं बदली जा सकेगी।


7. सूचीबद्ध/पंजीकृत फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों की वर्तमान दरें भारत सरकार की Agrimachinery.nic.in पर DBT Agriculture Machinazation पर अंकित करनी होगी, जो एक वर्ष तक बदली नहीं जा सकेगी।
8. कृषक द्वारा ऑनलाईन डी.बी.टी. पोर्टल पर डीलर से क्रय किए गए यंत्रों के बिल को डीलर पोर्टल पर अपलोड करेगा।
9. जनपद के कृषि एवं भूमि संरक्षण अधिकारी द्वारा गठित सत्यापन टीम द्वारा भौतिक सत्यापन सुनिश्चित कर लिये जाने के उपरांत **Submission on Agricultural Mechanization (SMAM)** की गाईडलाइन एवं राज्य सरकार द्वारा निर्धारित अनुदान की अधिकतम सीमा के अनुसार कार्यवाही करें।
10. सत्यापन के दौरान कृषक द्वारा क्रयित कृषि यंत्र/उपकरण विभाग द्वारा सूचीबद्ध/पंजीकृत किए गए कृषि यंत्रों/उपकरणों के अनुसार ही हो।
11. कृषकों को उपलब्ध कराये जा रहे कृषि यंत्रों/उपकरणों के मूल्य पोर्टल पर दर्शायी दरों से अधिक न हो, यदि दरें अधिक पायी जाती हैं तो संबंधित जनपद के मुख्य कृषि अधिकारी कार्यावाही करेंगे। कृषक जब मेक/माडल, गुणवत्ता एवं मोल भाव कर दर से पूर्णतया संतुष्ट हो जाने के बाद कृषि यंत्रों/उपकरणों को क्रय करें।
12. मुख्य कृषि अधिकारी/कृषि एवं भूमि संरक्षण अधिकारी अनुदानित यंत्रों की सूचना निदेशालय को उपलब्ध करायेंगे।

क्र०सं०	यंत्र का नाम/मेक एवं माडल	यंत्र आपूर्ति कहां से हुई/डीलर का नाम	संख्या	कुल कीमत	कुल वितरित अनुदान
1	2	3	4	5	6

13. फर्म को अपने फर्म का सर्विस सेंटर खोलना होगा। फर्म द्वारा अपने ग्राहकों को Maintenance का प्रशिक्षण देना होगा।
14. विभागीय उच्चाधिकारियों द्वारा कृषक को आपूर्तित कृषि यंत्रों/उपकरणों का निरीक्षण करने पर कृषि यंत्रों/उपकरणों को निर्धारित गुणवत्ता के अनुरूप न पाए जाने पर संबंधित विनिर्माता फर्म का पंजीकरण निरस्त कर दिया जायेगा। साथ ही ऐसी फर्म/अधिकृत विक्रेता को विभाग द्वारा काली सूची में डालने की कार्यवाही की जा सकती है।
15. सूचीबद्ध/पंजीकृत विनिर्माता फर्म/अधिकृत विक्रेता को कृषक द्वारा क्रयित कृषि यंत्रों/उपकरणों पर अनुदानित वर्ष एवं विभाग का नाम अनिवार्य रूप से अंकित करना होगा।
16. विनिर्माता सूचीबद्ध/पंजीकृत फर्म/अधिकृत विक्रेता को समय-समय पर विभाग द्वारा वांछित जानकारी उपलब्ध करानी होगी। ऐसा न करने पर संबंधित को पंजीकरण सूची से विलोपित किया जा सकता है।
17. सरकार द्वारा समय-समय पर जारी दिशा-निर्देशों के अनुसार उपरोक्त शर्तों/नियमों एवं इससे संबंधित प्रक्रिया में आवश्यकतानुसार संशोधित/परिवर्तन किया जा सकेगा।
18. सूचीबद्ध/पंजीकृत फर्म के अधिकृत विक्रेता द्वारा विभाग को उपलब्ध कराई गई किसी भी जानकारी के असत्य पाये जाने की दशा में संबंधित फर्म का पंजीकरण तत्काल प्रभाव से निरस्त कर दिया जायेगा।
19. प्रदायकों को मुख्य कृषि अधिकारी के आदेश एवं दिशा निर्देश के अनुसार कृषक/ कृषकों को जनपद/विकासखण्ड स्तर/न्याय पंचायत तक यंत्र उपलब्ध कराने होंगे। इस हेतु प्रदायकों को जिला स्तर पर अपना नेटवर्क स्थापित करना होगा। प्रदायक द्वारा जिले में नियुक्त अधिकृत विक्रेता के पास जी०एस०टी० पंजीकरण तथा विक्रय उपरान्त सेवा की सुविधा उपलब्ध करायी जानी आवश्यक होगी। प्रदायकों की यह जिम्मेदारी होगी कि वे उनके द्वारा विक्रय की गयी सामग्री के लिये उचित मूल्य पर पुर्जें तथा विक्रय उपरान्त सेवा की सुविधा कृषकों को उपलब्ध करावें। लाभार्थियों को इसके लिये प्राप्त अनुरोध पत्र से 15 दिनों के अन्दर यदि यह व्यवस्था नहीं की जाती है, तो यथा आवश्यक कार्यवाही की जायेगी।


20. फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों पर लेबलिंग प्लेट को riveted किया जाना अनिवार्य होगा, जिस पर निर्माता का नाम एवं पता मेक/मॉडल सीरियल नम्बर निर्माण का माह एवं वर्ष, टाईप, साईज, किस देश में निर्मित किया गया है लिखा होना चाहिए। इसके अतिरिक्त उपलब्ध कराए जा रहे स्पेसिफिकेशन में मार्किंग/लेबलिंग हेतु दिए गए निर्देशों का पालन किया जाए।

संलग्न –यथोपरि।

  
(गौरी शंकर)  
कृषि निदेशक  
उत्तराखण्ड।

पत्रांक-2749 / कृ0नि0 / एस.एम.ए.एम / पंजीकरण-कृषि यंत्र / 2021-22 / दिनांकित।  
प्रतिलिपि-: निम्नांकित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. अपर कृषि निदेशक, गढ़वाल मण्डल, पौड़ी।
2. संयुक्त कृषि निदेशक, कुमाऊँ मण्डल, हल्द्वानी (नैनीताल)।
3. संबंधित मूल विनिर्माता फर्म को विभागीय वेबसाईट के माध्यम से।
4. अध्यक्ष, जिला यंत्रीकरण समिति।
5. विभागीय पोर्टल।

  
कृषि निदेशक  
उत्तराखण्ड।



पत्र संख्या-7033, दिनांक 19 मार्च, 2021 के द्वारा जारी विज्ञापन से प्राप्त रोटावेटर हेतु अनुमोदित/स्वीकृत पंजीकृत फर्म्स/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मेक/मॉडल	यंत्र का स्वैच्छिकोशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अनुमोदित
1	Avtar kalsi Agro Works, Moga Link Road, Talwandi Bhal, Ferozpur, Punjab	Tractor Operated Rotavator		8 Avtar Kalsi	Recommended power source- 55 hp, L shape, Theoretical with- 2340mm, Type-MS square pipe	CAET-Hisar	HAU/FMPE/18-19/ROT-119 September 2018	Sep-25	पंजीकरण हेतु चिन्हित किया गया
2	Avon Agriculture Industries, Sakainiya Road, Gadarpur, U.S Nagar	Tractor operated Rotavator		Avon	Recommended power-45hp, working width-1665mm, rpm- 540, no. of flange- 8, no. of blades-54, overall dimension- 2160*570*560mm, Avg. Capacity- 0.63 ha/hr	GBPUAT Pantnagar	CTE/ FMP/TEST REPORT/39, 2012	2019	पंजीकरण हेतु चिन्हित किया गया
3	Beri Udyog Pvt.Ltd., 235 240, Sec-3, HSIDC, Karnal, Haryana- 132001	Tractor operated Rotavator	1-M/s B.T. Agency, Kashipur, Mob- 9897260800 2- Multispeed 1.85 mtr. A-One Agriculture Industries, Gadarpur, Mob-9837824384 3-M/s Jal Gunder Industries, Rudrapur, Mob-9568880000 4-M/s Prime Solutions, Sirmaur Street, Dehradun, Mob-9412053066 5-M/s Singh Trading Corporation, Roorkee, Mob-9897629171	Fielding, FKRTMG-225	Recommended power- 60-70 hp, L shape, Working WIDTH- 440X20450mm. Max PTO-22.8kW, no. Size of box-2350X60X60-nmm, Avg. Capacity- 0.30-0.49ha/hr	CAET-Hisar	HAU/FMPE/19- 20/ROT-167 January 2020	Jan-27	पंजीकरण हेतु चिन्हित किया गया
		Tractor operated Rotavator		Fielding, FKRTMG-225	Recommended power- 45-50 hp, L shape, Working WIDTH- 440X2020mm. Max PTO-27.8 kW, no. Size of box-2093X60X60-nmm, Avg. Capacity- 0.30-0.49ha/hr	CAET-Hisar	HAU/FMPE/19- 20/ROT-167 January 2020	Jan-27	पंजीकरण हेतु चिन्हित किया गया

✓

✓

Done

✓

✓

8

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	श्रेक / माडल	यंत्र का स्पेसिफिकेशन	इंस्टॉल संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की तैयारी तिथि	अभ्युक्ति		
1	Bir Singh & Sons, Chandigarh Road, Samrala, Punjab	3	1. M/s Rajat Agriculture Works, Dehradun Road, Roorke, Mob. 9837920094 2-Punjab Agriculture Works, Dehradun Road Roorkee Haridwar. 3-Kural Brothers Machinery & Mill Store merchant Railway Road Saharapur. 4-Ganpati Traders Main Road Vikas Nagar, Near Bus Stand, Uttarakhand. 5-Bansal Traders Main Road Vikasnagar, Dehradun	5	Pammi Rotary Tiller -5 Feet	35 ana above hp, Tafe-MF 1035, 39 hp, PTO-33,26 kW, Side plates-2, Material- MS plate,	FIMTTC Bikaner	14/485 August 2018	Aug-25	परीक्षण हेतु चिन्हित किया गया	
		Tractor operated Rotavator		Pammi-8 FEET	45 and above, TAFE-MF 7250, 47hp, 33.56 kW, Side Plated-02, Material-MS Plate, Frame-2125X510X5.10 mm, Flanges-233, 9.80 mm, Length-210 mm, Width-15mm, Size & Spacing of the hole-02, 14.85 & 57	FIMTTC Bikaner	18/995 August 2018	2025	परीक्षण हेतु चिन्हित किया गया		
		Tractor Operated Rotavator		Pammi-7 FEET	45 and above, TAFE-MF 7250, 47hp, 33.56 kW, Side Plated-02, Material-MS Plate, Frame-2125X510X5.10 mm, Flanges-233, 9.80 mm, Length-210 mm, Width-	FIMTTC Bikaner	14/486 July 2018	2025	परीक्षण हेतु चिन्हित किया गया		
		Rotavator		Pammi-6 FEET	Tractor Drawn, PTO Operated, Gear Drive, no. - BSS 201, 45 HP & above, L type blade, workin gwidth-1830 mm, Size of box-1830X60X60, Size	FIMTTC Hyderabad	180/307 May 2019	31-05-2026	परीक्षण हेतु चिन्हित किया गया		
		Rotavator		Pammi Rotary Tiller -5 Feet	35 ana above hp, Tafe-MF 1035, 39 hp, PTO-33,26 kW, Side plates-2, Material- MS plate,	FIMTTC Bikaner	14/485 August 2018	2025	परीक्षण हेतु चिन्हित किया गया		
		Rotavator		BEW-72	Power-40 hp & above, Size of rotavator-1700mm, Max PTO-27.2 kW, Ms angle iron and MS plate fabrication, Size of pipe-60X60mm-, Size of supporting flat-	SLFMITTC-UP	IMP/2011/196 June 2019	Jun-26	परीक्षण हेतु चिन्हित किया गया		
		Rotavator		BEW 84	Power-45 hp & above, Size of rotavator-2030mm, Max PTO-30.30 kW, Ms angle iron and MS plate fabrication, Size of pipe-60X60mm-, Size of supporting flat-	SLFMITTC-UP	IMP/2011/197 June 2019	Jun-26	परीक्षण हेतु चिन्हित किया गया		
		Rotavator-8 feet		WEW-96	Power-55 hp & above, Size of rotavator-2350mm, Max PTO-39.4 kW, Ms angle iron and MS plate fabrication, Size of pipe-60X60mm-, Size of supporting flat-630X105X10mm	SLFMITTC-UP	IMP/2011/198 June 2019	Jun-26	परीक्षण हेतु चिन्हित किया गया		
4		Bhagwan Engineering Works, Rajkot Road, Malerkotda, Punjab		Tractor Operated Rotavator							
				Rotavator							
	Rotavator										
	Rotavator										
	Rotavator										
5											

9 ✓

Sheep

8 ✓

8 ✓

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	श्रेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	Bhoomi Agro Industries, Kishan Gate, Lodhika CIDC Rajkot, Gujraat	Rotavator		5	Tractor-45 hp and above, Size of box-1855X60X60, Size of Supporting flat-580X110X12 mm, MS Pipe, Type and size -1775X90 mm,	CAET-Junagarh	TTCFMM/A/198/58 February-2018	Feb-25	परीक्षण हेतु चिन्हित किया गया
6	Dasmesh Mechanical Work, Nabha- Malerkotla Road, Amargarh, Sangrur, Punjab-PIN-148022	Rotavator	1- M/s Kissan Fertiliser Agencies, Kashipur Mob- 9917800088 2- M/s A.H. Associates, Kashipur Mob. 9917800088 3- M/s Tyagi Agro Sales Kichha, US NAGAR, Mob. 9837052785 4- M/s Ram Sons and Engg. Works Saharanpur Mob. 9760359130 5- M/s Janak Emgg Co. Cohan Market Haridwar, Mob. 9634365589 6- M/s Bharat Agro Engg. Works Bhagwanpur, Haridwar, Mob. 9837131623	BRT-5.5 Ft	Tractor-45 hp and above, Size of box-1705X60X60, Size of Supporting flat-580X110X12 mm, MS Pipe, Type and size -2.33 mm,	CAET-Junagarh	TTCFMM/A/197/58 February-2018	Feb-25	परीक्षण हेतु चिन्हित किया गया
		Tractor operated Rotavator		Landforce DSRT-5	Recommended power-45 hp, working width-1505 mm, side plates-2, trailing board-1, rotor blades-36, Overall dimension-1080*1810*1190mm, Avg. capacity-0.54ha/hr	Tested By FMTC, Ludhiana	189/251 May 2016	May-23	परीक्षण हेतु चिन्हित किया गया
		Rotary Tiller		Landforce DSRT-6 (CG)	Recommended power-40 to 50 hp, working width-1900 mm, side plates-2, trailing board-1, rotor blades-48, Overall dimension-1050*2130*1085mm, Avg. capacity-0.59ha/hr	Tested By FMTC, Ludhiana	2016/1035 September 2016	Sep-23	परीक्षण हेतु चिन्हित किया गया
		Rotary Tiller	7- M/s Roorkee Machinery Store Laksar, Mob. 8534057758 8- M/s Kissan Tractors Roorkee, Mob. 9719355547 9- M/s Sadalll Krishi Yantra Dehradun, Mob. 8954599570 10- Namdhari Industries, New Kartarpur Road, Gadarpur, USNagar.	Dashmesh DSRT-7	Recommended power-60 to 75 hp, working width-1950 mm, side plates-2, trailing board-1, rotor blades-54, Overall dimension-2375*1210*1068mm, Avg. capacity-0.72 ha/hr	Tested By FMTC, Ludhiana	2016/1042 October 2016	Oct-23	परीक्षण हेतु चिन्हित किया गया
		Rotary Tiller		Landforce DSRT-8	Recommended power-Above 75 hp, working width-2200 mm, side plates-2, trailing board-1, rotor blades-60, Overall dimension-1120*2480*1190mm, Avg. capacity-0.66 ha/hr	Tested By FMTC, Ludhiana	1016/1043 November 2016	Nov-23	परीक्षण हेतु चिन्हित किया गया

Handwritten signatures and initials in blue ink, including a large 'P' at the top left and a signature 'Raj' in the middle left.

क्र. सं.	मूल विनिर्माता कर्म का नाम	यंत्र का नाम	डीलर का विवरण	मैक /माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैलता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
7		Rotary Tiller		Landforce DSRT-9	Recommended power- Above 75 hp, working width- 2525 mm, side plates-2, trailing board- 1, rotor blades- 72, Overall dimension- 1100*2910* 1160mm, Avg capacity- 0.83 ha/hr	/Tested By FMTC, Ludhiana	2016/1051 December 2016	Dec-23	परीक्षण हेतु चिन्हित किया गया
		Rotary Tiller		Landforce DLL-7	MS Plate, Thickness-10 Recommended power- Above 75 hp, working width- 2525 mm, side plates-2, trailing board- 1, rotor blades- 72, Overall dimension- 1100*2910* 1160mm, Avg capacity- 0.83 ha/hr	/Tested By FMTC, Ludhiana	2017/1067 July 2017	Jul-24	परीक्षण हेतु चिन्हित किया गया
		Tractor operated Rotavator		Landforce DLRT-6	Recommended power- 55 hp, side plates-2, trailing board- 1, rotor blades- 54, Overall dimension- 2100*730* 1165mm, Avg. capacity- 0.50 ha/hr	/Tested By FMTTI Assam	185/245 February 2016	Feb-23	परीक्षण हेतु चिन्हित किया गया
		Tractor operated Rotavator		Landforce DLRT-7	Recommended power- 75 hp, side plates-2, trailing board- 1, rotor blades- 60, Overall dimension- 2320*1260* 1050mm, Avg. capacity 0.50 ha/hr	/Tested By FMTTI Assam	179/236 January 2016	Jan-23	परीक्षण हेतु चिन्हित किया गया
		Tractor operated Rotavator		Landforce DLRT-8	Recommended power-75 hp, working width- 2545 mm, side plates-2, trailing board- 1, rotor blades- 66, Overall dimension- 2545*1260* 1065mm, Avg. capacity- 0.59ha/hr	/Tested By FMTTI Assam	181/241 January 2016	Jan-23	परीक्षण हेतु चिन्हित किया गया

9

✓

✓

Done

8/1

8/1

8/1



क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मॉक /माडल	यंत्र का स्पेसिफिकेशन	डेरिग संख्या	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अव्यक्ति		
1	Dasmesh Agricultural Industries Pvt. Ltd. Raikot Road Maleritola, Punjab	3	1-M/S National Agriculture Repairing Works, Laksar 2-M/S Manak Agriculture Implants & Engineer Works, Kashipur	5	Recommended power- 55 hp, working width- 2135 mm, side plates-2, trailing board-1, rotor blades- 48, Avg. capacity- 0.41ha/hr	7	8	9	10		
2		Tractor operated Rotavator		Dasmesh- 748		NRFMTTI Hisaar	798/1919/2016 August 2016	Aug-23	परीक्षण हेतु चिन्हित किया गया		
3		Tractor operated Rotavator		Dasmesh-536		NRFMTTI Hisaar	797/1918/2016 August 2016	2023	परीक्षण हेतु चिन्हित किया गया		
4		Tractor operated Rotavator		Dasmesh-642		FIMTTC-Bikaner	Max PTO-30.5 kW, Dimension-1850X570X4.10, Rotor Blade-42 no. , Material -MS Pipe Recommended power- 35 hp, working width- 1740 mm, side plates-2, trailing board-1, rotor blades- 60, Avg. capacity- 0.50ha/hr	FIMTTC/MECH/20 /1357 October 2020	27-10-27	परीक्षण हेतु चिन्हित किया गया	
5		Multispeed Rotary Tiller		TAFE Agristar 615 DX		35-45hp, tractor mounted	FMTTC,Kummulur, Tamilnadu	031/2018 October 2018	Oct-23	परीक्षण हेतु चिन्हित किया गया	
6		Multispeed Rotary Tiller		TAFE Agristar 718 DX		40-50hp, tractor mounted	FMTTC,Kummulur, Tamilnadu	028/2018 October 2018	Oct-23	परीक्षण हेतु चिन्हित किया गया	
7		Multispeed Rotary Tiller		TAFE Agristar 820 DX		45-55hp, tractor mounted	FMTTC,Kummulur, Tamilnadu	029/2018 October 2018	Oct-23	परीक्षण हेतु चिन्हित किया गया	
8		Multispeed Rotary Tiller		TAFE Agristar 922 DX		50-60 hp, tractor mounted	FMTTC,Kummulur, Tamilnadu	017/2018 October 2018	Oct-23	परीक्षण हेतु चिन्हित किया गया	
9		Tractors and Farm Equipment Limited, 77, Nungambakkam High Road, Nungambakkam, Chennai		Multispeed Rotary Tiller		TAFE Agristar 615V-36 Blade	Overall dimension-1796X840X1105mm, size of rotavaot-480X1500mm,	FMTTC,Kummulur, Tamilnadu	049-2021 January 2021	Jan-26	परीक्षण हेतु चिन्हित किया गया
42 Balde Multispeed Rotary Tiller				718 VX		Power-30 to 45 Hp, Max PTO-45 kW, Type of blade-1, MS Plate, Thickness-10	FMTTC,Kummulur, Tamilnadu	108R/2015 6 May 2015	2020	परीक्षण हेतु चिन्हित किया गया	
Tafe Rotary Tiller	718V-42		43 Blade, Multi speed gear drive rotary tiller, Overall Dimension-2045X840X1105mm, Size of rotavator-480X1500mm	AECRI-Tamilnadu	107-R/2015 May 2015	2020	परीक्षण हेतु चिन्हित किया गया				

9

✓

✓

✓

✓

✓

✓

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मैक/माडल	यंत्र का स्पेसिफिकेशन	डिस्ट्रिग संख्या	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति	
1	GSA Industries, Village Daulatpur, Rasulpur Jaura Road, Patiala, Punjab	Rotary Tiller		5	48 Blade, Max PTO-56 hp, Power-50 to 60 hp, Thickness of plate-10 mm, Size of box-2089X60X60mm	AECRI-Tamilnadu	109-R/2015 May 2015	2020	परीक्षण हेतु विनियत किया गया	
2		Rotary Tiller		821 V	48 Blade, Max PTO-39.5 hp, Power-50 to 60 hp, Thickness of plate-8 mm, Size of box-2100X50X50mm	AECRI-Tamilnadu	70-R/2014 April 2014	2019	परीक्षण हेतु विनियत किया गया	
3		Rotary Tiller		820 DD	Power-Mini 55 hp, Type of blade-L Type, Size of rotavator-480X2000, Overall dimension-2290X840X1140mm	AECRI-Tamilnadu	047-2020 September 2020	2025	परीक्षण हेतु विनियत किया गया	
4		Rotavator		6 Feet	MS Square Pipe, Size pipe-1820X60X60, Size of supporting flat-585X85X8.0, Type of mounting of pipe-34.92X11.43X1.5mm, Width, Length-1845X555mm, MS Pipe, Size of shaft-1760X89.00mm	SLFMTTI-UP	2011/248 September 2020	Sep-27	परीक्षण हेतु विनियत किया गया	
5		Rotavator		7 Feet	MS Square Pipe, Size pipe-2336X60X60, Size of supporting flat-586X100X8.0, Type of mounting of pipe-34.92X11.43X1.5mm, Width, Length-505X2336mm, MS Pipe, Size of shaft-2270X89.0mm	SLFMTTI-UP	2011/250 September 2020	Sep-27	परीक्षण हेतु विनियत किया गया	
6		Rotavator		8 Feet	MS Square Pipe, Size pipe-2335X60X60, Size of supporting flat-572X100X8.0, Type of mounting of pipe-35.0X11.43X1.5, Width, Length-2335X89.0mm, MS Pipe, Size of shaft-2270X89.0mm	SLFMTTI-UP	2011/249 September 2020	Sep-27	परीक्षण हेतु विनियत किया गया	
7		Multispeed Zyrovarator-7feet		GRIZO XL 250 MS	MS Square Pipe, Size pipe-2090X60X60, Size of supporting flat-560X115X8.0mm, Type of mounting of pipe-34.50X12.0X1.5, Width, Length-2090X510mm, MS Pipe, Size of shaft-1980X89.00mm	SLFMTTI-UP	2011/310 July 2021	Jul-28	परीक्षण हेतु विनियत किया गया	
8										
9										
10										

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मैक / माडल	यंत्र का स्पेसिफिकेशन	दस्तावेज संख्या	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेबसाइट तिथि	अवधि
10		Multispeed Zyrovator-6 feet		5	GRIZO XI, 185 MS MS Square Pipe, Size pipe-1970X60X60, Size of supporting flat-585X115X8.0mm, Type of mounting of pipe-34.50X12.43X1.5, Width, Length-1970X490mm, MS Pipe, Size of shaft-1720X74.00.0mm	7	2011/309 July 2021	Jul-28	10 परीक्षण हेतु चिन्हित किया गया
		Multispeed Zyrovator-8 feet		6	MS Square Pipe, Size pipe-2335X60X60, Size of supporting flat-572X100X8.0mm, Type of mounting of pipe-35.0X12.0X1.5, Width, Length-1970X490mm, MS Pipe, Size of shaft-1720X74.00.0mm	7	2011/2019 September 2020	Jul-27	परीक्षण हेतु चिन्हित किया गया
		Multispeed Zyrovator-6feet		6 Feet	MS Square Pipe, Size pipe-1820X60X60, Size of supporting flat-585X100X8.0mm, Type of mounting of pipe-34.92X11.43X1.5, Width, Length-505X2336mm, MS Pipe, Size of shaft-2270X89.0mm	SLFMTTI-UP	2011/248 September 2020	Sep-27	परीक्षण हेतु चिन्हित किया गया
		Multispeed Zyrovator-9 feet		GRIZO PRO 250 MS	MS Square Pipe, Size pipe-2795X60X60, Size of supporting flat-560X175X810mm, Type of mounting of pipe-34.50X12.43X1.5, Width, Length-2795X520mm, MS Pipe, Size of shaft-2700X90mm	SLFMTTI-UP	2011/308 July 2021	Jul-28	परीक्षण हेतु चिन्हित किया गया
		Multispeed Zyrovator-8 feet		GRIZO PRO 225 MS	MS Square Pipe, Size pipe-2345X60X60, Size of supporting flat-565X175X810mm, Type of mounting of pipe-34.50X12.43X1.5, Width, Length-2092X510mm, MS Pipe, Size of shaft-1982X90mm	SLFMTTI-UP	2011/307 July 2021	Jul-28	परीक्षण हेतु चिन्हित किया गया
		Multispeed Zyrovator-7 feet		GRIZO PRO 200 MS	MS Square Pipe, Size pipe-2336X60X60, Size of supporting flat-586X100X8.0mm, Type of mounting of pipe-34.50X12.43X1.5, Width, Length-2092X510mm, MS Pipe, Size of shaft-1982X90mm	SLFMTTI-UP	2011/306 July 2021	Jul-28	परीक्षण हेतु चिन्हित किया गया

2

✓

✓

Deep

Shruti

✓

2-

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मोक / माडल	यंत्र का स्पेसिफिकेशन	देस्टिन संस्था	देस्ट रिपोर्ट की तिथि	देस्ट की वैला तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
		Multispeed Zyrovarator-6 feet		GRIZO PRO 175 MS	MS Square Pipe, Size pipe-1830X60X60, Size of supporting flat 560X115X88, Type of mounting of pipe-34.50X12.43X1.5, Width, Length-1968X490mm, MS Pipe, Size of shaft-1710X73mmmm	SLFMTT1-UP	2011/305 July 2021	Jul-28	परीक्षण हेतु चिन्हित किया गया
		Multispeed Zyrovarator-5 feet		Agrizone-5	MS Square Pipe, Size pipe-1580X60X60, Size of supporting flat-560X165X87, 50mm, Type of mounting of pipe-34.62X11.80X1.5, Width, Length-1580X510mm, MS Pipe, Size of shaft-1510X99mmmm	SLFMTT1-UP	2011/280 May 2021	May-28	परीक्षण हेतु चिन्हित किया गया
	Guru Kripa, Mechanical Works,, Suman Road, Cheema Mandi Punjab	Tractor Operated Rotavator		6 BIRBAL	Power-40 hp & above, Size of rotavator-428X1860 mm, Max PTO-28.7 kW, Ms angle iron and MS plate fabrication, Size of box section-2040X610X650mm, Size of supporting flat-650X100X9mm	CAET-Kashmir	SKUAST-K/FMTC/20-21/ROT-2 August 2020	01-08-27	परीक्षण हेतु चिन्हित किया गया
11		Tractor Operated Rotavator		7 BIRBAL	Power-55 hp & above, Size of rotavator-404X2146mm, L shape, Max PTO-28.1 kW, Ms angle iron and MS plate fabrication, Size of box section-2040X610X650mm, Size of supporting flat-650X100X9mm	CAET-Kashmir	SKUAST-K/FMTC/20-21/ROT-3 August 2020	01-08-27	परीक्षण हेतु चिन्हित किया गया
		Tractor Operated Rotavator		8 BIRBAL	Power-55 hp & above, Size of rotavator-408.75X2422mm, L shape, Max PTO-41.0 kW, Ms angle iron and MS plate fabrication, Size of box section-22340X58X58mm, Size of supporting flat-580X93X8.21mm	CAET-Kashmir	SKUAST-K/FMTC/20-21/ROT-1 August 2020	01-08-27	परीक्षण हेतु चिन्हित किया गया
12	Ghunan Motors, Bhatti Road, Punjab	Tractor operated Rotavator	1- Avon Agriculture Industries, Scaniy Road, USNagar 2-Avtar Agriculture Equipments & Sons, Paiga Farm Kashipur	Rotavator 7 feet	Take- MF 7250, 47 HP, L-1, Sandy, 8.67 % Average Soil moisture, Density 1.54 %, 2.88 to 3.00 Kmph, 130 to 148 mm	FIMMTTC Bikaner	17/844 January 2018	Jul-25	परीक्षण हेतु चिन्हित किया गया

2

See

High

8

2

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मैक / माडल	यंत्र का स्पेसिफिकेशन	टैरिफिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की तैयारी तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
13	Hoshiarpur Steel, VIII-Dhadha, Jalandhar Punjab	Rotavator		SF-RVT-4F	30-35 hp & Above Hp, Size-1260 mm, Max PTO-52.5 hp8 kW (Ps) Size of Box-1325X60X62.3mm, Size of Supporting flat- 630X150X8 mm, Type- M.S. Plate-Thickness-15 mm Size of Bolt-60X11.5X1.75 mm	CAET-Ludhiana	FMPE/TC/Comm/ 2021/1241 February 2021	Feb-28	परीक्षण हेतु चिन्हित किया गया
		Rotavator		SF-RVT-5F	35-40hp & Above Hp, Size-1535mm, Max PTO-52.5 hp8 kW (Ps) Size of Box-1580X60X62.3mm, Size of Supporting flat- 630X150X8 mm, Type- M.S. Plate-Thickness-15 mm Size of Bolt-60X11.5X1.75 mm	CAET-Ludhiana	FMPE/TC/Comm/ 2021/1230 September 2020	Sep-27	परीक्षण हेतु चिन्हित किया गया
		Rotavator		SF-RVT-6F	40-45 hp & Above Hp, Size-1770mm, Max PTO-52.5 hp8 kW (Ps) Size of Box-1830X60X62.3mm, Size of Supporting flat- 680X150X8 mm, Type- M.S. Plate-Thickness-7 mm Size of Bolt-60X11.5X1.75 mm	CAET-Ludhiana	FMPE/TC/Comm/ 2021/1221 September 2020	Sep-27	परीक्षण हेतु चिन्हित किया गया
		Rotavator		SF-RVT-7F	50-60hp & Above Hp, Size-2005mm, Max PTO-52.5 hp8 kW (Ps) Size of Box-2085X60X62.3mm, Size of Supporting flat- 600X150X8 mm, Type- M.S. Plate-Thickness-8mm Size of Bolt-60X11.5X1.75 mm	CAET-Ludhiana	FMPE/TC/Comm/ 2021/1222 September 2020	Sep-27	परीक्षण हेतु चिन्हित किया गया
		Rotavator		SF-RVT-8 F	55-65 hp & Above Hp, Size-2280 mm, Max PTO-52.5 hp8 kW (Ps) Size of Box-2330X60X62.3mm, Size of Supporting flat-635X150X8 mm, Type- M.S. Plate-Thickness-8.2mm Size of Bolt-60X11.5X1.75 mm	CAET-Ludhiana	FMPE/TC/Comm/ 2021/1228 September 2020	Sep-27	परीक्षण हेतु चिन्हित किया गया
		Rotavator		SF-RVT-9 F	60-75 hp & Above Hp, Size-2480 mm, Max PTO-52.5 hp8 kW (Ps) Size of Box-2520X60X62.3mm, Size of Supporting flat-630X150X8 mm, Type- M.S. Plate-Thickness-8.2mm Size of Bolt-60X11.5X1.75 mm	CAET-Ludhiana	FMPE/TC/Comm/ 2021/1229 September 2020	Sep-27	परीक्षण हेतु चिन्हित किया गया

2

2

2

2

2

2

2

2

2

2

2

2

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	शीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन	ट्रेडिंग संस्था	ट्रेड रिपोर्ट की तिथि	ट्रेड की वेदता तिथि	अव्युक्ति
1	2	3	4	5	6	7	8	9	10
		Tractor Operated Rotavator		Rotavator -8	Size - 450X2350mm, Power - 55hp and above, Size of Box- 2365X60X60mm, Size of Supporting flat-565X125X10mm mm, Type- M.S. Plate-Thickness-10/8mm Size of Bolt-60X11.5X1.75 mm	CAET-Hisar	HAU/PMPE/19-20/ROT-147 September 2019	Sep-26	परीक्षण हेतु विनियत किया गया
14	Jaswant Agriculture Works, Patiala Road, Sunam Sangroor, Punjab	Tractor Operated Rotavator		Rotavator -7 feet	Size - 450X2050mm, Power - 55hp and above, Size of Box- 2060X60X60mm, Size of Supporting flat-595X125X8mm mm, Type- M.S. Plate-Thickness-10/8mm Size of Bolt-60X11.5X1.75 mm	CAET-Hisar	HAU/PMPE/19-20/ROT-146 September 2019	Sep-26	परीक्षण हेतु विनियत किया गया
	Jai Auto Pvt. Ltd., Steel, Ind. Area Sahibabad, Ghaziabad, UP	Multispeed Rotavator -6 Feet		HEXA MARK-1H185 (HMK-1H185)	Tractor horse power Required- 35hp and above, Type of blade-L-type, Working width of implement- 1750mm, Max PTO-23.5 Kw, Type- MS square pipe, Size of Pipe- 1865X60X60mm, Size of supporting flat-575X100X8.0	SLMTTR, Lucknow	IMP-2011/288 May 2021	May-28	परीक्षण हेतु विनियत किया गया
		Multispeed Rotavator -7 Feet		HEXA MARK-1H205 (HMK-1H205)	Tractor horse power Required-45hp and above, Type of blade-L-type, Working width of implement- 2000mm, Max PTO-23.5 Kw, Type- MS square pipe, Size of Pipe- 2115X60X60mm, Size of supporting flat-575X100X8.0	SLMTTR, Lucknow	IMP-2011/289 May 2021	May-28	परीक्षण हेतु विनियत किया गया
15		Multispeed Rotavator -8 Feet		HEXA MARK-1H230 (HMK-1H230)	Tractor horse power Required-55hp and above, Type of blade-L-type, Working width of implement- 2250mm, Max PTO-37.5 Kw, Type- MS square pipe, Size of Pipe- 2365X60X60mm, Size of supporting flat-575X100X8.0	SLMTTR, Lucknow	IMP-2011/290 May 2021	May-28	परीक्षण हेतु विनियत किया गया

✓

✓

✓

✓

✓

✓

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मेक / माडल	यंत्र का स्पेसिफिकेशन	ट्रेडिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेता तिथि	अभ्युक्ति
1	Jaggi Agriculture Works, Kabhoppur, District- patafala	3 Rotavator	4 1- Kisan Agro, Traders, Kichha, USNagar. 2-Billu Agriculture Works, Subhasgarh Road, Aithal laksar, Haridwar	5 Jaggi Rotavator	6 40 & Above Hp, Size-2030 mm, Power- 28.7 (38.9) kW (Ps) Size of Boz-2060X640X690 mm, Size of Supporting flat- 665X80X10 mm, Type- M.S. Plate-Thickness-15 mm Size of Bolt-60X11.5X1.75 mm	7 GBPUAT Pantnagar	8 2015-33 August 2015	9 Jul-05	10 परीक्षण हेतु चिन्हित किया गया
16		Rotavator		Jaggi Rotavator-6 feet	50 & Above Hp, Size-1780mm, Power- 52.5kW (Ps) Size of Boz- 60.6X60.6X1845 mm, Size of Supporting flat- 665X80X10 mm, Type- M.S. Plate-Thickness-15 mm Size of Bolt-60X11.5X1.75 mm	CAET-Ludhiana	FMP/TC/Comm/ 2021/1243 February 2021	Feb-28	परीक्षण हेतु चिन्हित किया गया
17	Jai Gurudev Industries, C-19/20, Industrial Area, Kichha, Bye Pass Road, Rudrapur, US Nagar	Multi Speed Rotavator		Jaggi Rotavator-8 feet	60 & Above Hp, Size-2300mm, Power- 52.5kW (Ps) Size of Boz- 60.6X60.6X2400mm, Size of Supporting flat- 665X80X10 mm, Type- M.S. Plate-Thickness-15 mm Size of Bolt-60X11.5X1.75 mm	CAET-Ludhiana	FMP/TC/Comm/ 2021/1244 February 2021	Feb-28	परीक्षण हेतु चिन्हित किया गया
18	Kartar Singh & Sons, Station Road, Kashipur, Uttarakhand	Tractor operated Rotavator		Rotavator-7 feet	Tractor mounted multispeed rotavator, Horse power-50 & above, Type of blade-L-Type, Working width-2040mm, Max PTO-36.4kw, Type-M5 square pipe, Size of pipe-2150X60X60mm, Thickness of plate- 8.5mm, Curved width-2150X530mm	SLFMTTI-Lucknow	IMP-2011/264 January 2021	Jan-28	परीक्षण हेतु चिन्हित किया गया
		Tractor Operated Rotavator		KARTAR impliments	Recommended power-40 hp, working width- 2026 mm, side plates-2, trailing board-1, rotor blades- 48, no. of flanges- 9, overall dimension- 2367*1157*1136mm, Avg. capacity- 0.70ha/hr	GBPUAT, Pantnagar	CTE/ FMP/TEST REPORT/2017-56 May 2017	May-24	परीक्षण हेतु चिन्हित किया गया
				JCB, JCRT-5	Size-44.8X148mm, Power- 35 hpa and above, Size of Boz- 1580X60X60 mm, Size of Supporting flat-600X160X8mm mm, Type- M.S. Plate-Thickness- 10/8mm Size of Bolt-60X11.5X1.75 mm	NRFMTTI-Hisar	Rotavator- 318/2610/2020 December 2020	Dec-27	परीक्षण हेतु चिन्हित किया गया

2

✓

1

Deer

Shykh

Q

2-

क्र. सं.	मूल निर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मॉक /माडल	यंत्र का स्पेसिफिकेशन	टैरिंग संस्था	टैस्ट रिपोर्ट की तिथि	टैस्ट की वैधता तिथि	अभ्युक्ति	
1	19 Mobility Solution Ltd. Chandigarh-ambala Rod, Punjab	Tractor Operated Rotavator		5	6	7	8	9	10	
		Tractor Operated Rotavator		ICBL  CRT-06	Size -45.4X173.1mm, Power -45 hp and above, Size of Box- 1885X60X60 mm, Size of Supporting flat-605X160X8mm mm, Type- M.S. Plate-Thickness- 10/8mm Size of Bolt-60X11.5X1.75 mm	NRFMTTI-Hisar	Rotavator- 319/2611/2020 December 2020	Dec-27	परीक्षण हेतु चिन्हित किया गया	
		Tractor Operated Rotavator		ICBL  CRT-07	Size -45.4X173.1mm, Power -50 hp and above, Size of Box- 2080X60X60 mm, Size of Supporting flat-605X160X8mm mm, Type- M.S. Plate-Thickness- 10/8mm Size of Bolt-60X11.5X1.75 mm	NRFMTTI-Hisar	Rotavator- 320/2612/2020 December 2020	Dec-27	परीक्षण हेतु चिन्हित किया गया	
		Tractor Operated Rotavator		ICBL  CRT-08	Size -45.8X222mm, Power 55 hp and above, Size of Box- 2330X60X60 mm, Size of Supporting flat-610X160X8mm mm, Type- M.S. Plate-Thickness- 10/8mm Size of Bolt-60X11.5X1.75 mm	NRFMTTI-Hisar	Rotavator- 321/2613/2020 December 2020	Dec-27	परीक्षण हेतु चिन्हित किया गया	
		Self Propelled Rotary Weeder		Cub Cadet FT 750		SRFMTTI, Anantpur, AP				टैस्ट रिपोर्ट प्राप्त होने के उपरान्त परीक्षण किया जाएगा।
		Self Propelled Rotary Weeder		Cub Cadet FT 550		SRFMTTI, Anantpur, AP				
		Rotary Tiller		Cub Cadet FT 350		FMTTI, Garladinne, AP	202/801 October 2017	Oct-22	परीक्षण हेतु चिन्हित किया गया	
		Rotary Tiller		Cub Cadet RT 65		SRFMTTI, Anantpur, AP	194/785 August 2017	Aug-22	परीक्षण हेतु चिन्हित किया गया	
		Tractor Operated Rotavator		VLK-225		CAET-Hissar	HAU/FMPE/15-16/ROT-64 September 2015	Sep-22	परीक्षण हेतु चिन्हित किया गया	
		Tractor Operated Rotavator		ZIX-2.05		ICAR-MP	No-61/2017 June 2018	Jun-25	परीक्षण हेतु चिन्हित किया गया	
20	MTD Product India Pvt. Ltd., Gut No-53/01, Pune Nasik Highway, Kuruli Tal, Khed, Pune									
21	Mahindra & Mahindra Ltd. Swaraj Divison, B-4, Matrix Tower, Sector 32, Noida									

Handwritten signatures and initials in blue ink are present on the left side of the page, including a large signature at the top and several smaller ones below it.



क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1		3	4	5	6	7	8	9	10
21		Tractor Operated Rotavator		ZLXH-205	Power-45 to 55 hp, Type of blade-L type, Size of Rotavator-1960X429 94mm	SRFMTTI-AP	IMP-277/374 December 2012	Dec-19	परीक्षण हेतु चिन्हित किया गया
		Tractor Operated Rotavator		ZLXH-185	Power-34 to45 hp, Type of blade-L type, Size of Rotavator-1760X452mm	SRFMTTI-AP	IMP-276/373 December 2012	Dec-19	परीक्षण हेतु चिन्हित किया गया
	Maschio Gasparado India Pvt. Ltd, Plot No-F-27,MIDC, Ranjangaon, Village-Karegaon, Tal-Shirur, Pune	Tractor Mounted Rotavator	1-M/s A.H. Associates Rudrapur Road, Kashipur, U.S. Nagar, Mob-9917800088 2-M/s Kisan Fertilizers Agency, Chaity Chowraha, Kashipur, U.S. Nagar, Mob-7500800088	W-85, Tested by ICAR, CIAE, Nabi Bagh, Bhopal	Recommended power source- 15hp & above, side plates-2, no. of flanges 4, total no. of blades- 16&24, overall dimension- 999*775*908mm, Field capacity-0.151 ha/hr	60714.28	3643	Dec-09	परीक्षण हेतु चिन्हित किया गया
22				W-105, Tested by ITTC, CAET, Parohani, Maharashtra	Recommended power source- 15-40 hp, working width- 1054mm, no. of flanges-4, total no. of blades- 20, overall dimension- 1170*820*940mm, Weight of impliment- 170kg, Field capacity- 0.208-0.221 ha/hr	64285.72	3857	Jul-10	परीक्षण हेतु चिन्हित किया गया
				W-125, Tested by ICAR, CIAE, Nabi Bagh, Bhopal	Recommended power source- 35hp & above, no. of flanges-4, total no. of blades- 16&24, overall dimension- 1399*775*908mm, Weight of impliment- 200kg, Field capacity- 0.34 ha/hr	67857.14	4017	Dec-10	परीक्षण हेतु चिन्हित किया गया
23	Machino Agriculture Implements Pvt. Ltd, Karnal Haryana	Multi Speed Rotavator		MRT MS-6 Feet	Power-40hp and above, Working width-1760mm, Lshpe type, Max Pto-33.9 Kw, type-MS flat & angle iron fabricatohn, Size of Pipe-1845X60X60mm, Length-2015mm, Time -09, Type-gigid, Size -1040X82X, Thickness-03mm	SLFMTTL-UP	MOP-2011/259 September 2020	Sep-27	परीक्षण हेतु चिन्हित किया गया
	Pratap Iron Works Near Namastey Chowk, G.T. Road, Karnal	Rotary Tiller	1- Bansal Traders, Vikasnagar Dehradun. 2- Billu Agriculture Works Laksar Hardwar.	CKRT-1.75	Power-45Hp and above, MS Sheet, Size-450X580X10 mm, Thickness of plate-8.0mm & 10.0 mm, Length-36.8mm, Dia-12.0 mm	FMTC- Telangana	164/289 March 2019	Mar-26	परीक्षण हेतु चिन्हित किया गया
24		Rotary Tiller		CKRT-2.0	Power-55Hp and above, MS Sheet, Size-450X580X10 mm, Thickness of plate-8.0mm & 10.0 mm, Length-36.8mm, Dia-12.0 mm	FMTC- Telangana	165/290 March 2019	Mar-26	परीक्षण हेतु चिन्हित किया गया

24

✓

✓

✓

✓

✓

✓

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मैक / माडल	यंत्र का स्पेसिफिकेशन	ट्रेडिंग संस्था	ट्रेड शिफ्ट की तिथि	ट्रेड की हैला तिथि	अभ्युक्ति
1		3	4	5	6	7	8	9	10
		Rotavator		Cropking 1.25 RTG	Power-35 Hp and above, MS Sheet, Size-450X580X10 mm, Thickness of plate-8.0mm & 10.0 mm, Length-36.8mm, Dia-12.0 mm	SLFMITTI Bhubaneswar Odisha	17/2015-16 March 2015	2022	परीक्षण हेतु चिन्हित किया गया
25	Punjab Febrication Derbasi Mohali Punjab	Rotavator Royal Kisan -7 feet		RK-0748	Power-55 hp & above, Size of rotavator-2110X6200 mm, Max PTO-28.7 kW, Ms angle iron and MS plate fabrication, Size of box section-2040X610X650mm, Size of supporting flat-650X100X9mm	FIMTTTC-Bikaner	FIMTTTC/MECH/21/1610		परीक्षण हेतु चिन्हित किया गया
24	Para Singh and Son's, G.T. Road, Karnal Haryana	Rotavator	1-Vijay and Company Laksar Hardwar. 2-Dasmesh agriculture implement and Indus. Sitarganj Usnagar	FM-6	Power-40hp and above, Working width-1760mm, Lshpe type, Max Pto-28.7 Kw, type-MS flat & angle iron fabrication, Size of Pipe-1800X600mm, Length-2015mm, Tine-09, Type-gigid, Size -1040X82X, Thickness-03mm	GBPUAT Pantnagar	2021-123 January 2021	Jan-28	परीक्षण हेतु चिन्हित किया गया
		Rotavator	1-Punjab Agro Sales, Laksar, Haridwar. 2-Punjab Agro Sales, Khoikrata USNagar. 3-Punjab Agro Sales, Roorkee Hardwar. 4-Punjab Aro Sales, Roorkee Road, Laksar Hardwar	Krishiking KRTG-0036-(6 Tyne)	Recommended power- 40 hp, Size of rotavator-1500 mm, Max PTO-28.7 (38.9) kW (Ps), Type-MS angle iron and MS Plate, Size of box-1520X90, Size of supporting-480X620X12 mm, Thickness-10mm	GBPUAT Pantnagar	CTE/FMP/2019-103 December 2019	Dec-26	परीक्षण हेतु चिन्हित किया गया
25	Punjab Farm Equipment Pvt. Ltd, Unjapura Baragaan Raod, Mugal Majra Road Karnal Haryana	Rotavator		Krishiking KRTG-0042-(7 Tyne)	Recommended power- 40 hp, Size of rotavator-1780 mm, Max PTO-28.7 (38.9) kW (Ps), Type-MS angle iron and MS Plate, Size of box-1950X90, Size of supporting-610X480X8 mm, Thickness-10mm	GBPUAT Pantnagar	CTE/FMP/2019-104 December 2019	Dec-26	परीक्षण हेतु चिन्हित किया गया
		Rotavator		Krishiking KRTG-004248-(6 Tyne)	Recommended power- 40 hp, Size of rotavator-2.13 mm, Max PTO-28.7 (38.9) kW (Ps), Type-MS angle iron and MS Plate, Size of box-2340X90, Size of supporting-705X640X2 mm, Thickness-10mm	GBPUAT Pantnagar	CTE/FMP/2019-105 December 2019	Dec-26	परीक्षण हेतु चिन्हित किया गया

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

Sharma

82

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मैक /माडल	यंत्र का स्पेसिफिकेशन	देस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की शैलता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
		Rotavator		KRTG-0054	Recommended power-40 hp and above, Size of rotavator-2.35 mm, Max PTO-28.7 (38.9) kW (Ps), Type-MS angle iron and MS Plate, Size of box-2320X60, 27X60, 27, Size of supporting-635 curvedX126X8, 27mm, Thickness-10.5mm	GBPUAT Panthagar	CTE/FMP/2021-125 January 2021	Jan-28	परीक्षण हेतु चिन्हित किया गया
26	Saron Mechanical Works Mansa Road, Cheema Mandi, Distt.-Sangrur, Punjab-148029	Rotavator	1-A one Agriculture Store, Gadarapur, USNagar. 2- Balveer Industries, Nanakmatra, U.S. Nagar, Mob-9756609683 3-Tyagi Agro Sale, Panchakki farm Rudrapur road, Kichha. 4- National Agriculture Repairing Works, Haridwar Road, Laksar.	Jaggatit Rotavator 6ft	Working Width-2030 mm, Thickness of blade-Cshape with 20+5 mm, 75. mm, No of blades-48, Dide Drive-Gear Drive, Diameter -450+5mm,	SLMTTIR, Lucknow	IMP-2011/271 Feb 2021	Feb-28	परीक्षण हेतु चिन्हित किया गया
		Rotavator		Jaggatit Rotavator 7ft IRV-853	Working Width-2290 mm, Thickness of blade-Cshape with 20+5 mm, 75. mm, No of blades-48, Dide Drive-Gear Drive, Diameter -450+5mm,	SLMTTIR, Lucknow	IMP-2011/212 July 2019	Jul-26	परीक्षण हेतु चिन्हित किया गया
		Rotavator		Jaggatit Rotavator 8ft IRV-854	Working Width-2325mm, Power-50 hp and above, l shape,, Max PTO36.3kw, MS plate, Size of pipe-60X60mm,	SLMTTIR, Lucknow	IMP-2011/195 June 2019	Jun-26	परीक्षण हेतु चिन्हित किया गया
27	Sarswati Krishi Udhog, asandh, Karnal Haryana	Tractor Operated Rotavator		Rotavator-6 Feet	40 & Above Hp, Size-460X1770 mm, Power- 26.8 kW (Ps) Size of Box-1810X60X60mm, Size of Supporting flat- 630X150X8 mm, Type- M.S. Plate-Thickness-15 mm Size of Bolt-60X11.5X1.75 mm	CAET-Hissar	HAU/FMPE/19-20/ROT-141 September 2019	Sep-26	परीक्षण हेतु चिन्हित किया गया
		Tractor Operated Rotavator		DG-200	60 & Above Hp, Size-2010mm, Power- 36.3kW (Ps) Size of Box-2050X60X60mm, Size of Supporting flat- 660X150X8 mm, Type- M.S. Plate-Thickness-8 mm Size of Bolt-60X11.5X1.75 mm	CAET-Hissar	HAU/FMPE/12/RO T-14 March 2013	Mar-20	परीक्षण हेतु चिन्हित किया गया

*(Handwritten marks)*

*(Handwritten signature)*

*(Handwritten signature)*

*(Handwritten signature)*

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मैक / माडल	यंत्र का स्पेसिफिकेशन	रजिस्ट्रेशन संख्या	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अव्यक्ति
1	2	3	4	5	6	7	8	9	10
		Tractor Operated Rotavator		8 Feet	55 & Above Hp, Size-466X2420mm, Power- 28.1KW (Ps) Size of Box- 2315X60X60mm, Size of Supporting flat- 630X150X8 mm, Type- M.S. Plate-Thickness-4 mm Size of Bolt- 60X11.5X1.75 mm	CAET-Hissar	HAU/FMPE/19-20/Roc-142 September-2019	Sep-26	पंजीकरण हेतु विनियत किया गया
28	Sandhu Agri Industries, Piliganj Majhola, Khatima, USNagar	Rotavator		HE-Man	Power-35 hp & above, Size of rotavator-2020mm, Max PTO-28.7 kW, Ms angle iron and MS plate fabrication, Size of box section- 2040X610X650mm, Size of supporting flat-650X100X9mm	GBPUAT Pantragar	2014-14 July 2014	Jul-21	पंजीकरण हेतु विनियत किया गया
	Sonalika Agro Solution, Sonalika Industries, Jalandhar Road, Hoshiyarpur Punjab	Multi Speed Rotavator	1-Jagdambey Trading Company, Near BDM School, Dehradun. Herbertur, Haridwar-Tehri, Garhwal-Pauri, and Uttarkashi 2- Ramesh Machinery Store, Roorkee, Haridwar, Mob-9837522855 3- Dashmesh Agriculture Implements & Industries, Sitarganj, U.S. Nagar, Mob-9837122057	SLRMS-175	Power-45-50 hp, Blade-L-Shape, Working width-1933 mm, Max PTO-28.6 kw, Type-flat, Size of pipe-1871X60X60, Supporting flat-591X50X10.00, MS Plate, thickness of plate-10.10 mm, size of board-2033X500mm, Size os shaft-1770X89.29 MM	SLFMTTI Lucknow	IMP-2011/137 June-2017	Jun-24	पंजीकरण हेतु विनियत किया गया
		Multi Speed Rotavator	9837122057 4-Roorkee Agriculture Store, Roorkee Road, Laksar Haridwar. 5-M/s Jai Gurudev Industries, Rudrapur, U.S. Nagar, Mob-9568880000 6-Kamboj Tractors, Nadehi Sugar Mill, Jaspur USNagar. 7-BT Agency, Kashipur USNagar 8-Jagdambey Trading Company, Vikasnagar, Dehradun.	SLRMS-1200	Power-45-50 hp, Blade-L-Shape, Working width-2140mm, Max PTO-39.4 kw, Type-flat, Size of pipe-2122X60X60, Supporting flat-591X50X10.00, MS Plate, thickness of plate-10.10 mm, size of board-2290X520X2.90m, Size os shaft-2000X89.259 MM	SLFMTTI Lucknow	Imp-2011/133 April 2017		पंजीकरण हेतु विनियत किया गया
		Multi Speed Rotavator		SILCHAMSR-6 DI 750 III	Power-45-50 hp, Blade-L-Shape, Working width-1745mm, Max PTO-31.1 kw, Type-flat, Size of pipe-1860X60X60, Supporting flat-610X100X10.2, MS Plate, thickness of plate-10.10 mm, size of board-2005/1780X520m, Size os shaft-2000X89.259 MM	NRFMTTI Hisaar	IMP-957/2236/2018 Nov 2018	Nov-25	पंजीकरण हेतु विनियत किया गया

2

W

W

Doc

Surin

Q

2

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मैक / माडल	यंत्र का स्पेसिफिकेशन	टैरिग संख्या	टैस्ट रिपोर्ट की तिथि	टैस्ट की वैधता तिथि	अव्युक्ति
1	2	3	4	5	6	7	8	9	10
		Tractor operated Rotavator		SLCHAMSR-7	Power 55-60 hp, Blade-L Shape, Working width-1998mm, Type-Fabricated from MS square pipe and ms pipe, Size of box-2815X60X60mm, Size of supporting flat-590X100X10.1mm, Thickness of plate-10.1mm, No of bush-4, Size of bush-46Z27/19	NRFMTTI Hisar	IMP-961/2240/2018 Nov 2018	Nov-25	परीक्षण हेतु चिन्हित किया गया
		Tractor operated Rotavator		SLCHAMSR-8	Power 60-70 hp, Blade-L Shape, Working width-2203mm, Type-Fabricated from MS square pipe and ms pipe, Size of box-2315X60X60 Size of supporting flat-610X100X10mm, Thickness of plate-10.1mm, No of bush-4, Size of bush-47/27/19	NRFMTTI Hisar	IMP-958/2237/2018 Nov 2018	Nov-25	परीक्षण हेतु चिन्हित किया गया
		Tractor operated Rotavator		SLCHAMSR-9	Blade-L Shape, Working width-45.4X261mm, Type-Fabricated from MS square pipe and ms pipe, Size of box-2810X60X60 Size of supporting flat-580X100X10.0mm, Thickness of plate-10.1mm, No of bush-6, Size of bush-47.4X27.3/16.9	NRFMTTI Hisar	IMP-283/2522/2020 Sep 2020	Sep-27	परीक्षण हेतु चिन्हित किया गया
		Tractor operated Rotavator		SLPSSR-6	Blade-L Shape, Working width-46X174, Type-Fabricated from MS square pipe and ms pipe, Size of box-1860X60X60 Size of supporting flat-580X145X10mm, Thickness of plate-10.1mm, No of bush-4, Size of bush-47X27.5/17.6	NRFMTTI Hisar	Rotavator-291/2530/2020 Sep 2020	Sep-27	परीक्षण हेतु चिन्हित किया गया
		Tractor operated Rotavator		SLPSSR-7	Power-60 hp, Blade-L Shape, Working width-, Type-Fabricated from MS square pipe and ms pipe, Size of box-2115X60.5X60.5 Size of supporting flat-605X100X10mm, Thickness of plate-10 mm, No of bush-4, Size of bush-47X27.4/17.2, Total Blade-48	NRFMTTI Hisar	Imp-956/2235/2018 Nov-2018	Sep-25	परीक्षण हेतु चिन्हित किया गया

29

B

L

D

Page

B

D

R

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मैक / माडल	यंत्र का स्पेसिफिकेशन	देस्टिंग संख्या	देस्ट रिपोर्ट की तिथि	देस्ट की वैधता तिथि	अवस्थिति
1	2	3	4	5	6	7	8	9	10
		Tractor Mounted Rotavator		SLSSMR-3.5	Power- 18 hp, Blade- L Shape, Working width-, Type- Fabricated from MS square pipe and ms pipe, Size of box- 1045X50X50.5 Size of supporting flat- 480X12X06.00mm, Thickness of plate- 8.0mm, No of bush- 3. Size of bush- 46/25/12.8, Total Blade- 20	NRFMTTI Hisar	Imp- 289/2528/2020 Sep-2020	Sep-27	परीक्षण हेतु चिन्हित किया गया
		Tractor Mounted Rotavator		SLSSMR-3.0	Blade- L Shape, Working width- 4.2X80, Type- Fabricated from MS square pipe and ms pipe, Size of box 890X50X50, Size of supporting flat- 480X120X6.0mm, Thickness of plate- 8.0 mm, No of bush- 3, Size of bush- 46/25/12.8, Total Blade- 16	NRFMTTI Hisar	Imp- 286/2525/2020 Sep-2020	Sep-27	परीक्षण हेतु चिन्हित किया गया
		Tractor operated Rotavator	1- Rajat Agriculture Works, Haidwar. 2- National Agriculture Repairing Works, laskar Haridwar. 3- Shri Enterprises kaulagath Road, Dehradun.	Shaktiman SRT / 7	Recommended power- 45hp, working width- 2020mm, no. of blades- 60, overall dimension- 930*2280*1115mm, avg. capacity- 0.42-0.48 ha/hr	FIMTTC Bikaner	13/186 September 2013	Sep-20	परीक्षण हेतु चिन्हित किया गया
		Rotary Tiller (Rotavator)	4- Raj Engineering Works, madhya Road Jaspur USNagar	Shaktiman SRT- 8(240MS)	Recommended power- 45hp, working width- 2020mm, no. of blades- 60, overall dimension- 930*2280*1115mm, avg. capacity- 0.42-0.48 ha/hr	FMTTC Ahmednagar	100/2018 March 2018	Mar-25	परीक्षण हेतु चिन्हित किया गया
		Rotary Tiller (Rotavator)		Shaktiman SRT- 6(180MS) GD SC	Recommended power- 45hp, working width- 2020mm, no. of blades- 60, overall dimension- 930*2280*1115mm, avg. capacity- 0.42-0.48 ha/hr	NERFMTTI Assam	259/336 March 2019	Mar-26	परीक्षण हेतु चिन्हित किया गया
		Rotary Tiller (Rotavator)		Shaktiman SRT- 7(210 MS) GD SC	Recommended power- 65 hp, no. of blades- 48, overall dimension- 2256*945*1140mm, avg. capacity- 0.52-0.70 ha/hr	NERFMTTI Assam	261/338 March 2019	Mar-26	परीक्षण हेतु चिन्हित किया गया
30		Rotary Tiller (Rotavator)		SRT-6-180	Recommended power- 42.57hp, no. of blades- 48, overall dimension- 1890X50.84X50.93mm, Size of bolt- 36.65, Dia- 13.72mm, Type- MS Sheet, Thickness- 8.20 RHS, 10.30 LHS	NERFMTTI Assam	286/366 March 2020	Mar-25	परीक्षण हेतु चिन्हित किया गया

Handwritten signature and initials in blue ink.

Handwritten signature in blue ink.

Handwritten signature in blue ink.

Handwritten signature in blue ink.

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मैक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अव्युक्ति
1	2	3	4	5	6	7	8	9	10
		Rotary Tiller (Rotavator)		SRT-7 (210)/MS	Max PTO-65 hp, Type-Uni-body construction of chassis with welding. Size of box section- 60X60X4.5mm thick and length- 2098.50mm, Size of supporting flat- 575X105X8mm, Main plate- 2098.50X443X56.46 mm	FMTTC Ahmednagar	99/2018 March 2018	Mar-25	परीक्षण हेतु विनियत किया गया
		Rotary Tiller (Rotavator)		SRT-6 (180)/SS CID	Power Source-50 hp and above, Type of blade-Hatched (I shape), Max PTO-41.5 (56.42) kW, Type-Fabricated from MS box and MS flat, Size of box section- 185.4X60.45X60.45mm	FMTTC-Kerala	59/82/2021 April 2021	Apr-28	परीक्षण हेतु विनियत किया गया

उप कृषि निदेशक,  
तकनीकी समझौता,  
कृषि निदेशालय

संयुक्त कृषि निदेशक,  
नियोजन एवं अनुश्रवण,  
कृषि निदेशालय

संयुक्त कृषि निदेशक,  
गुणवत्ता नियंत्रण,  
कृषि निदेशालय

प्रतिनिधि,  
निदेशक उद्योग,  
उद्योग निदेशालय

प्रतिनिधि,  
विभागबन्ध (फॉर्म मशीनरी),  
नॉ०३०५०१०१०, पटना

आपर कृषि निदेशक,  
कृषि निदेशालय

वित्त नियंत्रक,  
कृषि निदेशालय

कृषि निदेशक,  
उत्तराखण्ड 1

प्रत संख्या-7033, दिनांक 19 मार्च, 2021 के द्वारा जारी विज्ञापन से प्राप्त लेजर लेवेल हेतु अनुमोदित/स्वीकृत पंजीकृत फर्म/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक/मॉडल	यंत्र का स्विफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	Guru Kripa, Mechanical Works, Sarvan Road, Cheema Mandi Punjab	Laser Land Leveller		Birbal -7 Feet	Nominal Width-2075mm, Power-50 hp and above, Max PTO-38.6 Kw, Grade range-10 % single axes, Laser Source-620-690mm, Level accuracy -1.5 mm at 30m, Size-22.5X17.5X20cm, Weight-2.620kg	FIMTTC-Bikaner	FIMTTC/IMP/20/1354 August-2020	07-08-27	पंजीकरण हेतु चिन्हित किया गया
2	Hexagon Geosystems India Pvt. Ltd, Golf Course Road, Sector 53, Haryana	Laser Land Leveller		LEICA-RUGBY CLH	Power source above-45 hp, MS flate, Type of blade-Rectangular, Working width-2130mm, Map PTO-38.6 W, Type-Hollow MS Plate side plate, Thickness-10.2 mm, Size of blade-2130X125X12.40	FIMTTC-Bikaner	FIMTTC/IMP/20/131 November 2020	03-11-27	पंजीकरण हेतु चिन्हित किया गया
3	GSA Industries, Village Daulampur, Rasulpur Jaura Road, Pathala, Punjab	Laser Land Leveller		Agrizone Sprots	Power source above-50 hp, MS flate, Type of blade-Rectangular, Working width-2105mm, Map PTO-36.3 W, Type-Hollow MS Plate side plate, Thickness-10.2 mm, Size of blade-2090X124X12.00	SIFMTTI-UP	IMP-2011/269 February 2021		पंजीकरण हेतु चिन्हित किया गया
4	BERI UDYOG Pvt. Ltd. Plot No. 225 to 240, Sector-03, Karnal (Haryana) Ph. No-0184-2221572	Laser Land Leveller		FIELDKING, FKLL ESD-7-1.7	Power source above-45 hp, Type of blade Rectangular, Working width-1970mm, Map PTO-33.6kw, Type-Hollow MS Beam With side plate, Thickness-8.0 mm, Size of plate+202X760X35	NRFMTTI-Hisar	IMP-674/1646/201 September 2014		पंजीकरण हेतु चिन्हित किया गया
5	KS Powertech, Rajkot Road, Near Sherwanlkot, Punjab	Laser Land Leveller		DLY-Model	Power source above-50 hp, Type of blade Rectangular, Working width-2105mm, Map PTO-38.6W, Type-Hollow MS Plate side plate, Thickness-10.2 mm, Size of blade-01, 2130X750X615	FMTC-Ludhiana	FMPE/TC-2016/1053 February 2017		पंजीकरण हेतु चिन्हित किया गया
6	Expert International, Janta Nagar, District Ludhiana Punjab	Laser Land Leveller		EXPER-S01	Power source above-50 hp, Type of blade Rectangular, Working width-2250mm, Map PTO-33.5kw, Type-Hollow MS Beam With side plate, Thickness-10.25 mm, Size of blade-01, 2130X125X12.17	FIMTTC-Bikaner	FIMTTC/IMP/19/1218 November 2019	07-011-2026	पंजीकरण हेतु चिन्हित किया गया

Handwritten signatures and initials in blue ink are present on the left side of the page, including a large signature at the top and several smaller ones below it.



पत्र संख्या-7033, दिनांक 19 मार्च, 2021 के द्वारा जारी विज्ञापन से प्राप्त लेजर लेवेल हेतु अनुमोदित / स्वीकृत पंजीकृत फर्म / अधिकृत विक्रेता, मेक / मॉडल का विवरण

क0 सं0	मूल विनिर्माता फर्म का नाम	मशीन / यंत्र का प्रकार	डीलर का विवरण	मेक / मॉडल	यंत्र का स्वरूपिकेशन	देरिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
7	Dashmesh Agriculture Industries, Raikot road, Sangroor Punjab	Laser Land Leveller		Dashmesh-974	Power source above-50 hp, Type of blade Rectangular, Working width-2100mm, Map PTO-36.3 kW, Type-Hollow MS Beam With side plate, Thickness-10.25 mm, Size of blade-2100X120X12	NRFMTTI-Hisar	IMP-844/2021/2017 July 2017		पंजीकरण हेतु विनियत किया गया
8	T & D Electronic Systems, 79 R Industrial Area B, New Bhagwan Chowk Ludhiana	Laser Land Leveller		T & D-1500 T	Power source above-45 hp, Type of blade Rectangular, Working width-2105mm, Map PTO-37.51kW, Type-Hollow MS Beam With side plate, Thickness-10.00 mm, Speed-1400 rpm	NRFMTTI-Hisar	IMP-1038/2626/2020 December 2020	31-12-27	पंजीकरण हेतु विनियत किया गया
9	Moba Mobile Automation India pvt. ltd, Gandhinagar, Gujraat	Laser Land Leveller		MOBA-LLS-101	Power source above-45 hp, Type of blade Rectangular, Working width-2095mm, Map PTO-34.9 kW, Type-Hollow MS Beam With side plate, Thickness-8-10 mm, Speed-1400 rpm	NRFMTTI-Hisar	IMP-748/1777/2015 August 2015		पंजीकरण हेतु विनियत किया गया
10	Jaswant Agriculture Works, Patiala Road, Sunam Sangroor, Punjab	Laser Land Leveller		Jaswant Sports	Power source above-45 hp, Type of blade Rectangular, Working width-2070mm, Map PTO-38.6 kW, Type-Hollow MS Beam With side plate, Thickness-10.0 mm, Size of blade-100X100	FIMTTT-C-Bikaner	FITTC/IMP/20/1380 January 2021	15-01-28	पंजीकरण हेतु विनियत किया गया
11	Kamla Agro Industries, Parsakhera Industrial Area, Rampur Road, Bareilly UP	Laser Land Leveller		IPL-1000	Power source above-50 hp, Type of blade Rectangular, Working width-2050mm, Map PTO-30.5 kW, Type-Hollow MS Beam With side plate, Thickness-10.0 mm, Size of blade-100X100	NRFMTTI-Hisar	IMP-873/2085/2017 December 2017		पंजीकरण हेतु विनियत किया गया
12	Vinod kumar Virendra Kumar, Chandpur Road, Dhanaura, Amroha UP	Laser Land Leveller		Bai Sports-619	Power source above-50 hp, Type of blade Rectangular, Dimension-190X155X100mm, Voltage-12X24VDC, Water resistant-IP65, Power on/off switch-up grade, Power Option-12/24VDC	GBPUAT Pantnagar	CTE/FMP/Test Report-212-02 September 2012		पंजीकरण हेतु विनियत किया गया

पत्र संख्या-7033, दिनांक 19 मार्च, 2021 के द्वारा जारी विज्ञापन से प्राप्त लेजर लेवल हेतु अनुमोदित/स्वीकृत पंजीकृत फर्म/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
13	GSA Industries, Village Daulatpur, Rasulpur Jaura Road, Patiala, Punjab	Laser Land Leveller		Agrizone-Sprots	Power source above-50 hp, Type of blade- Rectangular, Working width-2100mm, Map PTO-36.3 kW, Type-Hollow MS Beam With side plate, Thickness-10.0 mm, Size of Blade-2087X120X13.4	SLFMTTI-UP	IMP-2011/269 Feburary 2021		पंजीकरण हेतु विनियत किया गया
14	M/s Dasmesh Mechanical Works, Nabha- Malerkotla Road, Amargarh Punjab	Laser Land Leveller		Landforce DLL-7	Power source above-50 hp, Type of blade- Rectangular, Working width-2087mm, Map PTO-37.4 kW, Type-Hollow MS Beam With side plate, Thickness-10.0 mm, Size of blade-2087X120X13.4	NRFMTTI Hisaar	IMP-1040/2628/2020 December 2020	Dec-20	पंजीकरण हेतु विनियत किया गया
15	Avatar kalsi Agro Works, Moga Link Road, Talwandi Bhai, Ferozepur, Punjab	Laser Land Leveller		Raja 21 CFR 1040	MS Plate, Thickness-10 Recommended power- Above 75 hp, working width-2525 mm, side plates-2, trailing board-1, rotor blades- 72, Overall dimension-1100*2910* 1160mm, Avg. capacity-0.83 ha/hr	/Tested By FMTTC, Ludhiana	2017/1067 July 2017		पंजीकरण हेतु विनियत किया गया
16	Jai Gurudev Industries, Kichaa Bypass Road, Fudrapur	Laser Land Leveller		JGI-LLL	Grade Range-10% single axes, Lase source-650-670 nm, Method-Electronic self Leveling, Operatin diameter-800m, Level accuracy 1.5 mm at 30m, Rotation speed-300-1200 rpm, Size 22.5X17.5X20cm, Weight-2.30 kg	GBPUAT Panthagar	FIMTTC/IMP/13 /393 July 2015		पंजीकरण हेतु विनियत किया गया
17	Gahir Agro Industries Ltd, Village Kular Khwa, District Sanrur Punjab	Laser Land Leveller	1- Dashmesh Agriculture Implements Industries, USNagar. 2-Gurumanak Agriculture Store, Rampur.	GAHIR 484	Tractor Horse Power-50 & Above, MS Plate, Size of Plate-2120X640X600 mm, Size of Duet- Length-1035MM, Size of bottom-165X130, Size at Upper-120X120 mm	NRFMTTI Hisaar	IMP-1036/2624/2020 December 2020	31-12-2027	पंजीकरण हेतु विनियत किया गया
		Laser Land Leveller		GAHIR Super 484	Tractor Horse Power-50 & Above, MS Plate, Size of Plate2150Z795 mm, Size of Duet- Length-1035MM, Size of bottom-165X130, Size at Upper-120X120 mm	NRFMTTI Hisaar	IMP-1035/2623/2020 December 2020	31-12-2027	पंजीकरण हेतु विनियत किया गया

पत्र संख्या-7033, दिनांक 19 मार्च, 2021 के द्वारा जारी विज्ञापन से प्राप्त लेजर लेवलर हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
18	Saron Mechanical Works, Mansa Road, Cheema Mandi, Sangrur, Punjab	Laser Land Leveller	1- A-one Agriculture Store, Sakeniya Road, Gaddarpur USNagar 2- M/s Balbir Industries, Sri Nanaknatta, Mob-9756609683. 3- Tyagi Agro Sale, Panchakiti Farm Rudrapur Road, Kicha USNagar. 9837052785 4- National Agriculture Repairing Works, Haridwar	JAGGATI, IT,	Rotation Speed, 600 rpm, laser source-650-670nm, operating dia-1000mm, transmitter battery life-1000hr, hydraulic jack capacity- 3ton, No. of Wheels-04, Field Capacity-0.23 ha/h	tested by FIMTTTC, Bikaner	14/425 July 2014	Jul-21	पंजीकरण हेतु चिह्नित किया गया

उप कृषि निदेशक,  
तकनीकी सम्प्रेक्षण,  
कृषि निदेशालय

संयुक्त कृषि निदेशक,  
नियोजन एवं अनुभवण,  
कृषि निदेशालय

अपर कृषि निदेशक,  
कृषि निदेशालय

संयुक्त कृषि निदेशक,  
गुणवत्ता नियंत्रण,  
कृषि निदेशालय

प्रतिनिधि,  
निदेशक उद्योग,  
उद्योग निदेशालय

विभागाध्यक्ष (फर्म मशीनरी),  
गो०न०प०वि०वि०, पतनगर

विल नियंत्रक,  
कृषि निदेशालय

कृषि निदेशक,  
उत्तराखण्ड।