

कृषि निदेशालय उत्तराखण्ड, नन्दा की चौकी, प्रेमनगर, देहरादून।

(दूरभाष संख्या-0135-2772677, फ़ैक्स-0135-2771881, ई मेल-dir.agri.Uttarakhand@gmail.com)

पत्रांक-कृ0नि0/2752/SMAM/पंजी.-कृषि यंत्र/2021-22/दिनांक- 08 सितम्बर, 2021

1. समस्त मुख्य कृषि अधिकारी, उत्तराखण्ड।
2. समस्त कृषि एवं भूमि संरक्षण अधिकारी, उत्तराखण्ड।

विषय- कृषि यंत्रों/उपकरणों हेतु पंजीकृत फर्म तथा माडल विषयक।

निदेशालय के पत्र संख्या-कृ.नि./7033/पंजी/कृषि यंत्र/2021-22, दिनांक 19 मार्च, 2021 के द्वारा विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध करने हेतु विज्ञापन जारी किया गया था। उक्त के क्रम में उत्तराखण्ड अधिप्राप्त नियम 2017, विभिन्न योजनाओं के अन्तर्गत कृषि यंत्रों/उपकरणों पर अनुदान उपलब्ध कराने हेतु कृषि मशीनों तथा यंत्रों/उपकरणों के मूल विनिर्माता फर्मों से प्राप्त पंजीकृत प्रपत्रों का गठित पंजीकरण समिति द्वारा परीक्षण करने के उपरान्त विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध/पंजीकरण हेतु उपयुक्त पाया गया। सूचीबद्ध/पंजीकरण हेतु चिन्हित किए गए यंत्रों/उपकरणों का विवरण निम्नानुसार है।

क्र. सं.	फर्म का नाम	सूचीबद्ध/पंजीकरण होने वाले कृषि मशीनों/यंत्रों/उपकरणों का विवरण
1.	American Spring & Pressing Works Pvt.Ltd. P.O Box No-7602, Aspee House, B.J. Patel Road, Malad(W), Mumbai-	Brush Cutter
2.	BTL EPC Ltd. 2 Jessore Road, Kolkata- West Bengal	Brush Cutter
3.	Bharat Agro Equipments, 27, Vidya Vihar-1, Kargi Road, Dehradun-248001	Brush Cutter
4.	Foggers India Pvt. Ltd, Grohitam Premises, 3rd floor, Navi Mumbai	Brush Cutter
5.	Falcon Garden Tool Pvt. Ltd, Alamgir Malerkotla Road, Ludhiana, Punjab	Brush Cutter
6.	Farm & Garden Technologies Pvt. Ltd., 544 P, Pace City-II, Sec-37, Gurgaon, Haryana-122001	Brush Cutter
7.	Fortune Agro Impex 9th block, Bangalore,	Brush Cutter/Chaff Cutter
8.	Greaves Cotton Ltd., Ground Floor, Unit No G-002, Tower-B, New Pronacharya Metro Station, Gurgaon, Haryana	Brush Cutter
9.	Husqvarna (India) Products Pvt. Ltd. First Floor, Swees House No. 5, Mylapore, Chennai	Brush Cutter
10.	Kirlosker Oil Engines Ltd., Laxmanrao Kirlosker Road, Khadki Pune, Maharastra	Brush Cutter
11.	Lalji and Sons, Dehradun Road, Roorkee, Haridwar Uttarakhand	Brush Cutter
12.	Ratnagiri Impex Pvt.Ltd., Annapurna House, 1/1G, 7th Cross, New Guddadahalli, Mysore Road, Bangalore-560026	Brush Cutter
13.	Ramsons Impex, Raipur sahkari udhagic shetra, Bhagwanpur, Haridwar	Brush Cutter/Chaff Cutter
14.	MTD Product India Pvt. Ltd., Pune Nasik Highway, Pune	Brush Cutter
15.	E-Agro Care Machineries and Equipments, Pvt. Ltd. Maharastra	Brush Cutter
16.	Competent Agriculture Machinery, Opp C.O. Office, Delhi, Saharnpur Road, Baraut Baghpat, Uttar Pradesh	Brush Cutter
17.	Andreas Stihl Pvt. Ltd, Gut No. 53/01, Pune Nashik Highway, Kuruli, Tal Khed, Distt-Pune.	Brush Cutter

18.	Kisan Kraft Machine Tools Pvt. Ltd. Dasarahalli, Hebbal, Bangalore	Brush Cutter/Chaff Cutter
19.	Bala ji Enterprises Beldi Haridwar Uttarakhand	Chaff Cutter
20.	Bansal Traders Vikasnagar , Dehradun	Chaff Cutter
21.	Delux Foundry, G.T. Road, Batala, Punjab	Chaff Cutter
22.	Darshan Singh & Co. G.T Road, Goraya, Distt-Jalandhar, Punjab	Chaff Cutter
23.	Neha Toka, Pvt. Ltd, GT Road, Garaya Jalandhar Punjab	Chaff Cutter
24.	Punjab Agricultural Implements Pvt. Ltd., Railway Road, Saharanpur-247001	Chaff Cutter
25.	Vinod kumar Virendra Kumar, chandpur Road, Dhanaura, Amroha UP	Chaff Cutter
26.	Avtar kalsi Agro Works, Moga Link Road, Talwandi Bhai, Ferozepur, Punjab	MB Plough/Cultivator/Harrow
27.	BERI UDYOG Pvt. Ltd. Plot No. 225 to 240, Sector-03, Karnal (Haryana) Ph. No- 0184-2221571	MB Plough/Cultivator
28.	Dasmesh Machanical Work, Nabha-Malairkotla Road, Amargarh, Sangrur, Punjab-PIN-148022	MB Plough/Cultivator
29.	GSA Industries, Village Daulatpur, Rasulpur Jaura Road, Patiala, Punjab	MB Plough
30.	Jaswant Agriculture Works, Patiala Road, Sunam Sangroor, Punjab	MB Plough
31.	LEMKEN India Agro Equipments Pvt. Ltd., D-59, MIDC, Butibori, Nagpur, MH	MB Plough/Cultivator
32.	Saron Mechanical Works, Mansa Road, Cheema Mandi, Sangrur, Punjab	MB Plough
33.	Tractor and Farm Equipment Ltd, Channai	MB Plough
34.	Tirth Agro Technology Pvt. Ltd., Bhunava Taluka-gondal, Rajkot, Gujraat	MB Plough/Harrow
35.	Sonalika Industries, Chak Gujram, PO Piplanwala, Hoshiarpur Punjab	MB Plough
36.	Pratap Iron Works Near Namastey Chowk, G.T. Road, karnal	MB Plough/Cultivator/Harrow
37.	Avi Agro Technology Haridwar Road, Dhadhendi Khwajipur, Roorkee	Cultivator
38.	Bansal Traders Vikasnagar, Dehradun	Cultivator/Harrow
39.	John Deere India Privatre Limited, Magarpatta City Hadapsar Pune	Cultivator
40.	Lalji & Sons, 261/3 Purani Tehsil, Dehradun Road, Roorkee, Haridwar	Cultivator/Harrow
41.	Machino Agriculture Implements Pvt. Ltd. Karnal Haryana	Cultivator
42.	Ramsons Impex, Raipur sahkari udhagic shetra, Bhagwanpur, Haridwar	Cultivator/Harrow
43.	Uttaranchal Agro Industries, Kishanpur, Kichha, US Nagar	Cultivator/Harrow
44.	Dashmesh Agriculture Impliments Industries, Ward No-10, Sitarganj, USNagar UK	Harrow
45.	Jaggi Agriculture Works, Kabbopur, Distirt- patiala	Harrow
46.	Kartar Sing and Sons, Railway Station Road, Kashipur, USNagar	Harrow
47.	Sarvan Singh and Sons, Vilan Vihar Cenima Road, Sangriya, Rajsthan	Harrow
48.	Vinod kumar Virendra Kumar, chandpur Road, Dhanaura, Amroha UP	Harrow
49.	Zandu Steel Works, Milap Nagar, Ambala City, Haryana	Harrow

सलग्न सूची के अनुसार कृषक द्वारा सूचीबद्ध/पंजीकृत विनिर्माता फर्म/फर्मों के अधिकृत डीलर से सलग्न सूची में अंकित माडल को कय करने पर ही अनुदान देय होगा। अनुदान देते समय निम्न बिन्दुओं को ध्यान में रखा जाए।

1. उपरोक्त पंजीकरण पत्र जारी होने वाले दिनांक से दो वर्ष तक वैध रहेगा।

2. कृषकों को कृषि यंत्रों/उपकरणों पर अनुदान **Submission on Agricultural Mechanization (SMAM)** की गाईडलाइन के अनुसार होगा। पैरा 6.4.2 अथवा संबंधित योजना की गाईडलाइन में इंगित व्यवस्था के अनुसार अनुपालन सुनिश्चित किया जाये। साथ ही यह ध्यान रखा जायेगा कि अनुसूचित जाति, अनुसूचित जनजाति, महिला तथा लघु सीमांत कृषकों को प्राथमिकता मिले।
3. कृषि यंत्रों/उपकरणों पर अनुदान भारत सरकार/राज्य सरकार द्वारा निर्धारित/अनुमन्य अधिप्राप्त सीमा तक ही देय होगा।
4. सूचीबद्ध/पंजीकृत फर्म को बिल स्वयं अथवा विनिर्माता की संस्तुती पर नियमानुसार अधिकृत विक्रेता भी बिल जारी कर सकेगा बिल/कैश मैमो पर पूर्ण स्पेसिफिकेशन के साथ कृषि यंत्र का माडल/ब्राण्ड/गारंटी/कम संख्या/चेचिस संख्या, वारन्टी अवधि का अनिवार्य रूप से अंकन करेगा।
5. अनुदान कृषक/मूल विनिर्माता द्वारा अधिकृत विक्रेता से कृषक द्वारा क्रयित कृषि यंत्रों/उपकरणों के सूचीबद्ध माडल/मेक पर ही देय होगा। फर्म/अधिकृत विक्रेता नियमानुसार टैक्स का अंकन करते हुए टैक्स जमा करना होगा।
6. निदेशालय स्तर पर सूचीबद्ध/पंजीकृत फर्म/माडल/मेक agrimachinery.nic.in पर अपलोड करनी होगी, जो कम से कम एक वर्ष तक नहीं बदली जा सकेगी।
7. सूचीबद्ध/पंजीकृत फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों की वर्तमान दरें भारत सरकार की Agrimachinery.nic.in पर DBT Agriculture Machinazation पर अंकित करनी होगी, जो एक वर्ष तक बदली नहीं जा सकेगी।
8. कृषक द्वारा ऑनलाईन डी.बी.टी. पोर्टल पर डीलर से क्रय किए गए यंत्रों के बिल को डीलर पोर्टल पर अपलोड करेगा।
9. जनपद के कृषि एवं भूमि संरक्षण अधिकारी द्वारा गठित सत्यापन टीम द्वारा भौतिक सत्यापन सुनिश्चित कर लिये जाने के उपरांत **Submission on Agricultural Mechanization (SMAM)** की गाईडलाइन एवं राज्य सरकार द्वारा निर्धारित अनुदान की अधिकतम सीमा के अनुसार कार्यवाही करें।
10. सत्यापन के दौरान कृषक द्वारा क्रयित कृषि यंत्र/उपकरण विभाग द्वारा सूचीबद्ध/पंजीकृत किए गए कृषि यंत्रों/उपकरणों के अनुसार ही हो।
11. कृषकों को उपलब्ध कराये जा रहे कृषि यंत्रों/उपकरणों के मूल्य पोर्टल पर दर्शायी दरों से अधिक न हो, यदि दरें अधिक पायी जाती हैं तो संबंधित जनपद के मुख्य कृषि अधिकारी कार्यावाही करेंगे। कृषक जब मेक/माडल, गुणवत्ता एवं मोल भाव कर दर से पूर्णतया संतुष्ट हो जाने के बाद कृषि यंत्रों/उपकरणों को क्रय करें।
12. मुख्य कृषि अधिकारी/कृषि एवं भूमि संरक्षण अधिकारी अनुदानित यंत्रों की सूचना निदेशालय को उपलब्ध करायेंगे।

क्र०सं०	यंत्र का नाम/मेक एवं माडल	यंत्र आपूर्ति कहां से हुई/डीलर का नाम	संख्या	कुल कीमत	कुल वितरित अनुदान
1	2	3	4	5	6

13. फर्म को अपने फर्म का सर्विस सेंटर खोलना होगा। फर्म द्वारा अपने ग्राहकों को Maintenance का प्रशिक्षण देना होगा।
14. विभागीय उच्चाधिकारियों द्वारा कृषक को आपूर्तित कृषि यंत्रों/उपकरणों का निरीक्षण करने पर कृषि यंत्रों/उपकरणों को निर्धारित गुणवत्ता के अनुरूप न पाए जाने पर संबंधित विनिर्माता फर्म का पंजीकरण निरस्त कर दिया जायेगा। साथ ही ऐसी फर्म/अधिकृत विक्रेता को विभाग द्वारा काली सूची में डालने की कार्यवाही की जा सकती है।
15. सूचीबद्ध/पंजीकृत विनिर्माता फर्म/अधिकृत विक्रेता को कृषक द्वारा क्रयित कृषि यंत्रों/उपकरणों पर अनुदानित वर्ष एवं विभाग का नाम अनिवार्य रूप से अंकित करना होगा।

16. विनिर्माता सूचीबद्ध/पंजीकृत फर्म/अधिकृत विक्रेता को समय-समय पर विभाग द्वारा वांछित जानकारी उपलब्ध करानी होगी। ऐसा न करने पर संबंधित को पंजीकरण सूची से विलोपित किया जा सकता है।
 17. सरकार द्वारा समय-समय पर जारी दिशा-निर्देशों के अनुसार उपरोक्त शर्तों/नियमों एवं इससे संबंधित प्रक्रिया में आवश्यकतानुसार संशोधित/परिवर्तन किया जा सकेगा।
 18. सूचीबद्ध/पंजीकृत फर्म के अधिकृत विक्रेता द्वारा विभाग को उपलब्ध कराई गई किसी भी जानकारी के असत्य पाये जाने की दशा में संबंधित फर्म का पंजीकरण तत्काल प्रभाव से निरस्त कर दिया जायेगा।
 19. प्रदायकों को मुख्य कृषि अधिकारी के आदेश एवं दिशा निर्देश के अनुसार कृषक/कृषकों को जनपद/विकासखण्ड स्तर/न्याय पंचायत तक यंत्र उपलब्ध कराने होंगे। इस हेतु प्रदायकों को जिला स्तर पर अपना नेटवर्क स्थापित करना होगा। प्रदायक द्वारा जिले में नियुक्त अधिकृत विक्रेता के पास जी0एस0टी0 पंजीकरण तथा विक्रय उपरान्त सेवा की सुविधा उपलब्ध करायी जानी आवश्यक होगी। प्रदायकों की यह जिम्मेदारी होगी कि वे उनके द्वारा विक्रय की गयी सामग्री के लिये उचित मूल्य पर पुर्जे तथा विक्रय उपरान्त सेवा की सुविधा कृषकों को उपलब्ध करावें। लाभार्थियों को इसके लिये प्राप्त अनुरोध पत्र से 15 दिनों के अन्दर यदि यह व्यवस्था नहीं की जाती है, तो यथा आवश्यक कार्यवाही की जायेगी।
 20. फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों पर लेबलिंग प्लेट को riveted किया जाना अनिवार्य होगा, जिस पर निर्माता का नाम एवं पता मेक/मॉडल सीरियल नम्बर निर्माण का माह एवं वर्ष, टाईप, साईज, किस देश में निर्मित किया गया है लिखा होना चाहिए। इसके अतिरिक्त उपलब्ध कराए जा रहे स्पेसिफिकेशन में मार्किंग/लेबलिंग हेतु दिए गए निर्देशों का पालन किया जाए।
- संलग्न -यथोपरि।

(गौरी शंकर)
कृषि निदेशक
उत्तराखण्ड।

पत्रांक-2752/कृ0नि0/एस.एम.ए.एम/पंजीकरण-कृषि यंत्र/2021-22/दिनांकित।
प्रतिलिपि-: निम्नांकित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. अपर कृषि निदेशक, गढ़वाल मण्डल, पौड़ी।
2. संयुक्त कृषि निदेशक, कुमाऊँ मण्डल, हल्द्वानी (नैनीताल)।
3. संबंधित मूल विनिर्माता फर्म को विभागीय बेवसाईट के माध्यम से।
4. अध्यक्ष, जिला यंत्रीकरण समिति।
5. विभागीय पोर्टल।

कृषि निदेशक
उत्तराखण्ड।

पत्र संख्या-7033, दिनांक 19 मार्च, 2021 के द्वारा जारी विज्ञापन से प्राप्त ब्रश कटर हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन / यंत्र का प्रकार	डीलर का विवरण	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अनुमोदित
1	American Spring & Pressing Works Pvt.Ltd, P.O Box No-7602, Aspee House, B.J. Patel Road, Malad(W), Mumbai-400064	Brush Cutter	4	5	6	7	8	9	10
1	BTL EPC Ltd, 2 Jessorore Road, Kolkata- West Bengal	Brush Cutter	1-1-Ashok Agri Implements & general Supply, Kaldhungi Road, Near Almora URBAN Con-op Bank Haldwani, Nainital 2-Kisan Fertilizer Agency, Main Road, Bazpur, USNagar 3-M/S Kissan Trading Corporation, Near Railway Station Rudrapur, Ph.No-05944-605060 4-Kesho Ram Agricare Pvt. Ltd,Patel Nagar, Darshan Tent House, Dehradun 5-Nidhi Enterprises 35 Arhat Bazar, Saharapur Chowk, Dehradun 6-Ravi Khad Bhandar, 5 Nahar Kinara, Roorkee, Haridwar 7-S.Kumar & Co. 15 Nahar Kinara Roorkee, Haridwar 8-Sanwal Seeds, Shop No. 21 Kisan Bazar Naveen mandi, Haldwani, Nainital 9-Shantiprasad & Sons, Chouraha Bazar Road, Kashipur, USNagar 10-Uttarakhand Pesticides, Main Road, Vikasnagar, Dehradun 11-Vishal Fertilizers, Main Bazar, Bhagwanpur, Haridwar	ASPEE BC/CG 430B	Air Cooled, Single Cylinder, two stroke spark ignition engine, Power rating -1.25kw, High idle speed-12295 rpm, low idle speed-2500 rpm, bore/stroke-2, Capacity-42.7 ccf	NRFMTTI	IMP-852/2036/2017	2022	पंजीकरण हेतु चिह्नित किया गया
		Brush Cutter	Oriento, OG/31/45	Air Cooled, Single Cylinder, two stroke spark ignition engine, Power rating -1.25kw, High idle speed-8500 rpm, low idle speed-2500 rpm, bore/stroke-2, Capacity-31 cc	NRFMTTI	IMP-06/2458/2020 February 2020	28-Feb-25	पंजीकरण हेतु चिह्नित किया गया	
2	BTL EPC Ltd, 2 Jessorore Road, Kolkata- West Bengal	Brush Cutter	1-M/s Uttaranchal Agro Industries, Kichea, Mob-9568148888 2-M/s Tyagi Agro Sales, Kichea, Mob-9837052785 3-M/s Ashok agri implements, Haldwani, mob-7409628840 4-M/s Karma Agro & Machine Tools, Dehradun, Mob-9997828821 5-M/s Negi Traders, Vill- Bhagunthola, Bageshwar, Mob-9412908394 6-M/s Surbi Agro India, Haridwar, Mob-9045756020	Shirachi SR-BCSB4H35	1.5 HP, Single cylinder, 4 stroke, air cooled, S.I. Engine, Petrol operated, 1 kw, 7000 rpm, No of blade- 1, overall dimension-1900*630*435mm, weight-8.0kg, Field Capacity- 0.037- 0.040 ha/hr	tested by SRFMTTI, Anantpur(A.P)	161/719 December 2016	2021	पंजीकरण हेतु चिह्नित किया गया
		Brush Cutter	SRBCG520-HB	High idle speed-9000+100 rpm, Low idle Speed-3000+200 rpm, Rated Power-0.53 rpm, Single cylinder, air cooled, vertical, 2 stroke	FMTTI-Asam	35/178 March 2021	2026	पंजीकरण हेतु चिह्नित किया गया	

2

OK

Shukla

8

8

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	M/s Greaves Cotton Ltd, Ground Floor, Unit No G-002, Tower-B, New Pronacharya Metro Station, Gurgaon, Haryana	Power Operated Brush Cutter	1-M/S Mittal Machinery Store, Dehradun, Mob-9897099014 2-4 M/S Kisan Agro Machines, Kiccha, Mob-8077812338 3-M/S Devanshi Irrigation System, Dehradun, Mob-941110689 4-M/S Arjun Automobiles, Roorkee, Mob-9412211531 5-Bharat Trading Company near KMOU Bus Stand Pithoragarh. 6-Kay Sons, 7 Guru Nanak Market, Nainital Road Haldwani 7-MDS Agri Infrastructure T- Estate Banjarawala, Dehradun 8-Bharat Diesels, Manav Kun, By pass Road, Jwalapur Haridwar. 9-H.S. Traders Haldupokhara Darimwal P.O. Anandpur Haldwani Nainital 10- Manoram Traders, Japur USNagar 11-V.R. Enterprises Mothurawala Dehradun. 12-M.P. Agriculture, Banna Khera sani Haripur Harsan Bazpur USNagar 13- Bansal Traders, Vikas Nagar, Dehradun. 14-B. Irrigation System, Mothrowala Road Vishnupuram dehradun. 15-Roorkee Agriculture Store Roorkee Road Laksar Haridwar	Greaves GSC-G-530/	1.5HP @ 6500rpm, 2 stroke, air cooled, single cylinder, petrol engine, no. Of teeth on circular blade- 80, dia of blade- 246mm, overall dimension- 1700*680*1220mm, field capacity- 0.20 to 0.37 ha/day	NRPMTTI, Hisar tested	553/1409 March 2012	9	परीक्षण हेतु चिह्नित किया गया
8	Husqvarna (India) Products Pvt. Ltd, First Floor, Swees House No. 5, Mylapore, Chennai	Brush Cutter	1. Shri Enterprises, 823, Sirmor Street, Kaulgarh Road Dehradun. 2-Jagnath Traders and Genral Order Suppliers, Near Police Chowki, Dharamaula Almora 3-Sahani Traders Near Bus Station Cinema Line Pithoragarh	Husqvarna-531 RS	For cutting bushes, weeds, grass and tree branches Single Cylinder, Air cooled, bertical, 2 stroke, spark ignition engine, High idle speed-8500+200 rpm, Low idle Speed-2500 rpm	SRFMTTI AP	410/1242 December 2020	30-Nov-25	परीक्षण हेतु चिह्नित किया गया
		Brush Cutter		Husqvarna-541 RS	For cutting bushes, weeds, grass and tree branches, Single Cylinder, Air cooled, bertical, 2 stroke, spark ignition engine, High idle speed-8500+200 rpm, Low idle Speed-2500 rpm	SRFMTTI AP	411/1243 December 2020	30-Nov-25	परीक्षण हेतु चिह्नित किया गया
		Brush Cutter		Husqvarna-236 R	Air cooled, bertical, 2 stroke, spark ignition engine, High idle speed-9300+200 rpm, Low idle Speed-2500+200 rpm, Bore/stroke-36/33	FMTTC- Kerala	Machine- 17/64/2018 January 2018	2023	परीक्षण हेतु चिह्नित किया गया

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मैक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
9		Bursh Cutter		143-R1	1.97 hp, Air Cooled, Single cylinder, Horizontal, 2 Stroke, SI Engine, 5500 RPM, 4 Tooth blade, Length- 275mm, width-20mm	FMTTC KAU, Tavanur Kerala	16/63/2018	17-Jul-05	परीक्षण हेतु बिहित किया गया
		Bursh Cutter		131R	Max Power-7000 rpm, Cylinder bore-36mm, Air filter type-foam, Cutting width-43cm, Tube Length- 28mm	GBPUAT Panthagar Uttarakhand			परीक्षण हेतु बिहित किया गया (टेस्ट रिपोर्ट आता है)
		Bursh Cutter		131RB	Max Power-7000 rpm, Cylinder bore-36mm, Air filter type-foam, Cutting width-43cm, Tube Length- 28mm	GBPUAT Panthagar Uttarakhand			परीक्षण हेतु बिहित किया गया (टेस्ट रिपोर्ट आता है)
		Bursh Cutter		532RBS	Cylinder displacement-33.6 cm, Power Output-1.1 kW, Max Power Speed-7500 rpm, Fuel consumption-589 g/kWh,	GBPUAT Panthagar Uttarakhand			परीक्षण हेतु बिहित किया गया (टेस्ट रिपोर्ट आता है)
		Bursh Cutter		542RBS	Cylinder displacement-41.5 cm, Power Output-1.5 kW, Max Power Speed-7500 rpm, Fuel Weight-9 kg	GBPUAT Panthagar Uttarakhand			परीक्षण हेतु बिहित किया गया (टेस्ट रिपोर्ट आता है)
10	Kirlosker Oil Engines Ltd., Laxmanrao Kirlosker Road, Khadki Pune, Maharashtra	Brush Cutter		KUBIX-243 (KBX-243) FE-43	Single Cylinder, 2 Stroke, Air Cooled, Petrol Engine, Idling Speed-8000rpm, Capacity-42.7cc, Bore/stroke-40/34mm, Capacity of fuel tank-0.90 ltr	SRFMTI- Anantpur	Machine- 388/1216 October 2020	30-09-25	परीक्षण हेतु बिहित किया गया
11	Lalji and Sons, Dehradun Road, Roorkee, Haridwar Uttarakhand	Brush Cutter		RAW-BC4	Source of power-2.1 hp single cylinder 2 stroke petrol, engine, Max speed-6000 rpm, Low idle speed-2400 rpm	GB Prat University, Pantnagar	2021-150 July 2021		परीक्षण हेतु बिहित किया गया

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	देस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	Ratnagiri Impex Pvt.Ltd, Annapurna House, 1/1G, 7th Cross, New Guddadahalli, Mysore Road, Bangalore-560026	Brush Cutter	4 1- Shri Enterprises 823 Sirmour Street Kaluagath Road Dehradun 2-Jai Gurudev Ind. Kichha Bypass Road, US Nagar Rdurapur. 3-Rajati Agriculture Works Near Dwarakadeesh Manidr Dehradun Road Roorkhee Haridwar. 4- Prime Solution 823 Sirmour Marg Kaulagath Road Dehradun, Uttarakhand	5 AM 400 PRO- 4S	6 2.2HP, air cooled, single cylinder, 2 stroke, spark ignition engine, rated speed- 9000 rpm, triangular blade- alloy steel, overall dia- 250mm, overall dimension- 1890*600*480mm, average capacity- 0.29 ha/hr	7 SRFMTTL, Anantpur	8 131/609 February 2016	9 Feb-23	10 परीक्षण हेतु विनियमित किया गया
12	Ramsons Impex, Raipur sahkari udhogic shetra, Bhagwanpur, Haridwar	Power operated Brush Cutter		AMH-200T-4S	2.1 hp, self propelled, 2 stroke petrol engine, 51CC, nylon thread, working width- 35cm, handle twin, double grip, tube dia 28mm, weight- 8.0kg, effective capacity- 0.012 ha/hr	SRFMTTL, Anantpur Andhra Pradesh	105/553 November 2015	Nov-22	परीक्षण हेतु विनियमित किया गया
		Brush Cutter		OM 741	2.2HP, air cooled, single cylinder, 2 stroke, spark ignition engine, rated speed- 9000 rpm, triangular blade- alloy steel, overall dia- 250mm, overall dimension- 1890*600*480mm, average capacity- 0.29 ha/hr	SRFMTTL, Anantpur	133/611 February 2016	Feb-23	परीक्षण हेतु विनियमित किया गया
		Brush Cutter		RICOTTALY RI- 430	Weight of machine-8.8kg, over-2 stroke petrol engine-42.7cc, Fuel tank- 1.2 lit, Mixed fuel-25.1, Dia-26mm,	FIMTTTC-Bikaner	FIMTTTC/MECH/ 13/288 September 2013	2018	परीक्षण हेतु विनियमित किया गया
		Brush Cutter		RICOTTALY RI- 431 A	Air Cooled, Single cylindr, 4 stroke spark ignition engine, Speed-2800 to 3200 rpm, Max torque-6200 rpm, Max power-0.92@6300 rpm, Disposition- vertical, bor/stroke-39X30 mm	FIMTTTC-Bikaner	FIMTTTC/MECH/ 17/2542/2020 October 2020	31-Oct-25	परीक्षण हेतु विनियमित किया गया

क० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की गैरता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
13		Brush Cutter		RICOLTALY, RI 431	Air Cooled, Single Cylinder, Four Stroke Spark Ignition engine, High idle -6800 rpm, Low idle speed-2800 to 3200 rpm, Max Power-0.92@6500 kW, Speed at maximum -5500 rpm	NRFMTTI-Hisar	Machine-18/2543/2020 October 2020	31-Oct-25	परीक्षण हेतु विनियत किया गया
		Brush Cutter		Recently RI-431 A	Air Cooled, Single Cylinder, Four Stroke Spark Ignition engine, High idle -6300-100 rpm, Low idle speed-2800 to 3200 rpm, Max Power-0.92@6300 kW, Speed at maximum -6200 rpm	NRFMTTI-Hisar	Machine-17/2542/2020 October 2020	31-Oct-25	परीक्षण हेतु विनियत किया गया
	VSM International Pvt. Ltd., 65, Red Square Market, Hisar, Haryana-125001	Brush Cutter	1- Karma Agro & Machine Tools, Raipur Dhaal, Near Sport Collage, Dehradun. 2-M/s Krishi Sewa Kendra Ramgarh Tilla Haldwani. 3-Bishgt Machinery Ramgarh Tilla Mainital 4-M/s Negi Traders, Vill Bhakun Khola Baijnath Garoor Jwalpur Haridwar. 5-Surbi Agro India, 565, Gughal road Jwalpur Haridwar. 6-Bannu Enterprises Near Sain property Thano Road Raipur Dehradun. 7-Ridhansh Agro, Shyamapur Meeri Gold Enclave Shyamapur. 8-Abdul Rashid & Sons GaneshBazar Sirnagar Uttarakhand. 9-National Agriculture Repairing Works near bus stand Haridwar Road Laksar. 10-Shri Ambey traders Vill diyangan Bageshwar. 11-SSK traders Main bazar Almora. 12-RSK Traders dubkiya near hari bagicha Almora. 13-Khushi Enterprises surya enclave rudrapur USNagar. 14-Kissan trading company, sury enclave near rimota nra mill Kashnair	XP-BC-52 PLUS/	1.9 HP, 2 stroke air cooled, single cylinder, petrol engine, 6500-7000rpm, CUTTING SHAFT carbon steel, dia of cutting shaft-13.9mm, no. of splines-6, no. of teeth in circular blade-60, overall dimension- 1900*650*505mm, avg. capacity- 0.28ha/hr	CAET Hisar	16-15/Misc-BC-01 March 2016	Mar-23	परीक्षण हेतु विनियत किया गया
		Brush Cutter		XP-BC-62 PLUS/	1.9 HP, 2 stroke air cooled, single cylinder, petrol engine, 7000-7500rpm, CUTTING SHAFT carbon steel, dia of cutting shaft-13.9mm, no. of splines-6, no. of teeth in circular blade-60, overall dimension- 1900*650*505mm, avg. capacity- 0.28ha/hr	CAET Hisar	16-17/Misc-BC-02 December 2016	Dec-23	परीक्षण हेतु विनियत किया गया

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	देस्टिंग संस्था	देस्ट रिपोर्ट की तिथि	देस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
14		Brush Cutter	15-Nidhi enterprises 35, Athad Bazar Dehradun. 16-Ashok Agri implements & General Supply Haldwani. 17-Suraj Enterprises Cantt road tiraha Pithoragarh. 18-Green agro tech, 17 beria road hazpur USNagar. 19-MDS Agri Infrastructure, Muni ki reti Rishikesh. 20-Greenmonk works pvt. ltd. muni ki reti Rishikesh. 21- P&R Associate, Best avenue apartment Dehradun. 22-AvonAgriculture Industries,Isakainiya Road gadarpur. 23-Jai gurundev Industries, Insustrial estate kichha USNagar. 24-Green future industries, 57/7 Fajpur Road, opp. Secretariat office Dehradun. 25-Irish Welfare foundation, 57/7 Rajpur road, Bhihind Hotel Deepshika Dehradun. 26-Uttaranchal Agro Industries, Vill. Kishanpur, Kichha USNagar 27-Shiv Shakti Agro Products and denerat supplier, Ambedkar Chauraha, Kande Didihat Pithoragarh. 28-Rajrat Agriculture Works Near Rampur Chungli, Roorkee Haridwar. 29-Punjab Agriculture Works, Dehradun Raod Roorkee Haridwar. 30-Hitto Pahada Farming Equipments 218, Gali No. 3 Indira Nagara Rishikesh. 31-Sandhu Agriculture Near Sandhu Hotel Daduwalla Kashiipur Road Jaspur Uttarakhand. 32-Kharayat Traders, Thal Road Didihat Pithoragarh	XP-BBC-50	Air Cooled, Single Cylinder, 4 stroke spark ignition engine, Power-1.4@7000 rpm, Speed Max 5500rpm, Cylinder-1, Bore/stroke 43/33mm, capacity-47.9 cc	NRFMTTT Hisaar	23/2589/2020 November 2020	Nov-25	परीक्षण हेतु विहित किया गया
15	MTD Product India Pvt Ltd., Pune Nasik Highway, Pune	Brush Cutter		MTD CUB CADET-943	Single Cylinder, 2 Stroke, Air Cooled, Petrol Engine, Idling Speed-8500rpm, Capacity-42.7cc, Bore/stroke-40/17mm, Capacity of fuel tank-0.90 ltr	AFED-WB	IIT/AgFE/HR/BC/MTD/3/17 February 2017		परीक्षण हेतु विहित किया गया
16	E-Agro Care Machineries and Equipments, Pvt. Ltd. Maharashtra	Brush Cutter		BC-520	High idle speed-8000+200 rpm, Low idle Speed-3000+200 rpm, Rated Power-0.45@6500 rpm, Single cylinder, air cooled, vertical, 2 stroke	SRFMTTTL-AP	398/1226 November 2020		परीक्षण हेतु विहित किया गया

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
17	Competent Agriculture Machinery, Opp C.O. Office, Delhi, Saharapur Road, Baraut Baghpat, Uttar Pradesh	Brush Cutter	Pune	Power Operated GS-52	1.60 hp single cylinder, 2 stroke petrol engine, max Speed-4200 rpm, low speed-2400/200 rpm, Max power-1.60 Kw@6400 rpm, max torque-2.2 nm@5000rpm	GBPUAT, Pantnagar tested	CTE/FMP/2020-115 July 2020	2025	परीक्षण हेतु विहित किया गया
18	M/s Andreas Stihl Pvt. Ltd, Gut No. 53/01, Pune Nashik Highway, Kuruli, Tal Khed, Dist-Pune.	Brush Cutter	1-M/s Avni Enterprise, 368, Mool Chand Enclave, Mazra, Dehradun, Mob-7417356894	Stihl-FS-55	1hp, 2 stroke petrol engine, air cooled, nylon wire, 3 teeth blades, overall dimension-1760*620*380mm, field capacity-474m sq./hr	FMTTI Assam	24/260 August To September 2016	2021	परीक्षण हेतु विहित किया गया
		Brush Cutter		STIHL FS120/	1.8 hp, 2800rpm, automatic electro magnetic engine, single cylinder, 2 stroke, air cooled petrol engine, No. of cutting elements-3, overall dimension-1765*650*400mm, avg. capacity-500m sq./hr	FMTTI Assam	25/261 August 2016	2021	परीक्षण हेतु विहित किया गया
		Brush Cutter		FS400	2.6hp, 2 stroke petrol engine, aluminium tube dia-28mm, weight- 9.25kg, overall dimension- 184*66*56mm, 8930rpm, average capacity- 900 msq/hr	FMTTI Assam	26/262 August 2016	2021	परीक्षण हेतु विहित किया गया
		Brush Cutter		FS-130	Bore Xstroke-43X25, Capacity-36.3cc, Gear Drive, teeth-15, Teech-21, lye-dry, Fuel tank-0.55 liter	FMTTI Assam	27/263 October 2016	2021	परीक्षण हेतु विहित किया गया
		Brush Cutter		MPR250	2 stroke petrol engine, 2.2hp@7500rpm, length-196cm, width-62cm, weight-7.6kg, blade strokes/min-198, avg. capacity-0.03ha/hr	FMTTI Assam	22/258 August 2016	2021	परीक्षण हेतु विहित किया गया
		Brush Cutter		FS 230	Single Cylinder, 2 Stroke, Air Cooled, Petrol Engine, idling Speed-2800-200, Vertical, Bore X Stroke 40X32 mm, Capacity -40.2 cc (apa), Plug 0.5 mm	BIRSA Agriculture University Ranchi	08/2019 27-02-2019	2024	परीक्षण हेतु विहित किया गया

2

✓

18

Deep

2

2

2

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
		Brush Cutter		FR-3001	Single Cylinder, 2 Stroke, Air Cooled, Petrol Engine, Idling Speed-2800-500, Vertical, Bore X Stroke 36X40 mm, Capacity -1.2 cc (apd), Plug 0.5 mm	NERFMTTI-Asam	28/266 December 2016	2021	पंजीकरण हेतु विहित किया गया
	Kisanraft Machine Tool Pvt. Ltd, Banalor	Brush Cutter		KK-BC-8640	Idling speed-2500+150rpm, Maxi Torque-5750rpm, No-1, Disposition-vertical, Capacity-42.7cc, Cutter-6337 rpm	NERFMTTI-Asam	129/176 May 2013	2018	पंजीकरण हेतु विहित किया गया
19		Brush Cutter		KK-BC-8634	Idling speed-3000+150rpm, Maxi Torque-5000rpm, No-1, Disposition-vertical, Capacity-34 cc, Cutter-6337 rpm	NERFMTTI-Asam	19/183 July 2013	2018	पंजीकरण हेतु विहित किया गया

उप कृषि निदेशक,
तकनीकी समर्थन,
कृषि निदेशालय

अपर कृषि निदेशक,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन एवं अनुप्रवण,
कृषि निदेशालय

वित्त नियंत्रक,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

विभागध्यक्ष (कर्म मशीनरी),
गोवर्धनचिठि, पलनगर

कृषि निदेशक,
उत्तराखण्ड।

पत्र संख्या-7033, दिनांक 19 मार्च, 2021 के द्वारा जारी विज्ञापन से प्राप्त एमबी० प्लाक हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र.सं.	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेधता तिथि	अव्युक्ति
1	Avatar kalsi Agro Works, Moga Link Road, Talwandi Bhai, Ferozepur, Punjab	Tractor operated hydraulically Reversible MBPlough		5	3 Bottom fixed Reversible MB Plough, Size of plough-3X320mm, Power-55hp, 4 wheel, 2 wheel drive general purpose agricultural tractor, Max PTO-38.6 kW, Dimension-2340X420mm	FIMTTC-Bikaner	FIMTTC/IMP/19/1115 March 2019	11-03-26	पंजीकरण हेतु चिह्नित किया गया
2	BEERI UDYOG Pvt. Ltd. Plot No. 225 to 240, Sector-03, Karnal (Haryana) Ph. No-0184-2221571	Reversible MB PLOUGH	1-M/s BT. Agency, Allgani Road, Kashipur, U.S. Nagar 2-M/s A-One Agriculture Industries, Gadarapur, U.S. Nagar 3-M/s Jai Gurudev Industries, Kichha, Rudarpur, U.S. Nagar 4-M/s Prime Solutions, Kaulagah Road, Dehradun 5-Gupta Krishi Kendra, Arya nagar, Bhanivawala, Dehradun 1-M/s Kissan Fertiliser Agencies, Kashipur Mob-9917800088 2-M/s A.H. Associates, Kashipur Mob. 9917800088 3-M/s Tyagi Agro Sales Kichha, US NAGAR, Mob. 9837052785 4-M/s Ram Sons and Engg. Works Saharanpur Mob. 9760359130 5-M/s Janak Emgg Co. Cohan Market Haridwar, Mob. 9634365589 6-M/s Bharat Agro Engg. Works Bhagwanpur, Haridwar, Mob. 9837131623 7-M/s Roorkee Machinery Store Laksar, Mob. 8534057758 8-M/s Kissan Tractors Roorkee, Mob. 9719355547 9-M/s Sadalli Krishi Yantra Dehradun, Mob. 8954599570 10- Namdhari Industries, New Kartarpur Road, Gadarapur, USNagar.	Field King - FKRMBPH-2	size of Frame 1375*679 mm, Number of Standard-2, Number of Plough-4, Number of Land side-4 number of Frog-4, Overall Dimensions- 3200*1000*1580 mm, Effective Fild cepacity- 0.144 ha/h	tested byCIAE Nahi Bagh Bagh Bhopal (MP)	26/2011/2 September 2014	Sep-21	पंजीकरण हेतु चिह्नित किया गया
3	Dasmesh Mechanical Work, Nabha- Malairkotla Road, Amargarh, Sangrur, Punjab-PIN-148022	DISC Plough		DDM-2 Land force	50 Hp, No of concave disc-2, No fo Furrow Wheel-1, Size of Disc-660 mm, Field Capacity-0.098 ha/day	NERFMTTL, Sonitpur, Assam tested	182/242 February 2016	Feb-23	पंजीकरण हेतु चिह्नित किया गया
		DISC Plough		DDM-3 Land force	65 Hp, No of concave disc-3, No fo Furrow Wheel-1, Size of Disc-660 mm, Field Capacity-0.104 ha/day	NERFMTTL, Sonitpur, Assam tested	183/243 February 2016	Feb-23	पंजीकरण हेतु चिह्नित किया गया
		MB Plough		M-4ARR Land Force-4 Bottom	Power 75 Hp, Max PTO-46kW, Size of plough-4X335mm, Dimension-3100X95.4X95.4mm, Length-400mm, Width-180mm, Type -reversible	NERFMTTL, Sonitpur, Assam tested	IMP-1026/2430/20 January 2020	Jan-27	पंजीकरण हेतु चिह्नित किया गया
		MB Plough		M-3ARR Land Force-4 Bottom	Power 60 Hp, Max PTO-46kW, Size of plough-3X335mm, Dimension-2265X95.4X95.4mm, Length-400mm, Width-180mm, Type -reversible	NERFMTTL, Sonitpur, Assam tested	IMP-1025/2429/20 January 2020	Jan-27	पंजीकरण हेतु चिह्नित किया गया
		MB Plough		M-2FAR Land Force	65 Hp, No fo Furrow Wheel-2, Working width-700, Working depth-250-355, Hitch type-3 pint hitch, Cat-II, Time Thickness-36 mm	NERFMTTL, Sonitpur, Assam tested	222/295 December 2017	Dec-24	पंजीकरण हेतु चिह्नित किया गया

क्र.सं.	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक / मॉडल	यंत्र का स्थापिकरण	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
4	GSA Industries, Village Daulapur, Rasulpur Jaura Road, Patiala, Punjab	Hydraulically Reversible Mould Board Plough		Agrizone RP-3 Bottom	3 Bottom fixed Reversible MB Plough, Size of plough-3X582mm, Power-42.65 hp, Constructional details-A rectangular box fabricated 541808.0mm, Dimensions-1997mm, width-91mm	SLFMTTI-UP	IMP-2011/262 May 2021		परीक्षण हेतु विनियत किया गया
		Hydraulically Reversible Mould Board Plough		Agrizone RP-2 Bottom	2 Bottom fixed Reversible MB Plough, Size of plough-2X712mm, Power-45 hp, Constructional details-A rectangular box fabricated 980X98X22mm, Dimensions-1092X39.85mm, width-383mm	SLFMTTI-UP	IMP-2011/301 June 2021		परीक्षण हेतु विनियत किया गया
5	Jaswant Agriculture Works, Patala Road, Sunam Sangroor, Punjab	Tractor mounted reversible MB Plough		2 Bottom Jaswant	2 Bottom fixed Reversible MB Plough, Size of plough-365X2mm, Power-50 hp, Constructional details-A rectangular box fabricated 1760X100X100mm, Dimensions-1760mm, width-330X100mm	CAET-Hisaar	HAU/FMPE/18-19/Plow-14 September 2018		परीक्षण हेतु विनियत किया गया
6	LEMKEN India Agro Equipments Pvt. Ltd., D-59, MIDC, Butibori, Nagpur, MH	Hydraulically Reversible Mould Board Plough	1-BT Agency, Kashipur, USNagar.	Lemken Opal 080 E-2 Bottom	2 bottom hydraulically reversible MB Plough, size of plough-2X380mm, Source of power-42 to 47 hp, Max PTO Power-32 (42.91) kw(Ps), Dimensions- width-1212mm, at front-80mm, rear-80mm	FMTC/ Karnataka	IMP/MB-69/323 July 2019	Jul-26	परीक्षण हेतु विनियत किया गया
		Tractor Mounted 4 bottom MB Plough		Opal 090E	4bottom hydraulically reversible MB Plough, size of plough-320X4 mm, Source of power-80 hp and above, Dimensions-2960mm, no & size -1, 20.00mm	CAET-Hisaar	HAU/FMPE/18-19/plow-22 January 2019	Jan-26	परीक्षण हेतु विनियत किया गया
		Hydraulically Reversible MB Plough		Opal 090E-3 Bottom	3 bottom hydraulically reversible MB Plough, size of plough-3X380 mm, Source of power-68-75 hp and above, Dimensions-1150mm, no & size -1, 20.00mm	FMTC/ Karnataka	IMP/MB-59/265 September 2018	Sep-25	परीक्षण हेतु विनियत किया गया
		Hydraulically Reversible MB Plough		Opal 090E-2Bottom	3 bottom hydraulically reversible MB Plough, size of plough-2X380 mm, Source of power-45-50 hp and above, Dimensions-1150mm, no & size -1, 20.00mm	FMTC/ Karnataka	IMP/MB-58/264 September 2018	Sep-25	परीक्षण हेतु विनियत किया गया
7	Machio Gasparido India Pvt. Ltd.	Plough							टेस्ट रिपोर्ट प्राप्त होने के बाद परीक्षण किया गया
	Saron Mechanical Works, Mansa Road, Cheema Mandi, Sangrur, Punjab	MB PLOUGH	1-A-one Agriculture Store, Sakeniya Road, Gaddarpur USNagar 2-M/s Balbir Industries, Sri Nanakmatia, Mob- 9756609683. 3-Tyagi Agro Sale, Panchakli Farm Dist. Patiala, Haryana	2 Bottom Hydraulic Rev. MB. Plough	2 Bottom Hydraulically Reversible MB plough, Size of Plough-2X580mm, Source of Power-45 and above, Power source used- Pritet 6049 Kw	SLFMTTI Lucknow	2011/169 January 2019	Jan-25	परीक्षण हेतु विनियत किया गया

क्र.सं.	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मोडल/माडल	यंत्र का स्पेसिफिकेशन	देस्टिन संस्था	देस्ट रिपोर्ट की तिथि	देस्ट की वेबसाइट	अवधि
1	2	3	4	5	6	7	8	9	10
0		MB PLOUGH	महाराष्ट्र राज्य, महाराष्ट्र राज्य 9837052785 4-National Agriculture Repairing Works, Haridwar Road Laksar 8439874577	3 Bottom Hydraulic Rev. M.B. Plough	MS Plates of size-402X80X10 mm, MS flat of size-645X101X101 mm, Hexagonal headed bolts of size-86X19.8 mm and 83.2X13.8 mm, Dimension- length-1995mm, Width-90mm	SLFMTTI Lucknow	2011/168 January 2019	Jan-25	परीक्षण हेतु चिह्नित किया गया
9	Tractor and Farm Equipment Ltd, Channal	Hydraulically Reversible Mould Board Plough		TAFE 230 MRM	No of plough bottom-4, size of plough-2X300mm, Power-45-55 hp, 4wheel, 2 wheel drive general purpose agricultural tractor. Max PTO-35kW, Engine speed-1700 rpm	FMTTC-Tamilnadu	FMTTC//KLR/T R/036-2019 May 2019	03-06-26	परीक्षण हेतु चिह्नित किया गया
		Hydraulically Reversible Mould Board Plough		TAFE 330 MR	No of plough bottom-4, size of plough-2X300mm, Power-50-65 hp, 4wheel, 2 wheel drive general purpose agricultural tractor, Max PTO-41.5kW, Engine speed-1700 rpm	SRFMTTI-AP	IMP-431/796 October 2017		परीक्षण हेतु चिह्नित किया गया
		Disc Plough		328 DS	Source of power-45 to 55 hp, Max PTO-56 kw, No-3, Material- Fe410W Grade-B, Dimension-364X257mm, Material -Cas steel ASTM A27, Disc-3, Overall Thickness-5 mm	AMRC-Tamilnadu	NO-105-DP/2015 May 2015		परीक्षण हेतु चिह्नित किया गया
		2 furrow Disc Plough		228 DS	Source of power-35 to 45 hp, Max PTO-45 kw, No-2, Material- Fe410W Grade-B, Dimension-364X257mm, Material -Cas steel ASTM A27, Disc-3, Overall Thickness-5 mm	AMRC-Tamilnadu	NO-106-DP/2015 May 2015		परीक्षण हेतु चिह्नित किया गया
10	Tirth Agro Technology Pvt. Ltd, Gujraat	Hydraulic Reversible MB Plough		230 MR	Source of power-45 to 50 hp, Max PTO-45/33.57 kw, No-2, Material- Fe410W Grade-B, Dimension-125X125X100X100 mm, Material -Cas steel ASTM A27, Disc-2, Overall Thickness-32 mm	AMRC-Tamilnadu	No-133-HRP/2016 March 2016		परीक्षण हेतु चिह्नित किया गया
		MB PLOUGH		SMP-2AX	No o plough-2, Size of plough-2X380mm, Power -45 hp and above, power source-5500 tractor, Dimensions-90X90X7 mm, Size of steel-1290X90X90mm, Length-	FIMTTTC-Bikaner	FIMTTTC/IMP/1 8/982 December 2018	27-12-25	परीक्षण हेतु चिह्नित किया गया
		Tractor Mounted 3 Bottom MB Plough		SMP-3AX	No o plough-3, Size of plough-3X380mm, Power -55 hp and above, power source-5500 tractor, Dimensions-90X90X7 mm, Size of steel-1290X90X90mm, Length-1385mm, Width-90X90mm	FIMTTTC-Bikaner	FIMTTTC/IMP/1 8/983 January 2019	02-01-26	परीक्षण हेतु चिह्नित किया गया

क सं	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मॉक / माडल	यंत्र का स्पेसिफिकेशन	टैरिफिंग संस्था	टैस्ट रिपोर्ट की तिथि	टैस्ट की वेधता तिथि	अव्युक्ति
1	2	3	4	5	6	7	8	9	10
11	Sonalika Industries, Chak Gujram, PO Piprianwala, Hoshiarpur Punjab	MB PLOUGH	1- Jagdambey Trading Company, Near BDM School, Dehradun, Herbertur, Haridwar-Tehri, Garhwar-Pauri, and Utharkashi 2- Ramesh Machinery Store, Roorkee, Haridwar, Mob-9837522855	Sonalika SLRP-3-3	45 hp an above, Max PTO Power-28.6kW, No-3, Material -M.S. Plate, Dimensions-650X1015X35.5 mm, Size & spacing-03	SLMTTI-Lucknow	IMP-1029/2486/2020 July 2020		परीक्षण हेतु चिन्हित किया गया
		MB PLOUGH		Sonalika SLRP-2	35 6 hp an above, Max PTO Power-25.4 kW, No-3, Material -M.S. Plate, Dimensions-1430X1220mm, Size & spacing-03	NRFMTTI-Hisar	IMP/1030/2487/2020 July 2020		परीक्षण हेतु चिन्हित किया गया
12	Pratap Iron Works Near Namastey Chowk, G.T. Road, Karnal	Cropking MB Plough		Cropking (2 Furrow)	45 Hp & above, MS Pipe, Size of Plough-2X380mm, Dimensions-90X90X7.1 mm, Length-1380mm, Width 90X90	ANGRAU Hyderabad	2011-12/132094/2 03-03-2012	2019	परीक्षण हेतु चिन्हित किया गया
		Cropking MB Plough		Cropking (3 Furrow)	37 Hp & above, MS Flat & angle iron fabrication, size of flat-50X6, Size of angle iron-65X65X10:50 mm	ANGRAU Hyderabad	2011-12/132094/3 03-03-2012	2019	परीक्षण हेतु चिन्हित किया गया
		Cropking Disc Plough		Cropking (2 Bottom)	35Hp & above, Length-360X Diameter-123X Height-350X Width-153, No-2, Material-M.S. Pipe	ANGRAU Hyderabad	2011-12/132094/4 03-03-2012	2019	परीक्षण हेतु चिन्हित किया गया
		Cropking Disc Plough		Cropking (3 Bottom)	50Hp & above, Length-360X Diameter-123X Height-350X Width-153, No-3, Material-M.S. Pipe	ANGRAU Hyderabad	2011-12/132094/5 03-03-2012	2019	परीक्षण हेतु चिन्हित किया गया

उप कृषि निदेशक,
तकनीकी समीक्षा,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन एवं अनुसंधान,
कृषि निदेशालय

अपर कृषि निदेशक,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

विभागाध्यक्ष (फार्म मशीनरी),
गोवर्धन विभाग, पतनगर

कृषि निदेशक,
उत्तराखण्ड।

पत्र संख्या-7033, दिनांक 19 मार्च, 2021 के द्वारा जारी विज्ञापन से प्राप्त कस्टीमेटर हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र.सं	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेधता तिथि	अनुमोदित
1	2	3	4	5	6	7	8	9	10
1	Avi Agro Technology Haridwar Road, Dhadhendi Khwajipur, Roorkee	Cultivator	Avi Agro Technology Haridwar Road, Dhadhendi Khwajipur, Roorkee	Spring loaded 9 Tyne	60X60mm Frame, 9 of yanes, Nu bolt, reversible shovel, carbon steel, 55.5X8 mm, 55 cm length, coverd, 2130/1860mm top/bottom,	GBPUAT Pantnagar	2018-84 December 2018	Dec-25	पंजीकरण हेतु विहित किया गया
2	Avtar kalsi Agro Works, Moga Link Road, Talwandi Bhai, Ferozepur, Punjab	Tractor Mounted Rigid Cultivator		11 Tyne	Nomial Width-2280mm, Source of power-7250, 47hp tractor, 45 & above, Max PTO-33.56, Length of frame-2495mm, Width of frame-592 mm, Ground clearance-500mm, No of tyne-11, Material-Mild Steel	FIMTTC-Bikaner	FIMTTC/IMP/1 3/391 December 2017		पंजीकरण हेतु विहित किया गया
3	Bansal Traders Vikasnagar, Dehradun	Spring loaded Cultivator		9 Tyne	Dimension of frame-60X60mm, no of tyne-9, type-reversible shovel, Size-554X8.5mm, length-54cm, curved-curved, Widthe at top/bottom-2030/1860mm, fixing shovel-3,10 mm round	GBPUAT Pantnagar	CTE/FMP-2021-151 July 2021		पंजीकरण हेतु विहित किया गया
4	BERI UDYOG Pvt. Ltd. Plot No. 225 to 240, Sector-03, Karnal (Haryana) Ph. No- 0184-2221572	Cultivator 9 Tyne		New Holland, 3630 an HMT 3522	Spring loaded, Tractor mounted, Nominal width-1800mm, Working width-2025mm, Type-general purpose agricultural tractor, Material-MS channel, length-2000mm, Width-550mm, Size of channel-40X75X40X6X2000	AITC-Raipur	Report No-221 April 2014		पंजीकरण हेतु विहित किया गया
Dasmesh Mechanical Works, Nabha- Materkotla Road, Amargarh Punjab	Landforce Inter Rotary Cultivator	1- M/s, Kissan Fertiliser Agencies, Kashipur Mob- 9917800088 2- M/s, A.H. Associates, Kashipur Mob. 9917800088 3- M/s, Tyagi Agro Sales Kiccha, US NAGAR, Mob. 9837052785	ICA 4913		Power source above 50-70hp, Max PTO Power-33.1 (45), Numbre trainlin-3, Material-Mild Steel, No and type of rigidly fixe-2 on each rotor, Width of each rotor-265, Dia-197mm, Thickness-12mm, Fixing flange-4,12.5mm	FMTC-Ludhiana	FMPE/TC/Com m/2016/1023 June 2016		पंजीकरण हेतु विहित किया गया
	Landforce Spring Loaded 9 yn Cultivator	6- M/s, Bharat Agro Engg. Works Bhagwanpur, Haridwar, Mob. 9837131623 7- M/s, Roorkee Machinery Store Laksar, Mob. 8534057758 8- M/s, Kissan Tractors Roorkee, Mob. 9719355547	DCHS-9		Size of implement-11X235mm, working width-2345mm, 11 tyne, Type-Spring loaded, Material-MS flat, Front tyne-770X490mm, Thickness-770X490mm, Rear tyne-770X490mm, Width-47.1X29.5 mm, Thickness-25.0 top, 29.8 bottom	NRERFMTTI-Assam	IM-187/247 March 2016		पंजीकरण हेतु विहित किया गया

(Handwritten signatures and marks)

क्र.सं.	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेधता तिथि	अवसुचित
1	2	3	4	5	6	7	8	9	10
5		Landforce Spring Loaded 11 tyn Cultivator	9- M/s, Sadalll Krishi Yantra Dehradun, Mob. 8954599570 10- M/s, Sri Guru Kripa Agency, Bhoood Maholiya, Khatima Mob. 975905172 11- M/s, Chaudhary Automobiles, Kashipur Mob. 9927396850 12- M/s, Surjeet Agro, Dehradun, Mob. 9758176405	DCSS-11	Size of implement-11X235mm, working width-2300mm, 11 tyn, Type-Spring loaded, Material-MS flat, Front tyne-700X445mm, Thickness-700X445mm, Rear tyne-770X490mm, Width-48.2X22.5mm, Thickness-19.0 top, 37.0 bottom	NERFMTTI-Assam	IM-188/248 March 2016		परीक्षण हेतु चिन्हित किया गया
		Landforce Spring Loaded 9 yn Cultivator		DCSS-9	Size of implement-9X235mm, working width-1845mm, 9-tyne, Type-Spring loaded, Material-MS flat, Front tyne-700X445mm, Thickness-700X445mm, Rear tyne-770X490mm, Width-48.2X22.5mm, Thickness-18.6 top, 37.2 bottom	NERFMTTI-Assam	IM-184/244 February 2016		परीक्षण हेतु चिन्हित किया गया
		Landforce 11 tyn Cultivator		DCSR-11	Size of implement-11X227.5mm, working width-2355mm, 11-tyne, Type-Spring loaded, Material-MS flat, Front tyne-890X420mm, Thickness-995X420mm, Rear tyne-995X420mm, Width-80X23mm, Thickness-22MM	NERFMTTI-Assam	IM-180/239 January 2016		परीक्षण हेतु चिन्हित किया गया
		Landforce Rigid Tyne Cultivator		SCSR-9	Size of implement-9X227mm, working width-1830mm, 9-tyne, Type-Spring loaded, Material-MS flat, Front tyne-880X420mm, Thickness-995X420mm, Width-80X23mm, Thickness-22	NERFMTTI-Assam	IM-176/232 November 2015		परीक्षण हेतु चिन्हित किया गया
	John Deere India Private Limited, Magarpatta City Hadapsar Pune	Spring tyne Cultivator		SC 1209	Type-spring loaded, Working width-1880mm, Dimensions of frame-2030X550mm, 9 tyne, 4 tynes on front row and 5 on the rear row, Size thickness-50.3X33.9mm, Length-720X540mm, Width-25.9X33.9mm	NERFMTTI-Assam	IMP-148/197 January 2014		परीक्षण हेतु चिन्हित किया गया
		Rigid Tyne Cultivator		RC 1009	Type-Rigid Working width-1895mm, Dimensions of frame-1990X4760mm, 9 tyne, 4 tynes on front row and 5 on the rear row, Size thickness-98X22mm, Length-450X435mm, Width-22X22mm	NERFMTTI-Assam	IMP-146/195 December 2013		परीक्षण हेतु चिन्हित किया गया
		Rigid Tyne Cultivator		SC 1009	Type-Rigid Working width-1890mm, Dimensions of frame-710X450.5mm, 9 tyne, 4 tynes on front row and 5 on the rear row, Size thickness-98X22mm, Length-450X435mm, Width-22X22mm	NERFMTTI-Assam	IMP-147/196 December 2014		परीक्षण हेतु चिन्हित किया गया

✓

82-

क्र.सं.	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मैक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
		Green System 9 Tine Rigid Cultivator		RC 1209	Type-Rigid tine, Tractor mounted, Size-9X230mm, 9 tyne, dimension of tine 710X595mm, width-75.8X37.9mm, Thickness-32.5X46.1mm, no and size of hole -2, 12.3 mm, Centre to centre istance 45.9mm	NERFMTTI- Assam	IMP-242/317 October 2018		परीक्षण हेतु विहित किया गया
		Green System 9 Tine Rigid Cultivator		RC 1211, 11	Type-Rigid tine, Tractor mounted, Size-9X230mm, 9 tyne, dimension of tine 2450X795mm, width-75.8X48.2mm, Thickness-32.5X45.9mm, no and size of hole -2, 12.3 mm, Centre to centre istance 45.9mm	NERFMTTI- Assam	IMP-237/312 May 2018		परीक्षण हेतु विहित किया गया
		Green System 11 Tine Rigid Cultivator		SC 1211, 11	Type-Rigid tine, Tractor mounted, Size-11X229mm, 11 tyne, dimension of tine 790X455mm, width-51.8X22.2mm, Thickness-24.1X30.3mm, no and size of hole -2, 12.3 mm, Centre to centre istance 50.13mm	NERFMTTI- Assam	IMP-241/316 October 2018		परीक्षण हेतु विहित किया गया
6	Lalji & Sons, 261/3 Purani Tehsil, Dehradun Road, Roorkee, Haridwar	Spring loaded 9 tyne Cultivator		RAW-C9T	Dimension of frame-61X61 square, No of tyne-9, Type-Reversible shovel, Material-Carbon steel, Size-55X68mm, Length-56cm, curve, Width at top/bottom-2032X1859mm, no of springs for each tyne-2	GBP UAT Pantnagar	CTE/FMP/2021- 139 March 2021		परीक्षण हेतु विहित किया गया
7	Machino Agriculture Implements Pvt. Ltd. Karnal Haryana	RIFID Cultivator		Machino MCR-9 Tines	Power-35 hp and above, Working width-1845mm, type-MS flat & angle iron fabricatiohn, Size of angle iron-72X72X10mm, Length-2015mm, Tine-09, Type-rigid, Size -1040X82X, Thickness-22 mm	SLFMTTI-UP	MOB-2011/262 September 2020		परीक्षण हेतु विहित किया गया
8	Ransons Impex, Raipur sahkari udhoggic shetra, Bhagwanpur, Haridwar	Tractor Mounted Cultivator		RIC-09 tines	Nomial Width-1810 mm, Source of power-35 hp and above. Max PTO-33.56, Length of frame-490mm, Width of frame-2050mm, Ground clearance-480mm, No of tyne-9, Material-Mild Steel	FIMTTTC- Bikaner	FIMTTTC/IMP/2 0/1409 December 2020	18-12-27	परीक्षण हेतु विहित किया गया
10	Uttaranchal Agro Industries, Kishanpur, Kichha, US Nagar	Cultivator	1-M/s Tyagi Agro Sales, Kichha 2-Shiv Shakti Product and General Suppliery Deidhat. 3-Shree Interprises dehradun	Spring loaded 9 tyne	35 hp, Tractor drawn spring loaded, overall dimension- 225*55*96cm, no. of shovel- 9, no. of spring each tyne-2, avg. capacity- 0.89ha/hr	GBP UAT Pantnagar tested	2014-14 July 2014	Jul-21	परीक्षण हेतु विहित किया गया
11	LEMKEN India Agro Equipments Pvt. Ltd., D- 59, MIDC, Butibori, Nagpur, MH	Roto Cultivator 7 tyne		ACHAT-70	Power-50 hp & above, Working width-1575mm, Type-4 wheel agricultural tractor, Type-alloy steel, size of angle-100X98X12, tyne-7, type-rigid, Size -740X50X18mm, Reversible type-material-boron steel	CAET-Hisar	HAU/FMPE/20- 21/CUL-55 December 2020	Dec-27	परीक्षण हेतु विहित किया गया

क्र.सं.	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन	देस्टिंग संख्या	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
		Tractor Mounted -9 tyne		ACHAT-70	Power-60 hp & above, Working width-2025mm, Type-4 wheel agricultural tractor, Type-alloy steel, size of angle-100X98X12, tyne-9, type-rigid, Size -740X50X18mm, Reverseable type-material-boron steel	CAET-Hisar	HAIU/FMPE/20-21/CUL-56 December 2020	Dec-27	परीक्षण हेतु चिन्हित किया गया
12	Pratap Iron Works Near Namastey Chowk, G.T. Road, Karnal	Cultivator	1- Bansal Traders, Vikasnagar Dehradun. 2- Billu Agriculture Works Laksar Haridwar.	CL9TRC	Size-1820mm, Max PTO-35 hp and above, No of tyne-9, length-Thickness-19.35mm, Curved-1010mm, No of size of holes on each shovel-3 and 12.0X12.0	FMTG-Talangana	259/405 December 2020	31-12-27	परीक्षण हेतु चिन्हित किया गया
		Cultivator		CK11TSLC	working width-2300mm, Max PTO-45 hp and above, No of tyne-11, length-Thickness-22mm, width-50mm, No of size of holes on each shovel-02, 45X9.0	FMTG-Talangana	261/411 January 2021	31-01-28	परीक्षण हेतु चिन्हित किया गया
		Cultivator		CK9TSLC	working width-1900mm, Max PTO-40 hp and above, No of tyne-9, length-Thickness-711 mm, width-50mm, No of size of holes on each shovel-02, 45X9.0	FMTG-Talangana	193/324 July 2019	31-07-26	परीक्षण हेतु चिन्हित किया गया

उप कृषि निदेशक,
तकनीकी समीक्षण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन एवं अनुसंधान,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

प्रतिनिधि,
विभागध्यक्ष (कार्म मशीनरी),
गोवर्धनचौविठो, पंतनगर

अपर कृषि निदेशक,
कृषि निदेशालय




सिद्धि नियंत्रक,
कृषि निदेशालय

कृषि निदेशक,
उत्तराखण्ड।

पत्र संख्या-7033, दिनांक 19 मार्च, 2021 के द्वारा जारी विज्ञापन से प्राप्त चैफ कटर हेतु अनुमोदित / स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र० सं०	मूल निर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	देस्टिंग संस्था	देस्ट रिपोर्ट की तिथि	देस्ट की वैधता तिथि	अन्यति
1	Bala ji Enterprises Beldi Haridwar Uttarakhand	Chaff Cutter	Bala ji Enterprises Beldi Haridwar Uttarakhand	5	6	7	8	9	10
2	Bansal Traders Vikasnagar, Dehradun	Electric Motor Operated Chaff Cutter		3 Hp	Driven Pulley size-8, Type-Reticular, Length-240mm, Width-90mm, Height-52mm, No of bar-8, Length of bar-70mm, width of bar-40mm,	GBPUAT Pantnagar Uttarakhand	2021-140 Date-March 2021		पंजीकरण हेतु चिन्हित किया गया
3	Delux Foundry, G.T. Road, Batala, Punjab	Chaff Cutter	1- M/s Roorkee Machinery Store, Haridwar Road Laksar 2- Vijay and Company Laksar Haridwar. 3- Shri Enterprises, 820 Ritu chambers, main kaulagarh 4- Devanshi Irrigation system, 114 Indira nagar Dehradun.	Chaff Cutter	Average speed of cuttin ghead-200 rpm, Theoretical length of cut-9.07mm, cut fodder-9.83mm, powe consumed at laod-2.0kw, Power consumed by chaff cutter-1.1kW	GBPUAT Pantnagar Uttarakhand	2016-42 Date-January 2016		पंजीकरण हेतु चिन्हित किया गया
4	Darshan Singh & Co. G.T Road, Goraya, Dist-Jalandhar, Punjab	Chaff Cutter	1- M/s Shree Enterprises, 823, Sirmour Street, Kaulagarh Road, Dehradun. 2- Prime Solution Kaulagarh Road Dehradun. 3- Maa Vindayavasin Agricultural Works and general supplies, Almora	Samrat Motored Chaff Cutter	Dia Of Handle 14cm, Length of handle 465mm, Dia of flywheel 798mm, No. of arms-2, No. of hole in each arms-3, No. of feed rolls-2, No. of worm gear-2, Quantity of cut- 336-680kg/hr	SLFMTTIRH Luckow	2011/090 April 2016	Sep-21	पंजीकरण हेतु चिन्हित किया गया

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
	Fortune Agro Impex 9th block, Bangalore,	Chaff Cutter	1-Sushila Enterprises, Mall Road Nainital. 2-Kharayat Traders, Thal Road, Pithoragarh. 3-Jai Maa Kali Traders, Tankhet Almora. 4- Krishi Seva Kendra, Ramgarh Talla, Haldwani, Nainital. 5-S.S.K. Traders, Main Bazar Almora. 6-Tripti Irrigation, Chilkya, Ramnagar, Nainital. 7- Sai Traders, Phoolchaur Road Haldwani, Nainital. 8- D.S. Enterprises, Haldwani Division, Nainital. 9- Jai Golu Kisan Seva Kendra, Dugalkhola, Bageshwar, Almora. 10-Adhikari Agrotech, Ranikhet Almora.	FAI 03 CC	Electric motor operated, Belt pully drive, MS angle irons of size- 485X316X50/50X6.0mm, Size of platform-725X545/646, Mass-41 kg, Size of mounting base- 280X40X40X6.0mm	SRFMTTI-AP	Machine- 226/843 March 2018		परीक्षण हेतु चिह्नित किया गया
5									
	Neha Toka, Pvt. Ltd, GT Road, Garaya Jalandhar Punjab	Chaff Cutter		Landra- 9 mouth	Fly Wheel-Cast iron, Handle grip-Timber, Handle support-mild steel, Frame-Cast iron, cover plate-cast iron, Sherar plate-cast iron, Leg-Mild steel, blade-carbon steel or alloy steel	CAET Hisar	HAU/FMPE/1 2/CC-4 August 2012		परीक्षण हेतु चिह्नित किया गया
6		Chaff Cutter		Landra- 9 mouth	Make-Bharat hiklec, Hp-2, Rating voltage-220, Ampere-12.6, RPM-1440, Serial no-1114248, Size o pulley-4, V-Belt Size-16ftX2.25, Gears ratio-15:1	CAET Hisar	HAU/FMPE/1 2/CC-4 March -2015		परीक्षण हेतु चिह्नित किया गया
7	Punjab Agricultural Implements Pvt. Ltd., Railway Road, Saharampur-247001	Chaff Cutter	1-M/s, Bansal Traders, Main Road, Vikas Nagar, Dist-Dehradun, Mob-9412050103, 01360250495 2-M/s, Shri Enterprises, Kolagarh Road, Dehradun, Mob-8171556969 3- M/s Sahani Traders, Near Bus Station, Pithoragarh, Mob- 9410915222	Tractor Mounted Chaff Cutter /Kutti Machine	1hp electric motor, overall dimension- 1000*500*1331mm, weight- 45kg, output capacity for madira-2.5 to 4.00 kg/hr.	ATTC Raipur	531 June 2018		परीक्षण हेतु चिह्नित किया गया

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन	देस्टिंग संस्था	देस्ट रिपोर्ट की तिथि	देस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
	Ramsons Impex, JP-17, Raipur Sahhari Udhogic Shettra, Vill-Raipur, Bhagwanpur, Roorkee, Haridwar	Chaff Cutter	1-M/s Roorkee Machinery, Laksar, mob-8534057758 2-M/s S Kumar & Company, Roorkee, Mob-9837076949 3-Bharat Agro and Engg. Works, Bhagwanpur, Haridwar. 4-M/s Surbhi Agro India, Haridwar, Mob-9045756020 5-Jai Gurudev Industries, Rudrapur. 6-Janak Engg. Co, Dehradun, Mob-9897072453. 7-Kisan Fertilizer Agency, Kashipur, Mob-9837047588 8-Kisan Tractors, Roorkee, Mob-9719355547 9-Chandra Agro works Manglore Haridwar 10-Sahni Traders, Pithoragarh, Mob-9410915222 11-Negi Traders Garoor Baijnath Bageshwar 12-Sah Motors, Champawat, Mob-9412439009 13-SSK Traders, Almora, Mob-9359949609 14-A-One Agriculture Works, Gadarpur, Mob-9837667925 15-A to Z Enterprises, Bilonia, Bageshwar, Mob-9837667925 16-Shree bagnath Traders Bilonia Bageshwar 17-Shri Bagnath Traders, Bageshwar. 18-Pal Auto Sales, Haldwani, Mob-9897675638 19-Janak Engg. Co, Saharanpur, Mob-	RIC R19ZP	MS angle vertically of isze-500X50X50X2.70mm (04 no.) and 04 number horizontally, MS angle of size-315X40X2.70mm,, Material--Cat iron, Size of chaffing cylinder-178.57X32.58mm, Size of motor pulley-68.64X33.80mm, Size of throat-90X200 mm. No of holes on the blade-3 for each blade	FIMTTC-Kikaner	FIMTTC/THR/20/1521		परीक्षण हेतु चिन्हित किया गया
8									
9	Vinod kumar Virendra Kumar, chandpur Road, Dhanaura, Amroha UP	Chaff Cutter		BAL-CHF-011	Fly Wheel, Thickness-40mm, Size of center-+40, No of gears-3, Type of gears-super tyre, no of bearing-4, No of feed roll-3, diameter for feed-80	GBPUAT Pantnagar Uttarakhand	2016-46 June 2016		परीक्षण हेतु चिन्हित किया गया
	Kisan Kraft Machine Tools Pvt. Ltd, Dasarahalli, Hebhal, Bangalore	Chaff Cutter	1-M/s S.S.K. Traders, Almora, Ph No. 9359949609. 2-M/s Jai Gurudev Industries, Rudrapur, ph no. 9568880000. 3-M/s Universal Agro Products, Rudrapur, Ph No. 9837029860. 4-M/s Uttaranchal Agro	KisanKraft KK-FMC-1200	3hp, average capacity- green 1200kg/hr, Dry- 700kg/hr	NERFMTTI Assam	25/255 July 2016	2023	परीक्षण हेतु चिन्हित किया गया

Handwritten signature and initials

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मैक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अन्यवृत्ति
1	2	3	4	5	6	7	8	9	10
10		Chaff Cutter	Industries, Kichha, Ph No. 956814888. 5-M/s Abdul Rashid & Sons, Ganesh Bazar, Srinagar, Ph No. 7060704567 6- M/s Krishna Trading Company 90/94 Dhak Patil, Rajpur, dehradun, Ph No. 9997777092 7-M/s Bharat Agro Equipments, Dehradun, Ph No. 9997777092	KisanKraft KK-FMC-500	Engine 3HP, Electric operated, Capacity 429-752 kg per hour	SRFMTTI Anantpur AP	225/841 March 2018	2025	परीक्षण हेतु विहित किया गया
11	Falcon Garden								

उप कृषि निदेशक,
तकनीकी सम्मेलन,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन एवं अनुश्रवण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

विभागाध्यक्ष (फर्म मशीनरी),
गोवर्धन/विशेष, पंतनगर

अपर कृषि निदेशक,
कृषि निदेशालय

प्रति निदेशक,
कृषि निदेशालय

कृषि निदेशक,
उत्तराखण्ड।

पत्र संख्या-7033, दिनांक 19 मार्च, 2021 के द्वारा जारी विज्ञापन से प्राप्त हैरो हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र.सं	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेधता तिथि	अव्युक्ति
1	2	3	4	5	6	7	8	9	10
1	Avtar kalsi Agro Works, Moga Link Road, Talwandi Bhai, Ferozepur, Punjab	Tractor Operated Disc Harrow		18-DISC.S	Power-45 hp and above, Max PTO-52 hap, Type-welded angle iron frame separator for each gang, Size of pipe- 113X113mm, Size of scrapaper- 395X49.14	FIMTTTC-Bikaner	FIMTTTC/JMP/1 3/392 March 2016		पंजीकरण हेतु विनिर्दिष्ट किया गया
3	Bansal Traders Vikasnagar, Dehradun	Tractor drawn Trailled type Disc Harrow		7X7 RI	Max PTO-27.90 (37.93), Type- Square box type, Size of box-1525X605mm, Rear gant-1522X610mm, Type-Curved flat, Size of scraper-410 Dia-55mm	GBPUAT Pantnagar	CTE/FMP-2021- 152 July 2021		पंजीकरण हेतु विनिर्दिष्ट किया गया
4	Dashmesh Agriculture Impliments Industries, Ward No-10, Sitarganj, USNagar UK	Tractor drawn Trailled type Disc Harrow		DAI	Front gang-length-1945, Width-782mm, Rear Gang-Length-1945mm, Width- 788mm Dia of shaft-62mm, Size of bolt- 82X14.50	GBPUAT Pantnagar	CTE/FMP/2021- 148 July 2021		पंजीकरण हेतु विनिर्दिष्ट किया गया
5	Jaggi Agriculture Works, Kabbopur, Distirct- patiala	Jaggi Disc Harrow 8X8	1- Kisan Agro, Traders, Kichaa, USNagar. 2- Billu Agriculture Works, Subhasgarh Road, Aithal Jaksar, Haridwar	8X8	Max PTO-38.6KW, Power-35-45hp Type- Square box type, Size of box-101X101, Front gant-1885lenh, 807 width No-12, Dia 62mm, Size of bolt-1885X807	CAET-Punjab	FMPE/TC/Com m/2015/995 December 2015		पंजीकरण हेतु विनिर्दिष्ट किया गया
6	Kartar Sing and Sons, Railway Station Road, Kashipur, USNagar	Tractor drawn TrailledHarrow		RAW-H14D	Max PTO-27.90KW, Type-Square box type, Size of box-100X100, Front gant- 1930lenh, 790 width No-12, Dia 62mm, Size of bolt-100X10X5	GBPUAT Pantnagar	CTE/FMP/2014 16 September 2014		पंजीकरण हेतु विनिर्दिष्ट किया गया
7	Lalli & Sons, 261/3 Putani Tehsil, Dehradun Road, Roorkee, Haridwar	Disc Type Harrow	1-M/s Rajat Agriculture Works, Roorkee, Mob-9012120171 2-M/s Punjab Agriculture Works, Roorkee, mob- 9837920094	RAW-H14D	Max PTO-27.90KW, Type-Square box type, Size of box-150X5535, Front gant- 1520 lenh, 610 width No-12, Dia 62mm, Size of bolt-121X14.50X4.56	GBPUAT Pantnagar	CTE/FMP/2021- 138 March 2021		पंजीकरण हेतु विनिर्दिष्ट किया गया
8	Ramsons Impex, Raipur sahkari udhogic shetra, Bhagwanpur, Haridwar	Harrow		RU7HR-14disc	Max PTO-32.5, Type-welded angle iron frame separates for each gang, Size of angle-100X100X8.40, Thickness-12.20, 10.00	FIMTTTC-Bikaner	FIMTTTC/JMP/2 0/1408 February 2021		पंजीकरण हेतु विनिर्दिष्ट किया गया

क्र.सं.	मूल विनिर्माता कर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन	देस्टिंग संस्था	देस्ट रिपोर्ट की तिथि	देस्ट की वेबसाइट	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
9	Sarvan Singh and Sons, Vilan Vihar Cehina Road, Sangriya, Rajasthan	Disc Harrow		Disc Harrow	Tractor operated, Power-45 hp or above, Frame box-100X100X6mm, Disc Diameter-610mm, Gang shaft-38mm, Lenth of spoo-225mm, baring dub-4 pec, baring size-33215	FMTC-Rajasthan	CTAE/FMP/FMTC/2011/04 December 2011		परीक्षण हेतु चिन्हित किया गया
10	Tirth Agro Technology Pvt. Ltd., Bhunava Taluka- gondal, Rajkot, Gujrat	Power Harrow		SPH-5D Single Speed	Power-50 hp and above, Max PTO-34.9 kW, Working size-1485 mmType-box, Material-MS flat, Size of box-1470X71.50X71.50, Size to supportin plate-675X180X60X10.7	SRFMTTI-Anantapur	IMP-406/727 January 2017		परीक्षण हेतु चिन्हित किया गया
		Power Harrow		SPH-6D Single Speed	Power-55 hp and above, Max PTO-34.9 kW, Working size-1728 mmType-box, Material-MS flat, Size of box-1730X71.50X71.50, Size to supportin plate-675X180X60X10.7	SRFMTTI-Anantapur	IMP-407/728 January 2017		परीक्षण हेतु चिन्हित किया गया
		Power Harrow		SPH-7D Single Speed	Power-60 hp and above, Max PTO-37.3 kW, Working size-1970 mmType-box, Material-MS flat, Size of box-1730X71.50X71.50, Size to supportin plate-675X180X60X10.7	SRFMTTI-Anantapur	IMP-408/729 January 2017		परीक्षण हेतु चिन्हित किया गया
11	Uttaranchal Agro Industries	Harrow		Tyagi-trailed Disc Harrow(8x8)	Prinemover required=above 25hp, No. of gangs-2, No. of Disc in each gangs-07, Dia Of Disc 613mm, overall dimension-3300*2020*870 mm, weight- 590kg, area covered- 0.613-0.795ha/hr	GBPUTAT Pantnagar	2015-29 July 2015		परीक्षण हेतु चिन्हित किया गया
12	Vinod kumar Virendra Kumar, chandpur Road, Dhanaura, Amroha UP	Tractor drawn Trailed type Disc Harrow		BAL-HR-TT-211	Max PTO-27.90Kw, Type-square box type, Size of box section-90X90mm, Front gang-1650X650, Rear gang-1650X640, Type-Curved flat, No-14, Size of scraper-390X65X6mm	GBPUAT Pantnagar	CTE/FMP-.....06 July 2015		परीक्षण हेतु चिन्हित किया गया
		Tractor drawn Trailed type Disc Harrow		BAL-HR-TT-211	Max PTO-27.90Kw, Type- box type, Size of box section-900X750mm, Front gang-1720X890, Rear gang-1690X840, Type-Curved flat, No-12, Size of scraper-280X10mm	GBPUAT Pantnagar	CTE/FMP/2017 63 September 2017		परीक्षण हेतु चिन्हित किया गया
13	Zandu Steel Works, Mliap Nagar, Ambala City, Haryana	Disc Harrow		16 DISCS	Power-45 hp and above, Max PTO-52 hsp, Type-welded angle iron frame separatefor each gang, Gang frame-90X90X910.34	FIMTTT-Bikaner	FIMTTT/IMP/1 4/442 September 2014		परीक्षण हेतु चिन्हित किया गया

क्र.	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेदता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9	10
	Pratap Iron Works Near Namastey Chowk, G.T. Road, karnal	Chalki Harrow	1- Bansal Traders, Vikasnagar Dehradun. 2- Billu Agriculture Works Laksar Haridwar.	CKDH-MH	Max PTO-45 hp and above,, Dimensions of frame-Length-1800mm, Width-1385/1390mm, no and size of supporting u-channel on main frame-02No & 430X16	FMTC-Telangana	260/410 December 2020	31-12-27	परीक्षण हेतु चिन्हित किया गया
		Disc Harrow		CKDH-TH 9X9	Max PTO-55 hp and above,, Dimensions of frame-Length-2900 mm, Width-2360/2390 mm, no and size of supporting u-channel on main frame-02No & 430X16	FMTC-Telangana	194/325 July 2019	31-07-26	परीक्षण हेतु चिन्हित किया गया
14		Hydraulic Disc Harrow		CKDH-TH 01 10X10	Max PTO-55 hp and above,, Dimensions of frame-Length-1200 foot/1280 rear, mm, Width-2500/2600mm, no and size of supporting u-channel on main frame-02No & 430X16	FMTC-Telangana	195/326 July 2019	31-07-26	परीक्षण हेतु चिन्हित किया गया

उप कृषि निदेशक,
तकनीकी समीक्षण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन एवं अनुश्रवण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

विभागाध्यक्ष (कार्म मशीनरी),
गोवर्धनगढ़, पटना

अपर कृषि निदेशक,
कृषि निदेशालय

वित्त नियंत्रक,
कृषि निदेशालय

कृषि निदेशक,
उत्तराखण्ड