

# कृषि निदेशालय उत्तराखण्ड, नन्दा की चौकी, प्रेमनगर, देहरादून।

(दूरभाष संख्या-0135-2772677, फ़ैक्स-0135-2771881, ई मेल-dir.agri.Uttarakhand@gmail.com)

पत्रांक-कृ.नि./4462/SMAM/पंजी.-कृषि यंत्र/2022-23 दिनांक- 13 अक्टूबर, 2022

1. समस्त मुख्य कृषि अधिकारी, उत्तराखण्ड।
2. समस्त कृषि एवं भूमि संरक्षण अधिकारी, उत्तराखण्ड।

**विषय- कृषि यंत्रों/उपकरणों हेतु पंजीकृत फर्म तथा माडल विषयक।**

निदेशालय के पत्र संख्या-कृ.नि./230/पंजी/कृषि यंत्र/2022-23, दिनांक 12 अप्रैल, 2022 के द्वारा विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध करने हेतु विज्ञापन जारी किया गया था। उक्त के क्रम में उत्तराखण्ड अधिप्राप्त नियम 2017, विभिन्न योजनाओं के अन्तर्गत कृषि यंत्रों/उपकरणों पर अनुदान उपलब्ध कराने हेतु कृषि मशीनों तथा यंत्रों/उपकरणों के मूल विनिर्माता फर्मों से प्राप्त पंजीकृत प्रपत्रों का गठित पंजीकरण समिति द्वारा परीक्षण करने के उपरान्त विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध/पंजीकरण हेतु उपयुक्त पाया गया। सूचीबद्ध/पंजीकरण हेतु चिन्हित किए गए यंत्रों/उपकरणों का विवरण निम्नानुसार है।

क्र. सं.	फर्म का नाम	सूचीबद्ध/पंजीकरण होने वाले कृषि मशीनों/यंत्रों/उपकरणों का विवरण
1.	Akhtari Agriculture Works, Muradabad Road, Kashipur, US Nagar, Uttrakhand	Thresher
2.	ANDREAS STIHL PVT.LTD. Maharashtra	Power Weeder
3.	Bansal Traders, Vikasnagar Dehradun Uttarakhand	Thresher
4.	Bir singh & Sons Chandigarh Road, Samrala, Ludhiana Punjab	Power Weeder /Thresher
5.	Bharat Agro Equipments, 27 Vidya Vihar-1, Phase-2 Kargi Road, Dehradun, Uttarakhand	Power Weeder
6.	BCS India Pvt. Ltd. Manngarh, Ludhiana Punjab	Power Weeder
7.	BTL EPC LIMITED, KOLKATA / WEST BENGAL	Power Weeder
8.	BHOOMI AGRO INDUSTRIES, (RAJKOT / GUJARAT)	Power Weeder
9.	Bansal Traders, Viksanagar, Dehradun, Uttarakhand	Power Weeder
10.	Champ Energy Ventures Pvt. Ltd, Mulshi Pune	Power Weeder
11.	Competent Agriculture Machinery, Near C.O. Office, Delhi-Saharanpur Road, Baraut, Bagpat, U.P.	Power Weeder
12.	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharashtra	Power Weeder
13.	DUXAS GREEN LAND PVT. LTD. New Delhi	Power Weeder
14.	Dashmesh Agro Industries, Bajakhana Road, Bhagta Bhai ka, District -Bathinda, Punjab	Thresher
15.	GSA Industries, Village Daulatpur, Rasulpur Jaura Road, Patiala, Punjab	Thresher
16.	FARM AND GARDEN TECHNOLOGIES PVT.LTD, (GURGAON / HARYANA)	Power Weeder
17.	Falcon Garden Tools Pvt. Ltd. (LUDHIANA / PUNJAB)	Power Weeder
18.	Greaves Cotton Ltd., Global Business Park, Tower-B, Unit-2, Near Dronacharya Metro Station, Gurgaon	Power Weeder
19.	GEORGE MAIJO INDUSTRIES PVT.LTD (CHENNAI / TAMIL NADU)	Power Weeder
20.	Hindustan Agro Industries copration, Hoshiarpur	Power Weeder/Thresher
21.	Husqvarna (India) Products Pvt. Ltd. First Floor, Swees House No. 5, Mylapore, Chennai, Tamilnadu	Power Weeder
22.	Honda India Power Products Ltd, (HYDERABAD / TELANGANA)	Power Weeder
23.	Indira Marshal Power Pvt. Ltd., Indore	Power Weeder

24.	Joginder Singh Narang Singh, Opp-New Bus Stand, Ahmedgarh, Sangrur, Punjab	Thresher
25.	Kirloskar Oil Engines Ltd., 498-143 KA, Near IT College Chauraha, SBI Building, Faizabad Road, Lucknow	Power Weeder
26.	Kisan Kraft Limited, General & Allied Industries, G.T. Road, By Pass, Karnal, Haryana	Power Weeder
27.	MTD PRODUCTS INDIA PVT. LTD., (PUNE / MAHARASHTRA)	Power Weeder
28.	MAHINDRA & MAHINDRA LIMITED (SWARAJ DIVISION)	Power Weeder
29.	Macan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Power Weeder
30.	NIPHA INDIA PVT.LTD.	Power Weeder
31.	Perfect House Pvt. Ltd. Mumbai	Power Weeder
32.	KS Powertech, Rikot Road, Malerkotla Punjab	Thresher
33.	Kamla Engineering Works, Ismailabad Hariyana	Thresher
34.	Lal ji & Sons Dehradun Road, Roorkee	Thresher
35.	Mahindra & Mahindra Ltd. Mumbai Maharashtra	Thresher
36.	Madho Engineering Works, (MOGA / PUNJAB)	Thresher
37.	Punjab Agriculture Implements Pvt. Ltd, Railway Road, Saharanpur	Thresher
38.	Punjab Agrotech India Pvt. Ltd.	Thresher
39.	Pubert India Pvt. Ltd. 303, Manomaya Residency Double, Kallere Road, NRI Layout, Rammurthi Nagar, Bangalore	Power Weeder
40.	Ramsons Impex, IP- 17, Raipur Sahkari Udhogic Shetra, Vill-Raipur, Bhagwanpur, Roorkee, Haridwar	Power Weeder/Thresher
41.	RATNAGIRI IMPLEX PVT. LTD, (BENGALURU URBAN / KARNATAKA)	Power Weeder
42.	Ravindra Agricultural Industries, USNagar	Thresher
43.	Shree Ganpati Agro Product, (UDAM SINGH NAGAR / UTTARAKHAND)	Power Weeder
44.	Super Power Agro India, Baraut Baghat UP	Power Weeder
45.	SHARP GARUDA FARM EQUIPMENTS PVT.LTD	Power Weeder
46.	Saeco Strips Pvt. Ltd, Rampura Road Daroha, Tehsil Payal, Ludhiana Punjab	Thresher
47.	Velmoc International, Punjab	Power Weeder (टेस्ट रिपोर्ट प्राप्त होने के उपरान्त )
48.	VSM International Pvt. Ltd., 65 Red Square Market, Hisar, Haryana	Power Weeder
49.	V.S.T TILLERS TRACTORS LTD., (BENGALURU URBAN / KARNATAKA)	Power Weeder
50.	Zandu Steel Works 1085, Milap Nagar, Near Manav Chowk, Ambala City	Thresher
51.	American Spring & Pressing Works Pvt Ltd, Gram panchayat office Chikhili Road, Antalia village, Bilimora Gujarat	Knapsack Sprayers
52.	Aspee Agro Equipment Pvt. Ltd., Mumbai	Knapsack Sprayers
53.	Andreas STIHL Pvt Lrd, STIHL chakan facility, Chakan industrial Area, Village Kharabwadi, Pune	Knapsack Sprayers
54.	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharashtra	Knapsack Sprayers
55.	Gahir Agro Industries Ltd. Village Kular Khwa, District Sanrur Punjab	Knapsack Sprayers
56.	Greaves Cotton Ltd., (Chennai/Tamilnadu)	Knapsack Sprayers
57.	Kisankraft Ltd. Sri Huchhanna Tower, 7A cross, Maruthi Layout, Bengaluru	Knapsack Sprayers
58.	Maya Fertilizers & Pesticide, (MUZAFFARNAGAR / UTTAR PRADESH)	Knapsack Sprayers
59.	Ratnagiri Impex Pvt.Ltd. Bangalore	Knapsack Sprayers
60.	Shakti Agro Industries, Arjun Nagar, Radha Swami Road, Ludhiana PB	Knapsack Sprayers
61.	Super Power Agro India, Baraut Baghat UP	Knapsack Sprayers
62.	Shreeji Agro Industries	Knapsack Sprayers

सलग्न सूची के अनुसार कृषक द्वारा सूचीबद्ध/पंजीकृत विनिर्माता फर्म/फर्मों के अधिकृत डीलर से सलग्न सूची में अंकित माडल को क्रय करने पर ही अनुदान देय होगा। अनुदान देते समय निम्न बिन्दुओं को ध्यान में रखा जाए।

1. उपरोक्त पंजीकरण पत्र जारी होने वाले दिनांक से दो वर्ष तक वैध रहेगा।
2. कृषकों को कृषि यंत्रों/उपकरणों पर अनुदान **Submission on Agricultural Mechanization (SMAM)** की गाईडलाइन के अनुसार होगा। पैरा 6.4.2 अथवा संबंधित योजना की गाईडलाइन में इंगित व्यवस्था के अनुसार अनुपालन सुनिश्चित किया जाये। साथ ही यह ध्यान रखा जायेगा कि अनुसूचित जाति, अनुसूचित जनजाति, महिला तथा लघु सीमांत कृषकों को प्राथमिकता मिले।
3. कृषि यंत्रों/उपकरणों पर अनुदान भारत सरकार/राज्य सरकार द्वारा निर्धारित/ अनुमन्य अधिप्राप्त सीमा तक ही देय होगा।
4. सूचीबद्ध/पंजीकृत फर्म को बिल स्वयं अथवा विनिर्माता की संस्तुती पर नियमानुसार अधिकृत विक्रेता भी बिल जारी कर सकेगा बिल/कैश मैमो पर पूर्ण स्पेसिफिकेशन के साथ कृषि यंत्र का माडल/ब्राण्ड/गारन्टी/कम संख्या/चेचिस संख्या, वारन्टी अवधि का अनिवार्य रूप से अंकन करेगा।
5. अनुदान कृषक/मूल विनिर्माता द्वारा अधिकृत विक्रेता से कृषक द्वारा क्रयित कृषि यंत्रों/उपकरणों के सूचीबद्ध माडल/मेक पर ही देय होगा। फर्म/अधिकृत विक्रेता नियमानुसार टैक्स का अंकन करते हुए टैक्स जमा करना होगा।
6. निदेशालय स्तर पर सूचीबद्ध/पंजीकृत फर्म/माडल/मेक [agrimachinery.nic.in](http://agrimachinery.nic.in) पर अपलोड करनी होगी, जो कम से कम एक वर्ष तक नहीं बदली जा सकेगी।
7. सूचीबद्ध/पंजीकृत फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों की वर्तमान दरें भारत सरकार की [Agrimachinery.nic.in](http://Agrimachinery.nic.in) पर DBT Agriculture Machinazation पर अंकित करनी होगी, जो एक वर्ष तक बदली नहीं जा सकेगी।
8. कृषक द्वारा ऑनलाईन डी.बी.टी. पोर्टल पर डीलर से क्रय किए गए यंत्रों के बिल को डीलर पोर्टल पर अपलोड करेगा।
9. जनपद के कृषि एवं भूमि संरक्षण अधिकारी द्वारा गठित सत्यापन टीम द्वारा भौतिक सत्यापन सुनिश्चित कर लिये जाने के उपरांत **Submission on Agricultural Mechanization (SMAM)** की गाईडलाइन एवं राज्य सरकार द्वारा निर्धारित अनुदान की अधिकतम सीमा के अनुसार कार्यवाही करें।
10. सत्यापन के दौरान कृषक द्वारा क्रयित कृषि यंत्र/उपकरण विभाग द्वारा सूचीबद्ध/पंजीकृत किए गए कृषि यंत्रों/उपकरणों के अनुसार ही हो।
11. कृषकों को उपलब्ध कराये जा रहे कृषि यंत्रों/उपकरणों के मूल्य पोर्टल पर दर्शायी दरों से अधिक न हो, यदि दरें अधिक पायी जाती हैं तो संबंधित जनपद के मुख्य कृषि अधिकारी कार्यावाही करेंगे। कृषक जब मेक/माडल, गुणवत्ता एवं मोल भाव कर दर से पूर्णतया संतुष्ट हो जाने के बाद कृषि यंत्रों/उपकरणों को क्रय करें।
12. मुख्य कृषि अधिकारी/कृषि एवं भूमि संरक्षण अधिकारी अनुदानित यंत्रों की सूचना निदेशालय को उपलब्ध करायेंगे।

क्र०सं०	यंत्र का नाम/मेक एवं माडल	यंत्र आपूर्ति कहां से हुई/डीलर का नाम	संख्या	कुल कीमत	कुल वितरित अनुदान
1	2	3	4	5	6

13. फर्म को अपने फर्म का सर्विस सेंटर खोलना होगा। फर्म द्वारा अपने ग्राहकों को Maintenance का प्रशिक्षण देना होगा।
14. विभागीय उच्चाधिकारियों द्वारा कृषक को आपूर्तित कृषि यंत्रों/उपकरणों का निरीक्षण करने पर कृषि यंत्रों/उपकरणों को निर्धारित गुणवत्ता के अनुरूप न पाए जाने पर संबंधित

विनिर्माता फर्म का पंजीकरण निरस्त कर दिया जायेगा। साथ ही ऐसी फर्म/अधिकृत विक्रेता को विभाग द्वारा काली सूची में डालने की कार्यवाही की जा सकती है।

15. सूचीबद्ध/पंजीकृत विनिर्माता फर्म/अधिकृत विक्रेता को कृषक द्वारा क्रयित कृषि यंत्रों/उपकरणों पर अनुदानित वर्ष एवं विभाग का नाम अनिवार्य रूप से अंकित करना होगा।

16. विनिर्माता सूचीबद्ध/पंजीकृत फर्म/अधिकृत विक्रेता को समय-समय पर विभाग द्वारा वांछित जानकारी उपलब्ध करानी होगी। ऐसा न करने पर संबंधित को पंजीकरण सूची से विलोपित किया जा सकता है।


17. सरकार द्वारा समय-समय पर जारी दिशा-निर्देशों के अनुसार उपरोक्त शर्तों/नियमों एवं इससे संबंधित प्रक्रिया में आवश्यकतानुसार संशोधित/परिवर्तन किया जा सकेगा।

18. सूचीबद्ध/पंजीकृत फर्म के अधिकृत विक्रेता द्वारा विभाग को उपलब्ध कराई गई किसी भी जानकारी के असत्य पाये जाने की दशा में संबंधित फर्म का पंजीकरण तत्काल प्रभाव से निरस्त कर दिया जायेगा।

19. प्रदायकों को मुख्य कृषि अधिकारी के आदेश एवं दिशा निर्देश के अनुसार कृषक/कृषकों को जनपद/विकासखण्ड स्तर/न्याय पंचायत तक यंत्र उपलब्ध कराने होंगे। इस हेतु प्रदायकों को जिला स्तर पर अपना नेटवर्क स्थापित करना होगा। प्रदायक द्वारा जिले में नियुक्त अधिकृत विक्रेता के पास जी0एस0टी0 पंजीकरण तथा विक्रय उपरान्त सेवा की सुविधा उपलब्ध करायी जानी आवश्यक होगी। प्रदायकों की यह जिम्मेदारी होगी कि वे उनके द्वारा विक्रय की गयी सामग्री के लिये उचित मूल्य पर पुर्जे तथा विक्रय उपरान्त सेवा की सुविधा कृषकों को उपलब्ध करावें। लाभार्थियों को इसके लिये प्राप्त अनुरोध पत्र से 15 दिनों के अन्दर यदि यह व्यवस्था नहीं की जाती है, तो यथा आवश्यक कार्यवाही की जायेगी।

20. फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों पर लेबलिंग प्लेट को riveted किया जाना अनिवार्य होगा, जिस पर निर्माता का नाम एवं पता मेक/मॉडल सीरियल नम्बर निर्माण का माह एवं वर्ष, टाईप, साईज, किस देश में निर्मित किया गया है लिखा होना चाहिए। इसके अतिरिक्त उपलब्ध कराए जा रहे स्पेसिफिकेशन में मार्किंग/लेबलिंग हेतु दिए गए निर्देशों का पालन किया जाए।


संलग्न -यथोपरि।

  
(गौरा शंकर)  
कृषि निदेशक  
उत्तराखण्ड।

पत्रांक— /कृ0नि0/एस.एम.ए.एम/पंजीकरण-कृषि यंत्र/2022-23/दिनांकित।

प्रतिलिपि—: निम्नांकित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. अपर कृषि निदेशक, गढ़वाल मण्डल, पौड़ी।
2. संयुक्त कृषि निदेशक, कुमाऊँ मण्डल, हल्द्वानी (नैनीताल)।
3. संबंधित मूल विनिर्माता फर्म को विभागीय बेवसाईट के माध्यम से।
4. अध्यक्ष, जिला यंत्रीकरण समिति।
5. विभागीय पोर्टल।

  
कृषि निदेशक  
उत्तराखण्ड।

पत्र संख्या-230, दिनांक 12 अप्रैल, 2022 के द्वारा जारी विज्ञापन से प्राप्त पावर शेसर हेतु अनुमोदित / स्वीकृत पंजीकृत फर्मों / अधिकृत विक्रेता, मेक / मॉडल का विवरण

क्र० सं०	मूल निर्माता फर्म का नाम	यंत्र का नाम	श्रेक / गाइड	यंत्र का स्वीकृतकेशन	रजिस्ट्रार संख्या	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अव्युक्ति
1	Akhart Agriculture Works Kashipur USNagar	Multi Crop Thresher	(AKHTARI-755)	Total Length-750mm, Size-1140X40X40mm, Stoke length-22mm, Size of blower-930X290mm, No of blade-12, MS road	FMTTI LUCKNOW	IMP-2011/298, JUNE 2021		पंजीकरण हेतु विहित किया गया
1		Paddy Thresher	A-786	recommended Power-35hp and above, Main Crop-Paddy/Max PTO-24.3 kw (33.0) Ps, Size-3580X1155mm, Length of the shaft-1045 closed, 1370 Extended, Mass of shaft-6.5kg	SRFMTTI-Anantapur	Th-30/750/March 2017		पंजीकरण हेतु विहित किया गया
4	Bansal Traders Vikasnagar, Dehradun	Wheat Thresher	Motor Driven	size of box-62x62x4.5mm, Belt size-B-55, dia. Of pully-152mm, recommended power-5hp speed-1440rpm, size of cylinder-268x463mm, concave clearance-27, overall dimensions-1182x1020x1255mm, Total mass-220kg	GBPPIAT Pantnagar Uttarahand	CIE/RMP/2022-181, MARCH-2022		पंजीकरण हेतु विहित किया गया
4	Bir Singh & Sons	Multi Crop Thresher	PAMMI(GI-57)	power source-35hp& above, size of thresher-1542/1829x915, power -3.10kw, frame size-3285x1060x1120mm, nominal speed-540+10 rpm, size of cylinder-1200x770mm, overall dimensions- power source-30-45 hp, overall dimensions-4500x1025x2425mm, Dia. Of drum-900mm, Concave	FIMTTC BIKANER	FIMTTC/THR/21/17 69, NOVEMBER-2021	25/11/2028	पंजीकरण हेतु विहित किया गया
5		Multi Crop Thresher	PAMMI	4500x1025x2425mm, Dia. Of drum-900mm, Concave	FIMTTC BIKANER	FIMTTC/THR/13/25 5, AUGUST-2015		पंजीकरण हेतु विहित किया गया
5		Paddy Thresher	PAMMI GI 257	Max. pio power-35kw, size of thresher-3263x1060, length of shaft-603/937, size of cylinder-1786x851mm, overall dimensions-4253x2053x2540mm, mass-1500kg	FMTTC KERALA	IMP-87/110/2021, NOVEMBER-2021	22/11/2028	पंजीकरण हेतु विहित किया गया
5		Paddy Thresher	DR Paddy Thresher	35hp power, length-4521.2mm, width-1041.40mm, Height-1117.6mm, type-Belf Drive, Size of Belt-C-100, Size 90X90X5X995mm	FMTTC-Jammu	AUJ/FMTTC/18-19/F-TH-3/237/05-02-2019		पंजीकरण हेतु विहित किया गया
5		MultiCrop Thresher	Lucky 2011-35hp	Size of Thresher-810X880mm, Power Source-35 hp & above, Main Crop-Wheat, Type-Rectangular, Size-2310X1045X1040mm, Shaft Dia & Length-50.26X670, Size of feeding chute opening-450X280mm	FIMTTC-Bikaner	FIMTTC/THR/21/16 22, July 2021	30-07-2028	पंजीकरण हेतु विहित किया गया
6	Dashmesh Agro Industries, Balakhana Road, Bhagta Bhalka, District-Bahinda, Punjab	Makka Thresher (Maize Thresher)	DR-MS	Type-Tractor PTO Powered, Track Width-1230 mm, Power-35 hp and above, Powr transmission-10 spline on one side and 6 spline on tractor side, Cylinder typ. Diameter-370 Mm, Width-120mm	FMTTC-Jammu	AUJ/FMTTC/21-22/F-16/MTH-1/32 09-11-2020		पंजीकरण हेतु विहित किया गया
6		MultiCrop Thresher	Muli Crop DR 30X37	40hp power, length-3610mm, width-1260mm, Height-1070mm, type-Belf Drive, Size of Belt-C-100, Size of pulley-upper-228mm, Lower-254mm, Diameter-73mm, Speed-750RPM	FMTTC-Jammu	AUJ/FMTTC/18-19/M-01/144/August 2018		पंजीकरण हेतु विहित किया गया
6		Paddy Thresher	Lucky Paddy Thresher	Size of thresher -4570X1540X2470mm, Main Crop-Paddy, Size-2170X1090X1040mm, Size of feeding hopper at top-685X725, Height of feeding hopper above the ground level-1960mm	FIMTTC-Bikaner	FIMTTC-THR/20/1381/June 2020	04-07-2027	पंजीकरण हेतु विहित किया गया
7	GSA industries	Paddy Thresher	PADDY THRESHER (AGRIZONE)	Size of cylinder, mm- 1470x745, Overall dimensions (mm) = 4740x2060 with platform X 2140x 390x 1500, Size of drive pulley, mm- 335, Size of driven pulley, mm- 225, Mass kg- 720 kg in each flywheel, Recommended power, hp- 35 & above	FMTTI LUCKNOW	IMP-2011/346, DECEMBER-2021		पंजीकरण हेतु विहित किया गया

Handwritten signatures and initials are present on the left side of the page, including a large signature at the top and several smaller ones below it.

क्र०	यूज विनिर्माण फर्म का नाम	यंत्र का नाम	श्रेण/शान्त	यंत्र का स्थापितकेशन	डिस्ट्रिक्ट संस्था	रिपोर्ट की तिथि	रिपोर्ट की तिथि	शामुक्ति
1	Hindustan Agro Industries copration, Hoshiarpur	Power Thresher	Spike Tooth Cylinder type	Capacity-3Qnd/hours, Power-5hp	BIS	2322537/29-01-2022	23/03/2029	परीक्षण हेतु चिन्हित किया गया
2		Power Thresher	Spike Tooth Cylinder type	Capacity-2Qnd/hours, Power-3hp	BIS	2322537/29-01-2022		परीक्षण हेतु चिन्हित किया गया
3		Power Thresher	Spike Tooth Cylinder type	Capacity-2Qnd/hours, Power-3hp	BIS	2322537/29-01-2022		परीक्षण हेतु चिन्हित किया गया
4		Power Thresher	Spike Tooth Cylinder type	Capacity-2Qnd/hours, Power-3hp	BIS	2322537/29-01-2022		परीक्षण हेतु चिन्हित किया गया
5		Power Thresher	Spike Tooth Cylinder type	Capacity-2Qnd/hours, Power-3hp	BIS	2322537/29-01-2022		परीक्षण हेतु चिन्हित किया गया
6		Power Thresher	Spike Tooth Cylinder type	Capacity-2Qnd/hours, Power-3hp	BIS	2322537/29-01-2022		परीक्षण हेतु चिन्हित किया गया
7		Power Thresher	Spike Tooth Cylinder type	Capacity-2Qnd/hours, Power-3hp	BIS	2322537/29-01-2022		परीक्षण हेतु चिन्हित किया गया
8		Power Thresher	Spike Tooth Cylinder type	Capacity-2Qnd/hours, Power-3hp	BIS	2322537/29-01-2022		परीक्षण हेतु चिन्हित किया गया
9	Joginder Singh Narang Singh	MultiCrop Thresher	HARDEV	Size of Thresher-1830X890mm, Power-11.0apa, Size-2880X1025X1185mm, Ground level high-1200mm, No of peg tooth-51, Size of Flates-140X440X7.96mm size-770x860mm, power source-35& above, frame size-2470x1040x940mm, nominal speed-540+10	FIMTTC BIKANER	FIMTTC/THR/19/11 45, AUGUST-2021	24/08/2028	परीक्षण हेतु चिन्हित किया गया
10	K.S. Powerleach	MultiCrop Thresher	(KSP-XL)	Maximum PTO power kW (hp)- 38.5 hp, Rated engine speed (rpm)- 1900, No load engine speed during field test (rpm)- 1250-1500, Number and size of tyre= Two, 6.0x16.8 PR, Two, 12.4x28, 12 PR, Total operational mass (kg)- 2060	FIMTTC HYDERABAD	Th-64/138, JULY-2017		परीक्षण हेतु चिन्हित किया गया
11	Kamia Engineering Works	Wheat Thresher	Wheat Thresher	Size of thresher (mm)- 1820x915, Horse power- 44.00, Cubic capacity- 2940, Wheel Base- 1970, Unladen Weight- 1850, Cross Vehicle weight- 2690, Number & size of tyre= Two, 6.00x16.8 PR, Two, 13.6x28, 12 PR size-920x760 mm, power- above 35 hp, size of cylinder- 870x680mm, size of Parallel angle Iron- 870x50x50x6, Electric Motor- 3hp, Size of box- 60X60X4.2mm, Recommended speed -1140rpm, single motor 3hp, Mainr Corp-wheat, Size of cylinder- 265X460mm, Dia of pages- 31.50mm, Cylinder speed -720rpm, No of bar-4	CCSHAU HISAR	HAU/ FMP/E/19-20/W. Thresh-09, CTE/FMP/2021-158/October 2021	28/11/2026	परीक्षण हेतु चिन्हित किया गया
12	Lalji & Sons Dehradun Road, Roorkee	Wheat Thresher	C-2010	Power Source-35hp and above, Size of thresher- 935X79mm, Tralled type tractor operated thersheer, Cylinder-870X680mm	GBPUAT Pnatmagar	FIMTTC/THR/18/10 76, DECEMBER-2019	16/12/2026	परीक्षण हेतु चिन्हित किया गया
13	Madho Engineering Works, (MOGA / PUNJAB)	Multi Crop Thresher	MS Gold	power source 40-55hp, size of flats-87x8x180mm, dia of drum-810mm, no. of flats-8, size of Bar-8x8mm, concave clearance-23-25mm, fan no -3, frame size- 86x86x5x970mm, overall dimension-3900x2280x2005mm, weight-1330kg	FIMTTC BIKANER	FIMTTC/THR/18/10 76, DECEMBER-2019	16/12/2026	परीक्षण हेतु चिन्हित किया गया
14	Madho Engineering Works, (MOGA / PUNJAB)	Multi Crop Thresher	MS Gold	power source 40-55hp, size of flats-87x8x180mm, dia of drum-810mm, no. of flats-8, size of Bar-8x8mm, concave clearance-23-25mm, fan no -3, frame size- 86x86x5x970mm, overall dimension-3900x2280x2005mm, weight-1330kg	AITC RAIPUR	535, JULY-2018	16/12/2026	परीक्षण हेतु चिन्हित किया गया
15	Mahindra & Mahindra Ltd.	Multi Crop Thresher	REIN FORCE-55	Size-1780X910mm, Power-35hp and above, Power Recommended-31.04 apa, overall dimensions- 4740X1060X60mm	FIMTTC BIKANER	FIMTTC/THR/21/17 20, MARCH-2022	23/03/2029	परीक्षण हेतु चिन्हित किया गया
16	Punjab Agriculture Impliment Pvt. Ltd.	Wheat Thresher	Haramba Wheat Thresher	Power source above 35-55hp, MS Sheet, Thickness-02mm, Dia-915mm, Length od drum-813mm, Size of pegs- 40X8mm, working height of pegs-100mm, Total no of pegs- 100mm, Material-MS rod	AITC-Raipur	Rport no-558 date October 2018		परीक्षण हेतु चिन्हित किया गया
17		Multi crop Thresher	Engine Operated 7.5 hp	Weight-356kg, Overall dimension in cm- 1110X700X1460mm, Drum operath speed-700-820rpm, Power source-7.5 hp engine/motor operated, Type-Air called diesel engine	AITC-Raipur	Rport no-559 date October 2018		परीक्षण हेतु चिन्हित किया गया

2

3

4

क्र० सं०	गुण विनिर्देशन का नाम	यंत्र का नाम	मॉडल / नाम	यंत्र का स्वीकृतिकेशन	देश/राज्य	टैरिफ्ट की तिथि	टैरिफ्ट की तिथि	अवधि
1	2	3	4	5	6	7	8	9
		Multi crop Thresher	SURYA AXIAL FLOW	Recommended power-35.0hp & above, recommended speed-538-550 paddy, 425-431 black gram, dia. Of threshing cylinder-552mm, concave clearance-25 to 40 mm, no. of strokes/minute-330, overall dimension-4260x2660x2594mm, total mass-1320kg, overall dimension-1110x700x1460mm, weight-356kg, power source-7.5 hp air cooled diesel Engine, diameter of Drum-612mm, concave clearance-25mm adjustable, output capacity-200-300 kg	BHUBANESWAR	IMP-82/2018-19/MAY-2018		परीक्षण हेतु चिन्हित किया गया
		Multi crop Thresher	ENGINE OPERATED 7.5 HP		A.I.T.C RAIPUR	No-557/October 2018	23/03/2029	परीक्षण हेतु चिन्हित किया गया
16	PUNJAB AGROTECH INDIA PVT.LTD	PADY P-55	"REIN FORCE-55"	Power source as recommended-35 hp and above, size of Thresher-1780x910 mm, power-31.04kw, frame size-3360x1060x1200mm, size of cylinder-1420x840mm, mass of cylinder-322 kg	FIMTTC-Bikaner	FIMTTC/THR/21/17 20, MARCH-2022		परीक्षण हेतु चिन्हित किया गया
17	Ramsons Impex, Haridwar	Multi crop Thresher	RICO RI 2413	Electric Motor, Power-3hp and above, Main Crop-wheat, Other crop-Gram, Soyabean, Pulses, Thresher evaluated - wheat & gram, Size-1065X900X705 mm	FIMTTC-Kikarner	FIMTTC/THR/20/14 07	31-01-2026	परीक्षण हेतु चिन्हित किया गया
	Ravindra Agricultural Industries, USNagar	Multi crop Thresher	Multi crop Thresher -2017	Size of thresher-1770X75mm, Power requirement-35 hp & above, Material-MS angle & c-channel, Size of rectangular Box-3050X1175X1020mm	FIMTTC-Telangana	No-th-83/253/January 2019		परीक्षण हेतु चिन्हित किया गया
		Wheat Thresher	Wheat Thresher-2018	Recommended Power-39hp and above, Main Crop-wheat, Length-2160mm, Width-1030mm, Height-1130mm, Type-belt drive, No of belts-C-103, Diameter of main shaft-65mm	FIMTTC-Jammu	Au/FIMTTC/19-20/TH-5/40/27-08-2019	18-05-2028	परीक्षण हेतु चिन्हित किया गया
18		Paddy Thresher	Four Fan	Power Source-35.0 hp and above, Recommended Power-26.11 kw (35.00) hp, Overall dimensions-4630X2770X2525mm, Belt Drive, Length of vertical long MS angle-1107.00mm	SLFIMTTC-Bhubanswar	IMP-173/2021-22/May		परीक्षण हेतु चिन्हित किया गया
		Multi crop Thresher	SAT-MCTS	Power of Tractor-35 hp and above, Chassis No-471402/SPA00039, Max PTO-31.62Kw, Size of C-Channel-3824X150X72/72X6-2nos, Size of Angle-1199X88/88X4-4nosmm	KCAET-Kerala	IMP-91/114/2021/Nov-2021	24-Nov-28	परीक्षण हेतु चिन्हित किया गया
19	Saeeco Strips Pvt. Ltd, Rampura Road Daroha, Tehsil Payal, Ludhiana Punjab	Paddy Thresher	SAT-PTHR	Power of Tractor-35 hp and above, Chassis No-SPA00039, Max PTO-31.9Kw, Size of C-Channel-3049X125X60/60X6-2nos, Size of Angle-1026X65/65X5.5-1no	KCAET-Kerala	IMP-110/134/2022/March 2022	Mar-29	परीक्षण हेतु चिन्हित किया गया
		Multi crop Thresher		Type-Universal telescopic, Length of the shaft-595closed, 920 extended, mm Mass of shaft-12.74kg, method of feeding-manual, Height-1169mm, size of feeding hopper at top-894X755mm	KCAET-Kerala	IMP/91/114/2021	Mar-29	परीक्षण हेतु चिन्हित किया गया
		Multi crop Thresher	Yodha-2015	Power-40hp and above, size of rectangular box-1990X960mm, Size of drum-645X673mm, Size-2245X65mm, thickness-2.04mm, MS Sheet, no-2 Size-920X780X140mm	FIMTTC-Bikaner	FIMTTC/THR/15/55 2/March 2017		परीक्षण हेतु चिन्हित किया गया
		Multi crop Thresher	Yodha-2013	Power-35hp and above, size of rectangular box-1990X960mm, Size of drum-625X573mm, Size-2245X65mm, thickness-2.04mm, MS Sheet, no-2 Size-920X780X140mm	FIMTTC-Bikaner	FIMTTC/THR/15/55 1/July 2016		परीक्षण हेतु चिन्हित किया गया

Handwritten signature and initials on the left side of the page.

Handwritten mark or signature.

Handwritten mark or signature.

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मक/माडल	यंत्र का स्पीसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
		Paddy Thresher	SAT-PTHR	Method of feeding-manual Size of feeding hopper - 650X855mm, Size of Platform-1393X927mm, No of hinges-02, Height of hopper*1890mm, Size of cylinder-1492X453.54mm	KCAET-Kerala	IMP-110/134/2020/March 2020		परीक्षण हेतु चिन्हित किया गया
		Maize Dehusker	Hopper Model	Size of thresher-4370X1880X22305mm, Power Requirement-35hp/28.2 kw and above, Size-2810X1270mm, Size of rectangular box-2810X945X1270mm, Manual feeding	FIMTTC-Rajasthan	FIMTTC/THR/15/55 4/July 2016		परीक्षण हेतु चिन्हित किया गया
		Multicrop Thresher	DEHUSKER YODHA	MS Flat, Metal-24X3.70mm, Size of platform-1219X762, No of size-1, 1220X35X35mm, Mass of fly-70kgs, size of cylinder-540X1290mm	FIMTTC-BIKANER	FIMTTC/THR/14/55 4		परीक्षण हेतु चिन्हित किया गया
		Multicrop Thresher	855 (52Hp)	Power-35 & above, Size of thresher-915X950, Main Crop-Wheat, Size of feeding chute opening -580X490mm, Size of platform-1245X1490mm, Height of feeding-1500mm, Type flat and cutter blade	FIMTTC Bikaner	FIMTTC/THR/21/16 81/ march 2022	07-03-2029	परीक्षण हेतु चिन्हित किया गया
		Harnaba Thresher	JP Zandu	Overall Dimension-4370X1070X2350mm, Weight-1150kg, Power -30-45hp, Size of thresher-915X950, Main Crop-Wheat, Diameter-510mm, Length-2570mm, Diameter of drum-63mm	FIMTTC Bikaner	FIMTTC/THR/13/25 2/Feb 2016		परीक्षण हेतु चिन्हित किया गया
21	Zandu Steel Works, Haryana	Multicrop Thresher	JP-ZANDU	Size of thresher-915X950mm, power source-35 hp & above, Frame size-2450X1075X1120mm, nominal speed-540+10 rpm, size of cylinder-860X830 mm, overall dimensions-4935X1570X2120 mm, weight-1200 kg	FIMTTC BIKANER	FIMTTC/THR/21/16 81, MARCH-2022	03-07-2029	परीक्षण हेतु चिन्हित किया गया

उप कृषि निदेशक,  
तकनीकी समर्थन,  
कृषि निदेशालय

संयुक्त कृषि निदेशक,  
गुणवत्ता नियंत्रण,  
कृषि निदेशालय

अपर कृषि निदेशक,  
कृषि निदेशालय

संयुक्त कृषि निदेशक,  
नियोजन  
कृषि निदेशालय

वित्त नियंत्रक,  
कृषि निदेशालय

प्रतिनिधि,  
निदेशक उद्योग,  
उद्योग निदेशालय

कृषि निदेशक,  
उत्तराखण्ड।

प्रतिनिधि,  
शिवानाथस (फार्म मशीनरी),  
गोवापतिविठो, वदनगर



**पत्र संख्या-230 दिनांक 12 अप्रैल 2022 के द्वारा जारी विज्ञापन से प्राप्त पावर वीडर/पावर टिलर हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण**

क्र० सं०	मूल निर्माता फर्म का नाम	यंत्र का नाम	मेक/मॉडल	यंत्र का प्थिगिकेशन	देखिए संख्या	देखे दिनांक की तिथि	देखे की वैधता तिथि	अव्यक्ति
1	ANDREAS STIHL PVT.LTD, Maharashtra	POWER WEEDER	STIHL MH-710, 5.2 Kw (7.1 hp)	4 stroke, single cylinder spark ignition engine, recommended high idle speed-3250+100 rpm, low idle speed-1800+150rpm, max speed-2600rpm, bore/stroke-75/57mm, capacity-2.52cc, capacity of fuel tank-3.6l.	SREMTTI ANANTPUR	293/1048, AUGUST-2019	31/07/2024	पंजीकरण हेतु विहित किया गया है।
		POWER WEEDER	STIHL MH-610, 4.3Kw (7.21 HP)	working width-830 mm, 4 stroke, single cylinder, spark ignition, recommended high speed- 3250+100, max speed- 2600rpm, max power-4.3(5.8)kw(hp), bore/stroke-70/55 mm, capacity-212cc, capacity of fuel tank-3.6l	SREMTTI ANANTPUR	292/1047, AUGUST-2019	31/07/2024	पंजीकरण हेतु विहित किया गया है।
2	BCS India Pvt. Ltd. Mangarh Ludhiana Punjab	Power Weeder	BCS-730, 6.7 kw	Self propelled reaper, walk behinde, High idle speed-3800+100, Low idle Speed-1200+100, Speed-3600rpm, Type-engine, Maxi torque-2200+200 rpm	NRFMTTI Hisar	134/2783/2022/ Feb 2022		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	BCS-742, 5.9 Kw	Self propelled reaper, walk behinde, High idle speed-3800+100, Low idle Speed-1200+100, Speed-3600rpm, Type-engine, Maxi torque-2200+200 rpm	NRFMTTI Hisar	126/2764/2021/Dec 2021		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	Graba-140, 5.5 Kw	Self propelled reaper, walk behinde, Air Cooled, 4 stroke, Single Cylinder, Diesel Engine, High idle speed-3800+100, Low idle Speed-800+100, Speed-3600rpm,	NRFMTTI Hisar	127/2772/2022/Jan 2022		पंजीकरण हेतु विहित किया गया है।
		Power Tiller	SHRACHI VIKAT 13 HP	4 Stroke, Water cooled, horizontal, Max speed-1900rpm, single cylinder, compression ignition engine, over head valve, single cylinder, compression ignition engine, Max speed-1900rpm, Low idle Speed-1400 rpm, Bore/stroke-95/95mm, Capacity-673.4cc	SREMTTI ANANTPUR	PT-144/1254, FEBRUARY-2021	30/01/2024	पंजीकरण हेतु विहित किया गया है।
3	RTL EPC LIMITED	Power Weeder	SHRACHI 100H	Petrol operated, 3.4kw, 5500 rpm, rotor blades-24, no. of flanges-6, overall dimension- 1730* 890* 1035mm average capacity- 0.076-0.090 ha/hr	SREMTTI ANANTPUR	155/685, AUGUST-2016		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	SHRACHI 100, 3.6 Kw	4 stroke, single cylinder, Air cooled, Spark Ignition Engine, Recommended high idle speed (rpm)-3800+50, Recommended low idle speed, (rpm)-1450+100, Recommended rated speed, (rpm)-3100, Bore/Stroke(mm)-70/55, Capacity, (cc)-212	SREMTTI ANANTPUR	199/798, OCTOBER-2017		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	SHRACHI 80D Diesel, 5.4 Kw	Single cylinder, Vertical, Air cooled, 4 stroke, compression ignition engine, Recommended high idle speed, (rpm)-3250+50, Recommended rated speed, (rpm)-3000, Bore/Stroke,(mm)-86/72, Capacity, (cc)-418	SREMTTI ANANTPUR	198/797, OCTOBER-2017		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	SHRACHI 6D3, 5.1 Kw	Single cylinder, four stroke, air cooled, vertical, direct injection, compression ignition engine, Recommended high idle speed, rpm-3750+100, Recommended low idle speed for field, rpm-3600, Recommended rated engine speed for field, rpm-3600, Bore/Stroke,(mm)-78/62	SREMTTI ANANTPUR	327/1119, FEBRUARY-2020	31.01.2025	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	SHRACHI 8x650BD, 5.1 Kw	Four stroke, single cylinder, vertical, air cooled, direct injection, compression ignition engine, Recommended high idle speed, rpm-1900+100, Recommended low speed, rpm-600, Recommended rated speed, rpm-1800, Bore/stroke, (mm)-78/62	SREMTTI ANANTPUR	328/1120, FEBRUARY-2020	31.01.2025	पंजीकरण हेतु विहित किया गया है।

Handwritten signatures and initials are present in the left margin of the page.

क्र० सं०	यंत्र निर्माता फर्म का नाम	यंत्र का नाम	श्रेक/माडल	यंत्र का स्पेसिफिकेशन	ट्रेडिंग संस्था	ट्रेड रियाई की तिथि	ट्रेड की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
		Power Weeder	SHRACHI 75Z, 5.5 HP	Single cylinder, Inclined, 4 stroke, Direct Injection Air-cooled, Petrol Engine, Recommended high idle speed- rpm-3750+50, Recommended low idle speed- rpm-1500+100, Recommended rated speed- rpm-3600, Bore/Stroke(mm)-70x55, Speed at max. torque, (rpm)-2500	NERFMTTI ASSAM	29/311, MAY-2018		पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	9P3	Under Process	Under Process	Under Process		ट्रेड रियाई प्राप्त होने के उपरान्त पंजीकृत किया जाएगा।
		Power Weeder	6P3	Under Process	Under Process	Under Process		
		Power Weeder	6P3B	Under Process	Under Process	Under Process		
		Power Weeder	9D6+	Under Process	Under Process	Under Process		
		Paddy Weeder	SHRACHI 2R	Single Cylinder, Air cooled, direct injection, compression ignition, max. speed-8000+500, low speed-2800+500rpm, Bore/ stroke-44.34mm, capacity-51.67cc.	SRFMTTI ANANTPUR	392/1220, OCTOBER-2020	30/09/2025	पंजीकरण हेतु चिन्हित किया गया है।
4	BHOOMI AGRO INDUSTRIES	Cono Weeder	KSNM MARKETING	No. of rows -single row, weight-6 kg, width-140-170 no of cones-2, size-25x25x3mm, blades- 2mm thickness,	AECRI COMBATORE	112-MW/2015, JULY-2015		पंजीकरण हेतु चिन्हित किया गया है।
5	BANSAL TRADERS	Power Weeder	POWER WEEDE (TILLER), 4.2 Hp	4 stroke, single cylinder, Air cooled, petrol engine, weight-15kg, oil capacity-0.6l, Bore/ stroke-78/62mm, max. speed-3600 to 3700 rpm, rated speed-3600 rpm, Overall dimensions-1845x660x1410mm, capacity of fuel tank-3.50L,	GBPUAT PANTNAGAR	CTE/FMP/2020-112, JULY-2020		पंजीकरण हेतु चिन्हित किया गया है।
6	BIR SINGH & SONS	Rotary Weeder	PAMMI (BSS-RW-7), 34 HP	power source as recommended-40hp & above, MAX. PTO power, kw/hp-34 hp, dimensions- 2300x650mm, no. of Rotor blade-36, overall dimensions- 920x2300x1180mm, Mas-630 kg	FIMTTC BIKANER	FIMTTC/MECH/20/1560, APRIL-2022		पंजीकरण हेतु चिन्हित किया गया है।
7	Bharat Agro Equipments, 27 Vidya Vihar-1, Phase-2 Kargi Road, Dehradun, Uttarakhand	Power Weeder	RG 3.6-100Q-ZY, 3.9 Kw	Single Cylinder, Vertical, 4 Stroke, Air Cooled Engine, Size of Machine-Self Propelled, Max Speed-3600+200, Low Speed-1500+200, Max Power 4.4 kW, Bore/Stroke-70/55mm	SRFMTTI-Anantapur A.P.	398/1321/Dec 2021		पंजीकरण हेतु चिन्हित किया गया है।
8	Champ Energy Ventures Pvt. Ltd, Mulshi, Pune	Power Weeder	PTG-300, 1.14 kw	Single Cylinder, Vertical, 4 Stroke, Air Cooled Engine, Size of Machine-Self Propelled, Max Speed-3600+200, Low Speed-1600+200, Max Power 7.1 kW, Bore/Stroke-86/72mm	SRFMTTI-Hisar, Hararyana	90/2456/2020 February 2020		पंजीकरण हेतु चिन्हित किया गया है।
9	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharashtra	Power Weeder	D-105, 4.2 kw, 5 Hp	Single Cylinder, Vertical, Air Cooled, Direct Injection, Compression ignition engine, High idle speed-3200+100 rpm, low idle speed-1000+200 rpm, Bore/stroke-78/62mm	SRFMTTI Andhra Pradesh	233/862 May 2018		पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	G-105 P, 6 Hp	Self Propelled, Walk Behind, Single Cylinder, Vertical, Air Cooled, Direct Injection, Compression ignition engine, High idle speed-3600+100 rpm, low idle speed-1400+100 rpm,	SRFMTTI, Anantpur, AP	421/1364/April 2022		पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	e-AGRO CARE G-105FQSD-A, 3.6 kw	Single Cylinder, Vertical, Air Cooled, Direct Injection, Compression ignition engine, High idle speed-3250+50 rpm, low idle speed-1400+100 rpm,	SRFMTTI, Anantpur, AP	207/814 December 2017		पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	e-AGRO CARE D-531, 5.4 kw	Single Cylinder, Vertical, Air Cooled, Direct Injection, Diesel Engine, High idle speed-3200+100 rpm, low idle speed-1000+200 rpm, Bore/stroke-86/70 mm	SRFMTTI, Anantpur, AP	234/863 May 2018	May-23	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	e-AGRO CARE G-500-1A, 3.6 kw	4 Stroke Single Cylinder, Vertical, Air Cooled, petrol engine, High idle speed -3250+50 rpm, low idle speed-1400+100 rpm, Bore/Stroke-70/54mm	SRFMTTI, Anantpur, AP	208/815 December 2017	Dec-22	पंजीकरण हेतु चिन्हित किया गया है।

क्र. सं.	पूल विनिर्माण कर्म का नाम	पत्र का नाम	श्रेण / श्रेण	पत्र का स्पष्टीकरण	श्रेण संख्या	टेस्ट रिपोर्ट की तिथि	टेस्ट की श्रेण तिथि	अवधि
10	DUKAS GREEN LAND PVT. LTD.	Power Weeder	DXL-786 EL, 6.7 kw	Air cooled, 4 stroke, single cylinder, engine speed, rpm-high-3840, low-1600, speed at max torque-1500rpm, rated rpm-3450, Bore/stroke-86/72mm, capacity-4l, 8cc, capacity of fuel tank-4.5L	6	PW-3/2117/2021, SEPTEMBER-2021	30/09/2026	पंजीकरण हेतु विहित किया गया है।
10	DUKAS GREEN LAND PVT. LTD.	Power Weeder	DXL-105G, 4 kw	Air cooled, 4 stroke, single cylinder, engine speed, rpm-high-3840, low-1600, speed at max torque-3100rpm, rated rpm-3450, Bore/stroke-70/55mm, capacity-2l, 2cc, capacity of fuel tank-3.5L	6	PW-1/2115/2021, SEPTEMBER-2021	30/09/2026	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	DXL-300R, 5.4 Kw	4 stroke, single cylinder, engine speed rpm, high-3840, low-1600, rated speed-3500rpm, speed at max torque-2650rpm, Bore/stroke-72/55mm, capacity-4l, 8cc, fuel tank capacity-5.5L	6	PW-2/2116/2021, SEPTEMBER-2021	30/09/2026	पंजीकरण हेतु विहित किया गया है।
11	FARM AND GARDEN TECHNOLOGIES PVT.LTD	Power Weeder	TEXAS VARIO, 8.3 HP	Working width of machine-1310mm, recommended high speed-3600+100 rpm, low speed-1400+200rpm, max speed-2900rpm, Bore/stroke-86/72mm, capacity-4l, 8cc, fuel tank capacity-5.5L	6	417/1356, MARCH-2022	28/02/2027	पंजीकरण हेतु विहित किया गया है।
		Power weeder	Texas Alligator-SDP, 4.8 Hp	Single Cylinder, 4 stroke, air cooled, vertical, compression ignition engine, High Idle speed-3600+100 rpm, Low Idle speed-144+200 rpm, Max Power-3.5 kw No-1, Disposition- Vertical, Bore/Stroke-72/55mm, capacity-4l, 8cc, fuel tank capacity-5.5L	6	371/1195 August 2020	30 April 2027	पंजीकरण हेतु विहित किया गया है।
13	Greaves Cotton Ltd., Global Business Park, Tower-B, Unit-2, Near Dronacharya Metro Station, Gurgaon	Power Weeder	Greaves- GS 520 DIL, 4 Kw, 5.15 HP	Engine Power-5HP@3600rpm, Bore X stroke (mm)-78X68, starting-Re-coil start, Fuel tank Capacity-4.5 ltr, Air Filter-Oil bath type, Gear Speed-2F+1R, width of cut-135 cm, Weight-140 Kgs, Dimension LxWxH-1750x1320x1260 mm, cage wheels, water, Single Cylinder, 4 Stroke, Air Cooled, Petrol Engine Chongqing Shineray, High Idle Speed-3700+100 rpm, Low Idle Speed-1400+200, Max Speed-3400rpm, Capacity-2l, 2cc, Bore/Stroke-70/55mm, Capacity Fuel Tank-3.0 ltr.	6	142/2831/2022/April 2022	19/7/91	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	Greaves- GSW 500, 4.3 kw	Engine Power-9HP@3600rpm, Bore X stroke (mm)-86X70, starting-Self-Re-coil start, Fuel tank Capacity-4.8 ltr, Air Filter-Oil bath type, Gear Speed-2F+1R, width of cut-140 cm, Weight-153 kgs, Dimension LxWxH-1675x1420x1335 mm, cage wheels, tilling blades, single cylinder, air cooled, direct injection, compression ignition, max speed-2650+50, low speed-1400+100rpm, Bore/ stroke-95/95mm, capacity-673 dec, fuel tank capacity-11.0l, overall dimensions-2420x880x1290	6	125/2755/2021/October 2021	September 2017	पंजीकरण हेतु विहित किया गया है।
14	GEORGE MAHO INDUSTRIES PVT.LIMITED	POWER TILLER	MAHO MAHAVEER 13 HP	4 Stroke, Single cylinder, vertical, air cooled, direct injection, compression ignition engine, high idle speed-3800+100 rpm, low idle speed-1400+200 rpm	6	PT-152/1354, MARCH-2022	28/02/2025	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	WM 1100C-6DLX, 6.1 kw, 8.3 hp	4 Stroke, Single cylinder, vertical, air cooled, direct injection, compression ignition engine, high idle speed-3800+100 rpm, low idle speed-1400+200 rpm	6	316/1088 October 2019	316/1088 October 2019	पंजीकरण हेतु विहित किया गया है।
15	Hindustan Agro Industries Corporation, Hoshiarpur Punjab	Power weeder	MAHO WM 1100A-6, 5.1 HP	4 Stroke, Single cylinder, vertical, air cooled, compression ignition engine, high idle speed-3700+100 rpm, low idle speed-1150+100 rpm, max power-4.8kw, bore/stroke-78/62mm	6	393/1316/ December 2021	393/1316/ December 2021	पंजीकरण हेतु विहित किया गया है।
		Power weeder	WM 500 DLX, 3.4 Kw	Air cooled, single cylinder, 4 stroke, inclined, Spark ignition engine, High idle speed-3700+200 rpm, Low idle speed-1500+100 rpm, Max Power-3.4@3600 rpm, No-1, Disposition-Inclined, Bore/Stroke-68/54mm	6	PW-1000/2539/2020/October 2020	PW-1000/2539/2020/October 2020	पंजीकरण हेतु विहित किया गया है।

Handwritten signatures and initials are present on the left side of the page, including a large signature at the top and several smaller ones below it.

क्र०	पूरा विनिर्माण कर का नाम	यंत्र का नाम	श्रेण/श्रेण	यंत्र का प्रौद्योगिकीकरण	उत्पन्न संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की शैली	अवधि
1	2	3	4	5	6	7	8	9
16	Husqvarna (India) Products Pvt. Ltd., First Floor, Sweets House No. 5, Myslapore,	Power Weeder	TF-338, 3.4 Kw, 4.62 HP	Size of Machine-1080mm, Max Power-3.4Kw, High Speed-3400+100, Low Speed-1300+100rpm, Max Speed-2600+200rpm, Bore/Stroke-70/55mm, Capacity-212cc	SRFM/TTL-Anantapur A.P.	395/1318/Dec 2021		पंजीकरण हेतु विहित किया गया है।
17	Honda India Power Products Ltd	Power Weeder	E300, 2 Hp	Self Propelled, Walk Behind, Hand Held Rotary Type, Air Cooled, 4 Stroke, Single Cylinder, Petrol engine, High Speed-3800+4000, Low Speed-1850+2150rpm, Bore/Stroke-46/48mm, Capacity - 79.7cc	NRFM/TTL-Hisar	124/2754/2021/October 2021		पंजीकरण हेतु विहित किया गया है।
17	Honda India Power Products Ltd	Rotary Tiller (Power Weeder)	F1500 RD, 2.9 kw	Max Size-915 Dmm, 4 Stroke, Air Cooled, Single Cylinder, Petrol Engine, High Idle Speed-3800rpm, Bore/Stroke-68, 0X45 Dmm, Capacity-163cc, Capacity Fuel tank-3.1 ltr.	NRFM/TTL Assam	34/377/January 2021		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	GX-200, 2.9 kw	Capacity-196, Max torque-2500rpm, Bore/Stroke-68/54mm, Material Sheet metal, High idle speed-3850, Low idle speed-1400 rpm, Oil capacity-0.6ltr.	NRFM/TTL Hisar	864/2074/2017/November 2017		पंजीकरण हेतु विहित किया गया है।
18	Indira Marshal Power Pvt. Ltd, Indore	Power Weeder	INDRA	Self propelled, 4 stroke, single cylinder, air cooled, vertical, diesel engine, 3000 rpm, Rapcity of fuel tank-4.8 Lt, Disposition-vertical, Bore/Stroke-86/72mm, Capacity-418cc	SRFM/TTL Anantpur, AP	204/803 October 2017		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	MARSHAL RT-135, 5.3 KW	Self propelled, 4 stroke, single cylinder, air cooled, vertical, 3000 rpm, Rapcity of fuel tank-3 Lt, Disposition-vertical, Bore/Stroke-78/62mm, Capacity-296cc	SRFM/TTL Anantpur, AP	203/802 October 2017		पंजीकरण हेतु विहित किया गया है।
18	Indira Marshal Power Pvt. Ltd, Indore	Power Weeder	Kritoskar KMW/MINT-5P, 3.6 kw, 4.9 hp	4 Stroke, single cylinder, air cooled, diesel engine, Recommended High Idle Speed-3800+100 rpm, Low Idle Speed-1800+100 rpm, Max Power-3.6 kw, Capacity-196cc	SRFM/TTL Anantpur, AP	366/1187 Aug 2020		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	Kritoskar KMW/MINT-5 P, 3.7 kw	4 Stroke, single cylinder, air cooled, compression ignition engine, High idle speed -3200+100rpm, Capacity-306cc, Bore/Stroke-78/64mm, type of fuel tee-gravity	SRFM/TTL Anantpur, AP	179/760/May 2017		पंजीकरण हेतु विहित किया गया है।
19	Kritoskar Oil Engines Ltd., 498-143 KA, Near IT College Chauraha, SBI Building, Faizabad Road, Lucknow	POWER TILLER	KMW MEGA T112 LV-S, 9.6 KW	Single cylinder, water cooled, horizontal, Direct Injection and compression ignition engine, Max. speed at no load-2650+25, Low idle speed-1100+100, Rated speed-2400, Speed at max. torque-1400-100, Bore/Stroke (mm)- 96/96	SRFM/TTL ANANTAPUR	154/1359, MARCH-2022	28-02-2025	पंजीकरण हेतु विहित किया गया है।
		POWER TILLER	KMW MEGA-T-15, 11.2 kw	Direct injection, water cooled, horizontal, single cylinder, compression ignition engine, Max. speed at no load- 2200, Low speed- 850+50, Rated speed- 2000, Speed at max. torque- 1500+200, Bore/Stroke, (mm)- 105/115	SRFM/TTL ANANTAPUR	110/872, JUNE-2018		पंजीकरण हेतु विहित किया गया है।
20	Kisan Kraft Limited, General & Allied Industries, G.T. Road, By Pass, Karnal, Haryana	POWER TILLER	KMW MINT-8, 6.2 kw	Recommended high idle speed, rpm- 3300+100, Recommended rated speed, rpm- 3000+100, Bore/Stroke, mm(apa)- 86/72,	SRFM/TTL ANANTAPUR	180/761, MAY-2017		पंजीकरण हेतु विहित किया गया है।
		Power operated weeder	Kritoskar KMW/MINT-8 DLX, 8HP	4 Stroke, single cylinder, air cooled, diesel engine, 7.75 hp, no. of flanges-10, rotor blades- 38, overall dimension- 1930*1360*1080mm, Average capacity- 0.125-0.132 ha/hr	Tested by SRFM/TTL, Anantpur, AP	365/1186 July 2020		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	KK-IC-250D, 2.6 kw	4 stroke, single cylinder, Air cooled, recommended high speed-3800+50, ow speed-1400+50, Rated speed-3600rpm, max. speed-3000rpm, Bore/Stroke-73/59mm, capacity-247cc, capacity of fuel tank-2.35l, no of rotary blades-24	NRFM/TTL ASSAM	59/427, MARCH-2022	31/03/2027	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	KISAN KRAFT KK-IC-200P, 3.8 kw	Self propelled, 4 stroke, single cylinder, air cooled, petrol engine, 3200 rpm	SRFM/TTL, Anantpur, AP	193/784 August 2017	Aug-22	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	KISAN KRAFT KK-IC-300D, 4.3 kw	4 stroke, single cylinder, air cooled, diesel engine, 3000 rpm	SRFM/TTL, Anantpur, AP	192/783 August 2017	Aug-22	पंजीकरण हेतु विहित किया गया है।

Handwritten signature

Handwritten mark

Handwritten mark

Handwritten number 21

क्र.सं. Sl. No.	पूरा विनिर्माण कर का नाम Full Name of the Manufacturer	यंत्र का नाम Name of the Machine	शेक/पावज Make/Model	यंत्र का पंजीकरण Registration of the Machine	डोरिटर संस्था Dealer Name	डोरिटर की तिथि Date of Sale	डोरिटर की वैधता तिथि Valid Date	अव्युक्ति Remarks
1		3 Power Weeder	4 KISAN KRAFT KK-1C-400D, 6.1 kw	5 Self propelled, 4 stroke, single cylinder, air cooled, 3000 rpm	6 SRFMETTI, Anantpur, AP	7 21/2/2020 January 2018	8 Jan-23	9 पंजीकरण हेतु विहित किया गया है।
		Power Weeder	KISAN KRAFT KK-1C-406D, 6.2 kw	Self propelled, 4 stroke, single cylinder, vertical, air cooled, 3600 rpm	SRFMETTI, Anantpur, AP	37/4/200 September 2020	Sep-25	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	KISAN KRAFT KK-1C-205P, 3.8kw	Self propelled, 4 stroke, single cylinder, air cooled, 3600 rpm	SRFMETTI, Anantpur, AP	21/5/824 January 2018		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	KISAN KRAFT KK-SRT-910DE, 6.3 kw	4 stroke, single cylinder, air cooled, diesel engine	NRFEMTTI, Hisar, Haryana	99/2511/2020 September 2020		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	KISAN KRAFT KK-1C-208P, 3.8 kw	Self propelled, 4 stroke, single cylinder, air cooled, 3600 rpm	SRFMETTI, Anantpur, AP	37/1/199 September 2020		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	CUB CADET RT65, 4.2 kw 5.7 hp	self propelled, size-480mm, single cylinder, 4 stroke, air cooled, ignition engine, max speed-3750+100, rated engine speed-3600, max power-4.2(5.7)kw/metric hp), capacity-208cc	SRFMETTI ANANTPUR	402/1333, JANUARY-2022	31/12/2026	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	MTD FT550, 4.0 kw, 5.39 hp	single cylinder, 4 stroke, air cooled, ignition engine, max speed at no load-3600+100, rated engine speed-3400, speed at max torque-2500, max power-4.0(5.39)kw/hp), bore/stroke-70/55 mm, capacity-212cc, capacity of fuel tank-3.6L	SRFMETTI ANANTPUR	390/1312, NOVEMBER-2021	31/10/2026	पंजीकरण हेतु विहित किया गया है।
21	MTD PRODUCTS INDIA PVT. LTD.	Power Weeder	MTD FT750, 4.1 kw, 5.6 hp	single cylinder, 4 stroke, air cooled, ignition engine, max speed at no load-3250+100, rated engine speed-3200, speed at max torque-2500, max power-4.1(5.6)kw(hp), bore/stroke-71/58 mm, capacity-270cc, capacity of fuel tank-5.4L	SRFMETTI ANANTPUR	385/1305, OCTOBER-2021	30/09/2026	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	SWARAJ CODE 6.5 kw	Air cooled, 4 stroke, single cylinder, petrol engine, engine speed, high-3850+150, low-1400+150, rated speed rpm-3600, max speed, rpm-2500, Bore/ stroke-88/64 mm, capacity-389cc, capacity of fuel tank-10L	NRFEMTTI HISAR	MTB-01/2816/2022, MARCH-2022	31/03/2027	पंजीकरण हेतु विहित किया गया है।
22	MAHINDRA & MAHINDRA LIMITED (SWARAJ DIVISION)	Power Weeder	CW-750P, 2.44 kw	High Idle Speed-3600rpm, Low Idle speed-1450+50 rpm, Rated speed-3300rpm, Bore/Stroke-71/56mm, Air Cooled, 4 Stroke, Single Cylinder, Petrol Engine, Capacity-215cc, Compression ratio-8.5:1	NRFEMTTI-Hisar	No-153/2886/2022/August 2022	31/03/2027	पंजीकरण हेतु विहित किया गया है।
23	Macan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Power Weeder	NIPHA 135D, 6.7 kw, 9.11 HP	size -1490mm, type-single cylinder, four stroke, air cooled, compression ignition, maxi speed-3600+50, max power-6.7(9.11)kw/bore/stroke-86/72 mm, capacity-418 cc	SRFMETTI ANANTPUR	422/1366, APRIL-2022	31/03/2027	पंजीकरण हेतु विहित किया गया है।
24	NIPHA INDIA PVT.LTD.	Power Weeder	NIPHA 105D, 4.1 kw, 5.6 hp	size of machine-1200mm, type-single cylinder, four stroke, air cooled, compression ignition, maxi speed-3600+50, low speed-1500+50, speed at maxi torque-2800, bore/stroke-78/62 mm, capacity-296 cc	SRFMETTI ANANTPUR	425/1369, APRIL-2022	31/03/2027	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	PA-PW-6.0GB, 4.4 kw	Rate Power-4.4kw (6.0HP) Displacement-212 CC, Engine Speed-800 RPM, Rota Speed-800 RPM, No of Gears-2 forward and 1 reverse, Cultivation width-114-125cm, Cultivation depth-6.5 engine file petrol, Fuel Consumption-0.9 ltr	NRFEMTTI	140/2828/2022/ March 2022		पंजीकरण हेतु विहित किया गया है।
25	Perfect House Pvt. Ltd. Mumbai	Power Weeder	PA-PW-6.0 GG, 4.4 kw	Rate Power-4.4kw (6.0HP) Displacement-212 CC, Engine Speed-800 RPM, Rota Speed-800 RPM, No of Gears-2 forward and 1 reverse, Cultivation width-114-125cm, Cultivation depth-6.5 engine file petrol, Fuel Consumption-0.9 ltr	SRFMETTI	380/1300/oct 2021		पंजीकरण हेतु विहित किया गया है।

Handwritten signature and initials.

Handwritten signature and initials.

Handwritten number '9'.

क्र. सं.	पूरा विनिर्माण वर्ष का नाम	यंत्र का नाम	श्रेक/शान्दल	यंत्र का स्विचिंग/केशन	देखिए का संस्था	देखिए रिपोर्ट की तिथि	देखिए की वेलात तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
		Power Weeder	PUBERT MAESTRO 55P PW, 4.3 kw, 5.8 hp	working width of machine-1010mm, 4 stroke, single cylinder, air cooled, ignition engine, recommended high speed-3450+50 rpm, low speed-1400+100rpm, rated speed-3300rpm, max speed-2600+200, max. power-4.3kw, Bore/stroke-70/55 mm, capacity-11200cc	SREMTTI ANANTPUR	304/1059, SEPTEMBER 2019	31/08/2024	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	PUBERT MAESTRO PRO 7P PW, 4.5kw, 6.1hp	size of machine-750mm, type-single cylinder, four stroke, air cooled, max speed-3600+100, low speed-1400+100, speed at max torque-2600+200, max. power-4.5kw, bore/stroke-77/58 mm, capacity-2700 cc	SREMTTI ANANTPUR	453/1292, SEPTEMBER 2021	31/08/2026	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	PUBERT MAESTRO PRO 65LD, 5.2 kw, 7.4 hp	size of machine-1520x1180x1455mm, single cylinder, air cooled, max speed at no load-3750+50rpm, low speed-1700+100rpm, MAX. power-5.2kw, Bore/stroke-78/73mm, capacity-3490cc, fuel tank capacity-3.5L	SREMTTI ANANTPUR	430/1268, JUNE-2021	31/05/2026	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	PUBERT ARO PRO-55 PC3, 4.45 kw	H.P.-5.5 Engine Model Puber R210BH, Engine Type Single, 4 Stroke Petrol Air Cooled Engine	SREMTTI, Anantpur, AP	246/899 September 2018		पंजीकरण हेतु विहित किया गया है।
		Power Tiller (Weeder)	RI 500H, 3.9 kw	Max Power+3.90kw, 4 Stroke single cylinder, Air cooled petrol engine, Specification-400X340X260mm, Weight-16.50kg, Displacement-208cc, Fuel tank capacity-5.0 ltr, Max speed -3650/3700rpm	GBPUIAT-Pantnagar	CTE/FMP/2022-186/April 2022		पंजीकरण हेतु विहित किया गया है।
		Power Weeder (Tiller)	AI 900, 3.6 kw	Max Power+3.6kw, 4 Stroke single cylinder, Air cooled petrol engine, Specification-830X450X260mm, Weight-16kg, Displacement-208cc, Fuel tank capacity-3.9 ltr, Max speed -3600/3700rpm	GBPUIAT-Pantnagar	CTE/FMP/2021-166/October 2021		पंजीकरण हेतु विहित किया गया है।
		Power Weeder (Tiller)	RI 500J +, 3.6 kw	Max Power+3.6kw, 4 Stroke single cylinder, Air cooled petrol engine, Specification-864X386X390mm, Weight-18.20kg, Displacement-208cc, Fuel tank capacity-4.0 ltr, Max speed -3500/3600rpm	GBPUIAT-Pantnagar	CTE/FMP/2022-185/April 2022		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	AM-RT-5P, 3.4 kw 4.6 hp	4 stroke, single cylinder, Air cooled, vertical, conl.pression ignition engine, Max. speed - 3800+100, Low idle speed-1500, Max. power observed kw-3.4(4.6)@ 3600 rpm, Bore/Stroke, mm (apa)-70/55	SREMTTI ANANTPUR	356/1176/June 2020	31.05.2025	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	OM-MH 180 RK, 3.4 kw, 4.6 hp	4stroke, single cylinder, Air cooled, vertical, conl.pression ignition engine, Max. speed - 3800+100, Low idle speed-1500, Max. power observed kw-3.4(4.6)@ 3600 rpm, Bore/Stroke, mm (apa)-70/55	SREMTTI ANANTPUR	355/1175/ June 2020	31.05.2025	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	AM-RTD-SD, 3.1 kw	4 stroke, single cylinder, vertical, air cooled, direct injection, Diesel engine, Max. speed-3700+100, Low idle speed-1200+50, Max. power observed-3.1 kW@3600 mm, Bore/stroke (mm)-73/59	SREMTTI ANANTPUR	259/934/November 2018	31.10.2023	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	AM-RT-212, 3.1 kw, 4.2 hp	Single cylinder, inclined, air cooled, spark ignition engine, Max. speed-3800+100, Low idle speed-1500+50, Max. power observed kw-4.1@3500 rpm	SREMTTI ANANTPUR	258/933/November 2018	31.10.2023	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	AM-MPTC-6600-6D, 4.5 kw, 6.4 hp	4 stroke, single cylinder, Air cooled, vertical, conl.pression ignition engine, Max. speed - 1800+100, Low idle speed-1200, Max. power observed kw-4.4(6.0)@ 1700 rpm, Bore/Stroke, mm (apa)-78/62	SREMTTI ANANTPUR	407/1338, JANUARY-2022	31/12/2026	पंजीकरण हेतु विहित किया गया है।
26	Pubert India Pvt. Ltd, 303, Manomaya Residency Double, Kallera Road, NRI Layout, Rammurthi Nagar, Bangalore	Power Weeder	PUBERT MAESTRO PRO 7P PW, 4.5kw, 6.1hp	size of machine-750mm, type-single cylinder, four stroke, air cooled, max speed-3600+100, low speed-1400+100, speed at max torque-2600+200, max. power-4.5kw, bore/stroke-77/58 mm, capacity-2700 cc	SREMTTI ANANTPUR	453/1292, SEPTEMBER 2021	31/08/2026	पंजीकरण हेतु विहित किया गया है।
27	Ramsons Impex, Raipur Sankari Uthyaog, Bhagyanpur Haridwar	Power Weeder (Tiller)	RI 500J +, 3.6 kw	Max Power+3.6kw, 4 Stroke single cylinder, Air cooled petrol engine, Specification-864X386X390mm, Weight-18.20kg, Displacement-208cc, Fuel tank capacity-4.0 ltr, Max speed -3500/3600rpm	GBPUIAT-Pantnagar	CTE/FMP/2022-185/April 2022		पंजीकरण हेतु विहित किया गया है।
28	RATNAGIRI IMPLEX PVT. LTD	Power Weeder	AM-RT-212, 3.1 kw, 4.2 hp	Single cylinder, inclined, air cooled, spark ignition engine, Max. speed-3800+100, Low idle speed-1500+50, Max. power observed kw-4.1@3500 rpm	SREMTTI ANANTPUR	258/933/November 2018	31.10.2023	पंजीकरण हेतु विहित किया गया है।

Handwritten signature and initials.

Handwritten mark.

क्र.सं	यंत्र विनिर्माता यंत्र का नाम	यंत्र का नाम	शेड / गाइल	यंत्र का पंजीकरण	पंजीकरण संख्या	टैक्स रिपोर्ट की तिथि	टैक्स की वैधता तिथि	अव्यक्ति
1	2	3	4	5	6	7	8	9
1		Power Weeder	AM-MPT-1100-9D, 9 hp	4 stroke, single cylinder, vertical, air cooled, direct injection, Diesel engine, Max. speed-3700+50, Low idle speed-1150+50, Max. power observed-6.6 kW@3600 rpm, Bore/stroke (mm)-86/72	SREMTTI ANANTPUR	257/932 November 2018	31.10.2023	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	Agriurate AM-MPT-1100-6D, 6 hp	Agriurate AM-MPT-1100-6D, Self propelled, Walk Behind, Size of Machine-900mm, Capacity-247 CC, Bore/stroke-78/62 mm, Fuel Tank- Mild Steel, Colling System- forced air Cooling, startin system, Manual, recoil Startin System	SREMTTI, Anantpur, AP	284/1027 June 2019		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	SUPER POWER SP-570H, 3.74 kw (5.0 hp)	Self Propelled, Walk Behind type, Speed-3600rpm, Max Power-3.74kW, Capacity -196cc, Valve clearance-0.18 inlet, 0.20 exhaust, Material-Sheet metal	NRRMTTI-Hisar	146/284/2022/April 2022		पंजीकरण हेतु विहित किया गया है।
		Power Weeder (Tiller)	SP-176 D, 3.7 hp	Air Cooled Diesel Engine, Weight-14kg, Displacement-214cc, Fuel Tank-4.5 ltr., Bore/Stroke-71/52mm, Compression ratio-19:1, Max Speed -3500to 3800rpm	GBPU/AT-Pantnagar	2020-159/October 2021		पंजीकरण हेतु विहित किया गया है।
30	Super Power Agro India, Baraut Baghat UP	POWER WEEDER	SHARP GARUDA 3PT 600D PW, 4.2 kw, 5.7 hp	Recommended high idle speed rpm-3700+100, Recommended low idle speed rpm-1200+200, Bore/Stroke, (mm)- 86/72, Capacity, cc-418, Capacity of fuel tank (l)-5.5	SREMTTI ANANTPUR	413/1351, MARCH-2022	31/01/2027	पंजीकरण हेतु विहित किया गया है।
		POWER WEEDER	3PT 1000D PW, 7.0 kw, 9.5 hp	Recommended high idle speed rpm-3700+100, Recommended low idle speed rpm-1200+200, Bore/Stroke, (mm)- 86/72, Capacity, cc-418, Capacity of fuel tank (l)-5.5	SREMTTI ANANTPUR	412/1350, FEBRUARY-2022		पंजीकरण हेतु विहित किया गया है।
		MINI WEEDER	3PT600,	4 Stroke, Air cooled, single cylinder petrol engine, Max. speed at no load (rpm)-4900 to 4050, Min. idle speed (rpm)- 1700+200, Speed at max. torque (rpm)-2400,	AECRI COIMBATORE	135-PW/2016		पंजीकरण हेतु विहित किया गया है।
31	SHARP GARUDA FARM EQUIPMENTS PVT.LTD	MICRO WEEDER	3PT 200 M	Petrol Engine, 2-stroke engine, Bore/stroke (mm)-40x34.2, Size mm- 890x570x980, Length, mm-890, Width, mm-470, Height, mm-980, Weight- Kg-166, Oil Capacity- 150 ml	AECRI COIMBATORE	136-PW, MARCH-2016		पंजीकरण हेतु विहित किया गया है।
		POWER WEEDER	GH-100 P	Air cooled, 4 Stroke, single cylinder, Petrol engine, Bore/Stroke, mm (apa)-70/55, Engine speed (recommended setting), rpm- High idle speed- 3700, Low idle speed- 3600 Speed at max. torque, rpm (apa)- 2250+200.	NRRMTTI HARYANA	1022/2369, OCTOBER-2019		पंजीकरण हेतु विहित किया गया है।
		POWER WEEDER	GH-135D	Air cooled, single cylinder, 4 stroke diesel engine, Bore/Stroke, mm (apa)-86/72, Engine speed (recommended setting), rpm- High idle speed- 3700, Low idle speed- 1200+200 Speed at max. torque, rpm (apa)- 2880+200.	NRRMTTI HARYANA	1016/2361, SEPTEMBER-2019		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	XTRA POWER XPW-1050 D, 3.86 kw	4 stroke, air cooled, single cylinder, diesel engine, 2800 rpm, Capacity of fuel tank-5.5ltr, Bore/stroke-88/75mm, Capacity -456cc, Speed-3300 rmp MAX torque-3600 rpm	NRRMTTI, Hisar, Haryana	130/2775/2022/Jan 2022 October 2020		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	XTRA POWER XPW-1150 D (E), 3.85 kw	4 stroke, air cooled, single cylinder, diesel engine, High Idle Speed-3750rpm, Low Idle Speed-800 rpm, Capacity-296cc, Capacity of Fuel Tank-3.4ltr.	NRRMTTI, Hisar, Haryana	128/2773/2022/Jan 2022		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	XTRA POWER XPW-750T (E)	4 stroke, air cooled, single cylinder, petrol engine, Extra Power, Engine Speed-3600 rpm High, 1450 rpm Low, Capacity- 207 cc, Bore/stroke-70/54mm	NRRMTTI, Hisar, Haryana	131/2776/2022/Jan 2022		पंजीकरण हेतु विहित किया गया है।
32	VSM International Pvt. Ltd., 65 Red Square Market, Hisar, Haryana	Power Weeder	XTRAPOWER XPW-1050D BR	4 stroke, air cooled, single cylinder, diesel engine, 3600 rpm, Bore/Stroke-88/75mm, Capacity-456cc, Type of Valve-Over head, Capacity of fuel tank-5.5ltr	NRRMTTI, Hisar, Haryana	129/2774/2022/Jan 2022		पंजीकरण हेतु विहित किया गया है।

Handwritten signature and initials.

Handwritten signature and initials.

Handwritten signature and initials.

Handwritten mark.

Handwritten mark.

क्र. सं.	पूरा विनिर्माता फर्म का नाम	यंत्र का नाम	मैक/भाजन	यंत्र का सार्वजनिककरण	उत्प्रेषण संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की तैयारी तिथि	अवधि
1	2	3	4	5	6	7	8	9
		POWER WEEDER	VST PG 50, 2.9 kw, 3.9 hp	Size of Machine-1040mm, Max speed -3750+50, Low idle speed-1900+100, rated engine speed-3600, Max Power-4.4 (6.0) @3500 hp, Bore/Stroke-68/54mm, Capacity-196cc	SREMTTI ANANTPUR	386/1306, OCTOBER-2021		पंजीकरण हेतु विहित किया गया है।
		POWER WEEDER	VST FT 50 GE, 4.4 kw, 6.0 hp	Working Width-1050 to 1100 mm, Max Speed-3800+150, Low idle speed-1440, Speed at maximum torque-2550+100, Max Power-4.0 (5.4)at 3550rpm, Bore/stroke-70/55mm, Capacity-212cc	SREMTTI ANANTPUR	384/1304, OCTOBER-2021	30/09/2026	पंजीकरण हेतु विहित किया गया है।
		POWER WEEDER	JOSH FT 50, 4.0kw, 6.0 hp	Size of Machine-895mm, High idle speed-3800+4000rpm, Low idle speed-1250+1500, Recommended Speed-3600rpm, Bor/Stroke-68/45mm, Capacity-163cc	SREMTTI ANANTPUR	391/1219/October 2020	30-09-2025	पंजीकरण हेतु विहित किया गया है।
		POWER WEEDER	VST Josh RT 70, 3.9 kw, 5.3 hp	Working width-750mm, Type-Air cooled, Single cylinder, vertical, 4 stroke, compression ignition engine, High idle speed-3250rpm, low idle speed-1200+200rpm, Recommended speed-3000rpm, Max Power-3.9 (5.3)@3000rpm	SREMTTI ANANTPUR	390/1218/October 2020	30-09-2025	पंजीकरण हेतु विहित किया गया है।
		POWER TILLER	VST 130 DI	Type-water cooled, Single cylinder, vertical, 4 stroke, Horizontal over head valve, High idle speed-2660+25rpm, low idle speed-1400 0rpm, Recommended speed-1900rpm, Bore/Stroke-95/95mm, Capacity-673.4cc	SREMTTI ANANTPUR	No-117/923/November 2018	31-10-2023	पंजीकरण हेतु विहित किया गया है।
		POWER TILLER	VST SHAKTI 165 DI S Power Plus	Type-water cooled, Single cylinder, vertical, 4 stroke, Horizontal over head valve, High idle speed-2660+25rpm, low idle speed-900 0rpm, Recommended speed-2400rpm, Bore/Stroke-102/105mm, Capacity-857cc	SREMTTI ANANTPUR	No Pt-141/1207/ September 2020	31-08-2023	पंजीकरण हेतु विहित किया गया है।
		POWER REAPER	VST SHAKTI SPR	Self-Propelled, Walk behind, size of reaper-1200mm, Main Crop-Paddy, High idle speed-1950+75rpm, Low idle Speed-700+100/-75 rpm, Single cylinder, Inclined, Air cooled, 4Stroke, Spark Ignition engine	SREMTTI ANANTPUR	Machine-235/864/June 2018		पंजीकरण हेतु विहित किया गया है।
		POWER REAPER	GX 200	Self-Propelled, Walk behind, size of reaper-1200mm, Main Crop-Paddy, High idle speed-1950+75rpm, Low idle Speed-700+100/-75 rpm, Single cylinder, Inclined, Air cooled, 4Stroke, Spark Ignition engine	SREMTTI ANANTPUR	402/1231/December 2020		पंजीकरण हेतु विहित किया गया है।
		POWER TILLER	VST SHAKTI 135 DI	4 Stroke, water cooled, horizontal, over head valve, single cylinder, compression ignition engine, Max speed-2660+25rpm, Low idle Speed-1400 rpm, Bore/stroke-95/95mm, Capacity-673.4cc	SREMTTI ANANTPUR	151/1344, FEBRUARY-2022		पंजीकरण हेतु विहित किया गया है।
		POWER TILLER	VST 95DI IGNITO	Two Wheel Gen Purpose, Max Speed-3800+50, Low idle Speed-1500+100, Rated Speed-3600 rpm, Bore/Stroke-86/72mm, Capacity-418cc	SREMTTI ANANTPUR	155/1361, MARCH-2022	28/02/2025	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	CAM 1G 4.1A, 4.6 HP	4 stroke single cylinder, 4.6 hp, 3060 rpm, no. of flanges-6, rotor blades- 24, average capacity- 0.223-0.280 ha/hr	NREMTTI, Hissar, Haryana	864/2074/2017 November 2017		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	CAM 1G-3.5A, 4.6 HP	4 stroke, single cylinder, 4.6 hp, 3020rpm, no. of flanges-6, rotor blades- 24, average capacity- 0.223-0.280 ha/hr	NREMTTI, Hissar, Haryana	863/2073/2017 November 2017		पंजीकरण हेतु विहित किया गया है।
		Power Tiller (Weeder)	CAM 1D-10S, 4.6 HP	4 stroke, single cylinder, 4.6 hp, 3060 rpm, no. of flanges-6, rotor blades- 24, average capacity- 0.223-0.280 ha/hr	GBPVAI, Panthnagar Uttarakhand	2018-69 April 2018		पंजीकरण हेतु विहित किया गया है।
		Power Weeder (weeder)	CAM 1G 200, 4.6 HP	4 stroke, single cylinder, petrol engine	GBPVAI, Panthnagar,	2020-113 July 2020		पंजीकरण हेतु विहित किया गया है।

33

V.S.T TILLERS TRACTORS LTD.

Competent Agriculture Machinery, Near C.O. Office, Delhi-Saharapur Road, Baraut, Bagpat, U.P.

8/2/20

2020-113 July 2020



क्र. सं.	सूत्र विनिर्माता फर्म का नाम	सूत्र का नाम	शक्ति/घाउल	सूत्र का तकनीकी विवरण	दस्तावेज संख्या	दस्तावेज जारी की तिथि	दस्तावेज की मंजूरी तिथि	अवस्था
1	2	3	4	5	6	7	8	9
		Power Weeder	FRTC-2010 H, 3.7 kw	Air cooled, 4 stroke, single cylinder. Petrol engine, High idle speed-3700+4000, Low idle speed-1250+1600, Rated speed rpm- 3600, Bore/Stroke mm. (apa)- 68/54	NRMETTI HARYANA	123/2750, SEPTEMBER-2021	30-09-2026	पंजीकरण हेतु विहित किया गया है।
36	Falcon Garden Tools Pvt. Ltd.	Power Weeder	FRTC-2015 H	Air cooled, 4 stroke, single cylinder. Petrol engine, High idle speed-3700+4000, Low idle speed-1250+1600, Rated speed rpm- 3600, Bore/Stroke mm. (apa)- 68/55	NRMETTI HARYANA	122/2749, SEPTEMBER-2021	30-09-2026	पंजीकरण हेतु विहित किया गया है।
37	Valmoe International, Punjab	Power Weeder		In process	In process	In process	In process	दस्तावेज प्राप्त होने के उपरान्त पंजीकृत किया जाएगा।
39	Competent Agriculture Machinery, Near C.O. Office, Delhi-Saharanpur Road, Baraut, Bagraat U.P.	Power Weeder	CAM 1G 4.1A, 4.6 Hp	4 stroke single cylinder, 4.6 hp, 3060 rpm, no. of flanges-6, rotor blades- 24, average capacity- 0.223-0.280 ha/hr	NRMETTI, Hisar, Haryana	864/2074/2017 November 2017		पंजीकरण हेतु विहित किया गया है।
40	Shree Ganpati Agro Product	Power Weeder	SGAP, 4.0 Hp	4 Stroke, single cylinder. Max net torque- 10.30 N.m at 2500 rpm, Fuel tank capacity- 3.1 lit, Load idle speed, rpm- 1400+1300, Rated speed, (rpm)- 3600, Speed at max. torque, rpm- 2000+2800	GBPUAT U.S. NAGAR	CTE/FMP/2016/45, MAY-2016		पंजीकरण हेतु विहित किया गया है।
41	UK Farm Tech, Uttarakhnad	Power Weeder	SG-PW-50, 4.0 Hp	4 Stroke, single cylinder air cooled petrol engine, Max net torque-12NM@2500rpm, Fuel tank capacity- 3.6 liter, Load idle speed, rpm- 1400+1500, Rated speed, (rpm)- 3600, Speed at max. torque, rpm- 2500	GBPUAT U.S. NAGAR	CTE/FMP/2019/89, FEBRUARY-2019		पंजीकरण हेतु विहित किया गया है।
44		Power Weeder	212 cc, 5 Hp	In process	In process	In process	In process	दस्तावेज प्राप्त होने के उपरान्त पंजीकृत किया जाएगा।

उप सूत्र निर्देशक,  
तकनीकी समीक्षण,  
कृषि विदेशालय

संयुक्त कृषि विदेशक,  
गुजरात विभाग,  
कृषि विदेशालय

अपर कृषि विदेशक,  
कृषि विदेशालय

संयुक्त कृषि विदेशक,  
मिचोचन  
कृषि विदेशालय

वित्त नियंत्रक,  
कृषि विदेशालय

प्रतिनिधि,  
निदेशक उद्योग,  
उद्योग विदेशालय

कृषि विदेशक,  
उत्तराखण्ड 1

प्रतिनिधि,  
विभागध्यक्ष (कर्म मशीनरी),  
गोवर्धनगिरि, पटना

**पत्र संख्या-230, दिनांक 12 अप्रैल 2022 के द्वारा जारी विज्ञापन से प्राप्त कृषि यंत्र हेतु अनुमोदित/स्वीकृत पंजीकृत फर्म/अधिकृत विक्रेता, भेक/मॉडल का विवरण**

क्र० सं०	यंत्र निर्माता फर्म का नाम	यंत्र का नाम	भेक/मॉडल	यंत्र का स्वीकृतिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अनुमोदित
1	American Spring & Pressing Works Pvt Ltd, Ghum panchayat office Chikhli Road, Anandh village, Bilimora Gujarat	Battery operated Knapsack Sprayer	Aspee Electro 12Ah	16L, 12V, 12Ah lead Acid Battery, rechargeable battery, weight 3.4 Kg, Mass 6.9 Kg	CABT Junagadh Gujarat	TTCPM/D/176/1009/18-05-2021	15-05-2026	पंजीकरण हेतु विहित किया गया है।
2	Aspee Agro Equipment Pvt. Ltd., Mumbai	Dual Type Knapsack Sprayer	Aspee V-2007 DUO-12AHBR	16L, Piston type, Accessories (Mask, gloves are provided)	DPMPE, Junagadh	TTCPM/D/18/11065/10-08-2021	09-08-2026	पंजीकरण हेतु विहित किया गया है।
		Dual Type Knapsack Sprayer	Aspee V-2007 DUO-8AHBR	Dual type (Battery/hand operated), 16L, 12V, 7Ah, Lead acid rechargeable battery	DPMPE, Junagadh	TTCPM/D/182/1066/10-08-2022	09-08-2026	पंजीकरण हेतु विहित किया गया है।
3	Aandras STIHL Pvt Ltd, STIHL, chakan facility, Chakan industrial Area, Village Khairabwadi, Pune	Power operated Mist blower cum Duster	STIHL -SR- 5600	13L, two stroke, Single cylinder, Air cooled, Petrol engine, 2800rpm, cylindrical pipe	NRM/MTT, Hisar tested	120/1613 May 2014	2019	पंजीकरण हेतु विहित किया गया है।
		Tractor Operated Power Sprayer	GAHR G-580	Capacity of Sprayer-16 lit, Working Pressure-1 to 4 kg/cm, Type Sealed-lead-Acid Battery, Capacity & rating 12V, 8 AH, Speed-2600 rpm, Max Current-3.5A, Output Voltage-DC 12V, Output Current-1.2A	NRM/MTT-Hisar	PS-465/2635/2021/January 2021	31-01-2026	पंजीकरण हेतु विहित किया गया है।
4	E-Agrocheme Machines & Equipments Pvt. Ltd., D-45, Sheendra MIDC, Aurangabad, Maharashtra	Battery Operated Knapsack Sprayer	EAC-16C35	Output capacity-60 L/min, Power rating-16.9/22.0 KW/hp, MS circular strip with MS Angle iron, Size of circular strip-2310X30X6.0 mm	NRM/MTT, Hisar tested	PS-167/1776/2015 August 2015	2022	पंजीकरण हेतु विहित किया गया है।
		Manual Knapsack Sprayer	KK-16L	16L, Piston type, tank plastic, nozzle cone type	NRM/MTT, Hisar tested	PS-487/2765/2021, DECEMBER-2021	31/12/2026	पंजीकरण हेतु विहित किया गया है।
5	Gair Agro Industries Ltd Village Kutar Khwa, District Sonpur Punjab	Battery cum hand operated Knapsack Sprayer	KK-BBS-318	18L, DC motor, 12V, 8Ah, spray nozzle brass, stainless steel,	NRM/MTT, Hisar tested	464/2634/2021 January 2021	31-01-2026	पंजीकरण हेतु विहित किया गया है।
		Battery operated Knapsack Sprayer	KK-BBS-199	18L, 12V DC motor, 2600 rpm	NRM/MTT, Hisar tested	459/2606/2020 December 2020	2025	पंजीकरण हेतु विहित किया गया है।
6	GRAAVES COTTON LTD.	Battery operated Knapsack Sprayer	KK-BBS-185	18L, 12V DC motor, 2600 rpm	NRM/MTT, Hisar tested	458/2605/2020 December 2020	2025	पंजीकरण हेतु विहित किया गया है।
		Engine Operated Knapsack Sprayer	KK-KPS-162	no cylinder lining, Hard chrome coating is done, 2 Strokes, doubling Acting plunger type	NRM/MTT, Hisar tested	193/1806/2015 December 2015	2020	पंजीकरण हेतु विहित किया गया है।
7	Kisankraft Ltd. Sri Hochanna Tower, 7A cross, Maruthi Layout, Bengaluru	Engine Operated Knapsack Sprayer	KK-KPS-204	Single cylinder, 4 Stroke, air cooled, double acting Plunger type, petrol engine	NRM/MTT, Hisar tested	170/1803/2015 December 2015	2019	पंजीकरण हेतु विहित किया गया है।
		Engine Operated Knapsack Sprayer	KK-KPS-204	Single cylinder, 4 Stroke, air cooled, double acting Plunger type, petrol engine	NRM/MTT, Hisar tested	193/1806/2015 December 2015	2020	पंजीकरण हेतु विहित किया गया है।

Handwritten marks and signatures at the top left of the page.

Handwritten signature in the middle left of the page.

Handwritten signature at the bottom left of the page.

क्र० सं०	पूल विनिर्माता फर्म का नाम	यंत्र का नाम	मॉडल/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की तैयारी तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
		Engine Operated Knapsack Sprayer	KK-PSP-764	Single cylinder, 4 Stroke, air cooled, double acting Plunger type, petrol engine	NRFMTTI, Hisar tested	17/1/804/2015 December, 2015	2020	पंजीकरण हेतु विहित किया गया है।
		Engine Operated Knapsack Sprayer	KK-P 968	Single cylinder, 4 Stroke, air cooled, double acting Plunger type, petrol engine	NRFMTTI, Hisar tested	17/6/1824/2016 February, 2016	2021	पंजीकरण हेतु विहित किया गया है।
		Hand operated Knapsack Sprayer	KK-16 LTR	16L, Piston type, tank plastic, nozzle cone type	NRFMTTI, Hisar tested	435/2510/2020 month september 2020	2025	पंजीकरण हेतु विहित किया गया है।
		Knapsack Sprayer	Inside Chamber	Inside chamber, 16 lits, Discharge-980ml/min, Shall no be less than 85%, Tank capacity-16.0 lit, Tank Sheet-Brass tank, Thickness-0.63mm	BIS	DOC No-WROL/QF/5101/20-09-20211		पंजीकरण हेतु विहित किया गया है।
		hand operated Knapsack Sprayers	Piston Type	Hand Operated Knapsack Sprayers, Discharge-670ml/min, Shall not be less than 96%, Tank Capacity-16.5 lit,	BIS	DOC no-10E-25001/08-02-2012		पंजीकरण हेतु विहित किया गया है।
		Knapsack Sprayers	Battery Cum Hand Operated Prim	tank size-350x160x340mm, capacity-16L, max pressure-4.5kg/cm2, size of plunger-160x38mm, voltage-12v, size of battery-150x65x100mm, weight of battery-2.02kg	ICAR-CIAE Bhopal	30/2020, MARCH-2021	03-03-2026	पंजीकरण हेतु विहित किया गया है।
		Knapsack Sprayers	Battery Cum hand Operated	tank size-350x160x340mm, capacity-16L, max pressure-4.2kg/cm2, max pressure-5.5kg/cm2, size of plunger-160x40mm, voltage-12v, size of battery-150x100x100mm, weight of battery-3.16kg	ICAR-CIAE Bhopal	29/2020, MARCH-2021	03-03-2026	पंजीकरण हेतु विहित किया गया है।
		Knapsack Sprayers	Battery Cum hand Operated	4.5kg/cm2, size of plunger-160x41mm, max pressure-7kg/cm2, voltage-12v, size of battery-150x65x100mm, weight of battery-2.00kg	ICAR-CIAE Bhopal	31/2020, MARCH-2021	03-03-2026	पंजीकरण हेतु विहित किया गया है।
8	Masand Agri Tech, Indore	Knapsack Sprayers	Battery Operated	Battery operated	FMTTI-Hissar	PS-137/1669	2025	पंजीकरण हेतु विहित किया गया है।
9	Maya Fertilizers & Pesticide, (MUZAFFARNAGAR /UTTAR PRADESH)	Knapsack Sprayers	AM CSSF	Manual sprayer, tank capacity-5lt, discharge-390 ml/min, minimum working pressure-1.9 bar, release pressure-2.4-2.8 bar, weight-1170 gm	BAU Ranchi tested	BAU/DAE/05/415/14-04-2015		पंजीकरण हेतु विहित किया गया है।
		Little Sprayer	AM CSSF	Manual sprayer, tank capacity-3lt, discharge-300 ml/min, minimum working pressure-1.9 bar, release pressure-2.4-2.8 bar, weight-990 gm	BAU Ranchi tested	BAU/DAE/06/415/14-04-2015		पंजीकरण हेतु विहित किया गया है।
		Little Sprayer	AM CSSF	Manual sprayer, tank capacity-1lt, discharge-180 ml/min, minimum working pressure-0.8-1 bar, release pressure-1.1-1.5 bar, weight-295 gm	BAU Ranchi tested	BAU/DAE/07/415/14-04-2015		पंजीकरण हेतु विहित किया गया है।
		Foot Sprayer	SFS-300	Foot Sprayer with 10 mtr hose with brass lance NTM, Weight-10.5	BIS	IS 3652:995 CML-4817372	31-08-2020	पंजीकरण हेतु विहित किया गया है।
		Battery cum Hand Operated Knapsack Sprayer	SBS-520	Dual type battery & hand operated, capacity of sprayer-16 lit, diaphragm pump, plastic tank & spray lance, PVC piston, hose & gasket, discharge rate-1200 ml/min, weight-5.570 kg	NRFMTTI Hissar	PS-470/2647/2021/Annua ry 2021	31-01-2026	पंजीकरण हेतु विहित किया गया है।
10	Ratnagiri Impex Pvt. Ltd. Bangalore	Foot Sprayer	SFS-300	Foot Sprayer with 10 mtr hose with brass lance NTM, Weight-10.5	BIS	IS 3652:995 CML-4817372	31-08-2020	पंजीकरण हेतु विहित किया गया है।

क्र.सं./Sl. No.	यंत्र विनिर्माता फर्म का नाम	यंत्र का नाम	श्रेण / मॉडल	यंत्र का स्थापितिकरण	डेरिफिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की शैलता तिथि	अवस्थिति
1	2	3	4	5	6	7	8	9
11	Shakti Agro Industries, Arjun Nagar, Radha Swami Road, Ludhiana PB	Battery Operated Knapsack Sprayer Engine operated powered Knapsack Sprayer Portable power sprayer	Shakti- SBS-500 SPS-708 SPS-P768	Battery operated knapsack sprayer, capacity-16 litr. diaphragm pump, plastic tank, PVC hose & gasket, Weight-5.5 kg. 2 Stroke, forced air cool, petrol engine, 6500 rpm, double acting plunger pump, 20 litr HDPE tank, PVC hose, stainless steel piston, straight spray gun, suction volume-7.5 litr, weight-9 kg 2. Stroke, forced air cool, petrol engine, 6500 rpm, double acting plunger pump, 20 litr HDPE tank, PVC hose, stainless steel piston, straight spray gun, suction volume-7.5 litr, weight-9 kg	NRFMTTI Hissar NRFMTTI Hissar NRFMTTI Hissar	PS-469/2646/2021/Jannaray 2021 PS/253/1938/2016 PS-307/2061/2017	31-01-2026 2023 2024	परीक्षण हेतु विक्रित किया गया है। परीक्षण हेतु विक्रित किया गया है। परीक्षण हेतु विक्रित किया गया है।
12	Super Power Agro India, Baranot Baghpat UP	Battery Operated Knapsack Sprayer Knapsack Sprayer	SP-20B AM-16-PRO-SS	Capacity of sprayer-18 litr, Working Pressure-1 to 4 kg/cm. Type Sealed-lead-Acid Battery, Capacity & rating 12V, 7.2AH, Speed 2500 rpm, Max Current-3.5A, Output Voltage-DC 12V, Output Current-1.2A Size mm- Height-360, Width-150, Length-330, Capacity, L-16, Flow rate l/min-1.26 at 4 kg/cm, Type-Hollow cone, Multi-holes (6), Flat Fan, Size of nozzle (mm)-Hollow cone L=62, inn.dia=12, out.dia=9 Multi-holes (6), L=69, inn.dia=13 Flat fan L=67, inn.dia=12, out.dia=4.5	NRFMTTI Hissar ICAR, MP	PS-490/2794/2022/February 2022 34/2019	28-02-2027 10-05-2026	परीक्षण हेतु विक्रित किया गया है। परीक्षण हेतु विक्रित किया गया है।
13	Ratnagri Impex Pvt.Ltd.	Knapsack Sprayer Knapsack Sprayer OPERATED SPRAYER OPERATED SPRAYER OPERATED SPRAYER	AM-405E 2 IN 1 AMP-708 2S AMP-768 AM30 AM22 GK200	Single cylinder, Forced air cool 2 stroke engine (IE34F), Recommended power-0.75 kw @7500 rpm, Power rating kW/hp 0.75/1.00, Size mm- Height-490, Width-240, Capacity-1.20 Output capacity l/min-3to8, Size of sheet mm-240x15, Overall Dimensions, mm Length-290, Width-300, Height-336, Length of house-1230, Capacity of fuel tank, 1-0.600 4 Stroke Air Cooled Single Cylinder, Max horse power KW (Ps)-2.90 (3.94hp), High idle-3700 RPM, Rated engine speed-3600 RPM, Speed at max. torque-2500 RPM Max horse power KW (Ps)-2.28 (lip), High idle-3700RPM, Low idle-8.0Nmm/2500RPM, Speed at max. torque-3600RPM, Capacity of fuel tank (l)- Kerosene 3.9 l and Petrol 0.4 l	ICAR BHOPAL ICAR BHOPAL NRFMTTI HISSAR AMDCIAE BHOPAL AMDCIAE BHOPAL	65/2015, SEPTEMBER-2016 69/2020, OCTOBER-2021 268/1953, OCTOBER-2016 44/2015, MARCH-2016 43/2015 MARCH-2016	10-05-2026 10-05-2026	परीक्षण हेतु विक्रित किया गया है। परीक्षण हेतु विक्रित किया गया है। परीक्षण हेतु विक्रित किया गया है। परीक्षण हेतु विक्रित किया गया है। परीक्षण हेतु विक्रित किया गया है।

2

Handwritten signature

Handwritten mark

Handwritten signature

Handwritten mark

Handwritten mark

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	शेक / गाडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की तैयारी तिथि	अव्युक्ति
1	2	3	4	5	6	7	8	9
14	SHREELI AGRO INDUSTRIES	POWER SPRAYER AIR ASSISTED SPRAYER	TRACTOR OPERATED AIR ASSISTED SPRAYER	recommended source of power-15 hp & above, size-1000 L, suction capacity-60, frame size-1800x705x1030 mm, pump power-3.0-7.0hp, pump weight-16.2kg, tank capacity-1000L, overall dimensions-3000x1220x1660, mass-460 kg capacity of SPRAYER-1000 L, Recommended working pressure-20 kg/cm <sup>2</sup> , source of power-18-75hp, max. length of shaft-1250mm, mass-8kg, pump power-10 (7.4) hp(kw), tank size-1575x1110x1010mm, frame size-2325x710mm,	TTCFM JUNAGADH ICAR-CAE, BHOPAL	TTCFM/D/179/1016, MAY-2021 136/2020, NOVEMBER-2021	26/05/2028 16/11/2028	परीक्षण हेतु चिह्नित किया गया है। परीक्षण हेतु चिह्नित किया गया है।

उप कृषि निदेशक,  
तकनीकी समीक्षण,  
कृषि निदेशालय

संयुक्त कृषि निदेशक,  
गुणवत्ता विभाग,  
कृषि निदेशालय

अपर कृषि निदेशक,  
कृषि निदेशालय

संयुक्त कृषि निदेशक,  
नियोजन  
कृषि निदेशालय

वित्त नियंत्रक,  
कृषि निदेशालय

प्रतिनिधि,  
निदेशक उद्योग,  
उद्योग निदेशालय

कृषि निदेशक,  
उत्तराखण्ड।

प्रतिनिधि,  
श्रीमती (कर्म मशीनरी),  
गोवर्धनविठो, पटनागर