

**कृषि निदेशालय उत्तराखण्ड,
नन्दा की चौकी, प्रेमनगर, देहरादून।**

(दूरभाष संख्या-0135-2772677, फ़ैक्स-0135-2771881, ई मेल-dir.agri.Uttarakhand@gmail.com)

पत्रांक-कृ.नि./4463/SMAM/पंजी.-कृषि यंत्र/2022-23,

दिनांक-13 अक्टूबर, 2022

1. समस्त मुख्य कृषि अधिकारी, उत्तराखण्ड।
2. समस्त कृषि एवं भूमि संरक्षण अधिकारी, उत्तराखण्ड।

विषय- कृषि यंत्रों/उपकरणों हेतु पंजीकृत फर्म तथा माडल विषयक।

निदेशालय के पत्र संख्या-कृ.नि./230/पंजी/कृषि यंत्र/2022-23, दिनांक 12 अप्रैल, 2022 के द्वारा विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध करने हेतु विज्ञापन जारी किया गया था। उक्त के क्रम में उत्तराखण्ड अधिप्राप्त नियम-2017, विभिन्न योजनाओं के अन्तर्गत कृषि यंत्रों/उपकरणों पर अनुदान उपलब्ध कराने हेतु कृषि मशीनों तथा यंत्रों/उपकरणों के मूल विनिर्माता फर्मों से प्राप्त पंजीकृत प्रपत्रों का गठित पंजीकरण समिति द्वारा परीक्षण करने के उपरान्त विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध/पंजीकरण हेतु उपयुक्त पाया गया। सूचीबद्ध/पंजीकरण हेतु चिन्हित किए गए यंत्रों/उपकरणों का विवरण निम्नानुसार है।

क्र. सं.	फर्म का नाम	सूचीबद्ध/पंजीकरण होने वाले कृषि मशीनों/यंत्रों/उपकरणों का विवरण
1.	Ambber Innovation Pvt. Ltd. Hariyana	Supper Seeder/Reaper
2.	Bhoomi Agro Industries, Rajkot Gujraat	Supper Seeder
3.	Bir singh & Sons Chandigarh Road, Samrala, Ludhiana Punjab	Super Seeder
4.	Bhagwan singh Engineering Works, Raikot Road, Malerkotla, Distt. Sangrur, PB	Super Seeder
5.	Dasmesh Agricultural Industries Pvt. Ltd., Rajkot Road, Malerkotla, Sangroor Punjab	Super Seeder/Reaper
6.	Dasmesh Machanical Work, Nabha-Malairkotla Road, Amargarh, Sangrur, Punjab-PIN-148022	Super Seeder/Harvester
7.	Friends Farming Solutions	Super Seeder
8.	Gobind Agriculture Works, Near panjgrain kalan, Moga road, Kotkapura, Punjab	Super Seeder/Reaper
9.	Ghuman Motors (Fatehgarh Sahib, Punjab)	Super Seeder
10.	Kartar Agro Engineers Pvt. Ltd. (Erankulam, Kerala)	Super Seeder/Harvester
11.	Jai Auto Pvt. Ltd. (Ghaziabad, UP)	Super Seeder
12.	Jagatjit Agri India Pvt. Ltd., Ludhianan	Super Seeder
13.	Kamla Engineering Works, Ismailabad Hariyana	Super Seeder
14.	Maschio Gasparado India Pvt Ltd, MIDC villagr, Karegaon, Ranjangaon Pune MH	Super Seeder
15.	New Swan Multitech Ltd. Ludhiana Punjab	Super Seeder
16.	Osaw Udhyag Pvt. Ltd Ambala	Super Seeder
17.	Param Agro Industries, Dhuri, Punjab	Super Seeder
18.	Patiala Discs Corporation, Vill-Neelpur, New By Pass, Rajpura, Punjab	Super Seeder
19.	Saeco Strips Pvt. Ltd, Rampura Road Daroha, Tehsil Payal, Ludhiana Punjab	Super Seeder/Reaper
20.	Saaron Mechanical Works Mansa Road, Cheema Mandi, Distt.-Sangrur, Punjab-148029	Super Seeder/Reaper
21.	Sonalika Industries Hosiarpur Punjab	Super Seeder/Reaper
22.	Steelboy Pvt. Ltd, Mohali Punjab	Super Seeder

23.	Tirth Agro Technology Pvt. Ltd., Rajkot Gujrat	Super Seeder/Harvester
24.	Vishvakarma Agro Industries, Sangroor Punjab	Super Seeder
25.	GSA Industries, Village Daulatpur, Rasulpur Jaura Road, Patiala, Punjab	Super Seeder/Reaper
26.	Akhtari Agriculture Works, Muradabad Road, Kashipur, US Nagar, Uttrakhand	Reaper
27.	Anmaol Agriculture Works, Mansa Punjab	Reaper
28.	BCS India Pvt. Ltd. Manngarh, Ludhiana Punjab	Reaper
29.	E-Agrocare Machinerics & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharast	
30.	Jaggi Agriculture Works, Vill. Kabulpur, District Patiala, Rajpur, Ghanor, Rajpura	Reaper
31.	KS Agricultural Industries Pvt. Ltd, Raikot Road, Malerkotla, District Sangrur, Punjab	Reaper/Harvester
32.	K.S. Agrotech Pvt. Ltd. Sangroor Punjab	Reaper/Harvester
33.	Kisan Kraft Ltd., Bengaluru Urban Karnataka	Reaper/Harvester
34.	KS Powertech, Rikot Road, Malerkotla punjab	Reaper
35.	Mahindra & Mahindra Ltd. Mumbai Maharastra	Reaper/Harvester
36.	New Vishvakarma Agro Industries Sangroor Punjab	Reaper
37.	Perfect House Pvt. Ltd	Reaper
38.	Patiala Discs Corporation Patiala Punjab	Reaper
39.	Ratanagiri Impex Pvt. Ltd. Bengaluru Urban Karnataka	Reaper
40.	Samyak Motors Pvt. Ltd.	Reaper
41.	Sangam Agriculture Works Mansa Punjab	Reaper
42.	Shree Ram Electric Co., Jamnagar, Gujarat	Reaper
43.	MalKit Agro Tech Pvt. Ltd. Punjab	Reaper/Harvester
44.	V.S.T. Tillers Tractors Ltd., C-14, Lohia Nagar, Ghaziabad	Reaper
45.	Guru Nanak Agri Engeneering Works, Punjab	Harvester
46.	Preet Agro Industries Pvt. Ltd., Patiala Punjab	Harvester
47.	Yanmar Agricultural Equipment Co. Ltd.	Harvester
48.	BHAGWAN ENGG. WORKS, (SANGRUR / PUNJAB)	Baler
49.	CRYSTAL AGRO TECH. INDUSTRY	Baler
50.	NEW SWAN MULTITECH LIMITED, (LUDHIANA / PUNJAB)	Baler
51.	MASCHIO GASPARDINO INDIA PVT.LTD, (PUNE / MAHARASHTRA)	Baler
52.	Redlands Ashlyn Morotrs PLC, Redlands House, Madona Road Kerla	Baler
53.	MAHINDRA & MAHINDRA LIMITED(SWARAJ DIVISION), (S.A.S Nagar / PUNJAB)	Baler
54.	TIRTH AGRO TECHNOLOGY PVT. LTD., (RAJKOT / GUJARAT)	Baler
55.	Tratctors and Farm Equipment Ltd. Channi Tamilnadu	Baler
56.	PREET AGRO INDUSTRIES PVT.LTD. (BENGALURU URBAN / KARNATAKA)	Baler
57.	OSAW UDYOG PVT.LTD. (AMBALA / HARYANA)	Baler

सलग्न सूची के अनुसार कृषक द्वारा सूचीबद्ध/पंजीकृत विनिर्माता फर्म/फर्मों के अधिकृत डीलर से सलग्न सूची में अंकित माडल को क्रय करने पर ही अनुदान देय होगा। अनुदान देते समय निम्न बिन्दुओं को ध्यान में रखा जाए।

1. उपरोक्त पंजीकरण पत्र जारी होने वाले दिनांक से दो वर्ष तक वैध रहेगा।
2. कृषकों को कृषि यंत्रों/उपकरणों पर अनुदान **Submission on Agricultural Mechanization (SMAM)** की गाईडलाइन के अनुसार होगा। पैरा 6.4.2 अथवा संबंधित योजना की गाईडलाइन में इंगित व्यवस्था के अनुसार अनुपालन सुनिश्चित किया जाये। साथ ही यह ध्यान रखा जायेगा कि अनुसूचित जाति, अनुसूचित जनजाति, महिला तथा लघु सीमांत कृषकों को प्राथमिकता मिले।

3. कृषि यंत्रों/उपकरणों पर अनुदान भारत सरकार/राज्य सरकार द्वारा निर्धारित/अनुमन्य अधिप्राप्त सीमा तक ही देय होगा।
4. सूचीबद्ध/पंजीकृत फर्म को बिल स्वयं अथवा विनिर्माता की संस्तुती पर नियमानुसार अधिकृत विक्रेता भी बिल जारी कर सकेगा बिल/कैश मैमो पर पूर्ण स्पेसिफिकेशन के साथ कृषि यंत्र का माडल/ब्राण्ड/गारन्टी/कम संख्या/चेचिस संख्या, वारन्टी अवधि का अनिवार्य रूप से अंकन करेगा।
5. अनुदान कृषक/मूल विनिर्माता द्वारा अधिकृत विक्रेता से कृषक द्वारा क्रयित कृषि यंत्रों/उपकरणों के सूचीबद्ध माडल/मेक पर ही देय होगा। फर्म/अधिकृत विक्रेता नियमानुसार टैक्स का अंकन करते हुए टैक्स जमा करना होगा।
6. निदेशालय स्तर पर सूचीबद्ध/पंजीकृत फर्म/माडल/मेक agrimachinery.nic.in पर अपलोड करनी होगी, जो कम से कम एक वर्ष तक नहीं बदली जा सकेगी।
7. सूचीबद्ध/पंजीकृत फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों की वर्तमान दरें भारत सरकार की Agrimachinery.nic.in पर DBT Agriculture Machinazation पर अंकित करनी होगी, जो एक वर्ष तक बदली नहीं जा सकेगी।
8. कृषक द्वारा ऑनलाईन डी.बी.टी. पोर्टल पर डीलर से क्रय किए गए यंत्रों के बिल को डीलर पोर्टल पर अपलोड करेगा।
9. जनपद के कृषि एवं भूमि संरक्षण अधिकारी द्वारा गठित सत्यापन टीम द्वारा भौतिक सत्यापन सुनिश्चित कर लिये जाने के उपरांत **Submission on Agricultural Mechanization (SMAM)** की गाईडलाइन एवं राज्य सरकार द्वारा निर्धारित अनुदान की अधिकतम सीमा के अनुसार कार्यवाही करें।
10. सत्यापन के दौरान कृषक द्वारा क्रयित कृषि यंत्र/उपकरण विभाग द्वारा सूचीबद्ध/पंजीकृत किए गए कृषि यंत्रों/उपकरणों के अनुसार ही हो।
11. कृषकों को उपलब्ध कराये जा रहे कृषि यंत्रों/उपकरणों के मूल्य पोर्टल पर दर्शायी दरों से अधिक न हो, यदि दरें अधिक पायी जाती हैं तो संबंधित जनपद के मुख्य कृषि अधिकारी कार्यवाही करेंगे। कृषक जब मेक/माडल, गुणवत्ता एवं मोल भाव कर दर से पूर्णतया संतुष्ट हो जाने के बाद कृषि यंत्रों/उपकरणों को क्रय करें।
12. मुख्य कृषि अधिकारी/कृषि एवं भूमि संरक्षण अधिकारी अनुदानित यंत्रों की सूचना निदेशालय को उपलब्ध करायेंगे।

क्र०सं०	यंत्र का नाम/मेक एवं माडल	यंत्र आपूर्ति कहां से हुई/डीलर का नाम	संख्या	कुल कीमत	कुल वितरित अनुदान
1	2	3	4	5	6

13. फर्म को अपने फर्म का सर्विस सेंटर खोलना होगा। फर्म द्वारा अपने ग्राहकों को Maintenance का प्रशिक्षण देना होगा।
14. विभागीय उच्चाधिकारियों द्वारा कृषक को आपूर्तित कृषि यंत्रों/उपकरणों का निरीक्षण करने पर कृषि यंत्रों/उपकरणों को निर्धारित गुणवत्ता के अनुरूप न पाए जाने पर संबंधित विनिर्माता फर्म का पंजीकरण निरस्त कर दिया जायेगा। साथ ही ऐसी फर्म/अधिकृत विक्रेता को विभाग द्वारा काली सूची में डालने की कार्यवाही की जा सकती है।
15. सूचीबद्ध/पंजीकृत विनिर्माता फर्म/अधिकृत विक्रेता को कृषक द्वारा क्रयित कृषि यंत्रों/उपकरणों पर अनुदानित वर्ष एवं विभाग का नाम अनिवार्य रूप से अंकित करना होगा।
16. विनिर्माता सूचीबद्ध/पंजीकृत फर्म/अधिकृत विक्रेता को समय-समय पर विभाग द्वारा वांछित जानकारी उपलब्ध करानी होगी। ऐसा न करने पर संबंधित को पंजीकरण सूची से विलोपित किया जा सकता है।

17. सरकार द्वारा समय-समय पर जारी दिशा-निर्देशों के अनुसार उपरोक्त शर्तों/नियमों एवं इससे संबंधित प्रक्रिया में आवश्यकतानुसार संशोधित/परिवर्तन किया जा सकेगा।
18. सूचीबद्ध/पंजीकृत फर्म के अधिकृत विक्रेता द्वारा विभाग को उपलब्ध कराई गई किसी भी जानकारी के असत्य पाये जाने की दशा में संबंधित फर्म का पंजीकरण तत्काल प्रभाव से निरस्त कर दिया जायेगा।
19. प्रदायकों को मुख्य कृषि अधिकारी के आदेश एवं दिशा निर्देश के अनुसार कृषक/कृषकों को जनपद/विकासखण्ड स्तर/न्याय पंचायत तक यंत्र उपलब्ध कराने होंगे। इस हेतु प्रदायकों को जिला स्तर पर अपना नेटवर्क स्थापित करना होगा। प्रदायक द्वारा जिले में नियुक्त अधिकृत विक्रेता के पास जी0एस0टी0 पंजीकरण तथा विक्रय उपरान्त सेवा की सुविधा उपलब्ध करायी जानी आवश्यक होगी। प्रदायकों की यह जिम्मेदारी होगी कि वे उनके द्वारा विक्रय की गयी सामग्री के लिये उचित मूल्य पर पुर्जे तथा विक्रय उपरान्त सेवा की सुविधा कृषकों को उपलब्ध करावें। लाभार्थियों को इसके लिये प्राप्त अनुरोध पत्र से 15 दिनों के अन्दर यदि यह व्यवस्था नहीं की जाती है, तो यथा आवश्यक कार्यवाही की जायेगी।
20. फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों पर लेबलिंग प्लेट को riveted किया जाना अनिवार्य होगा, जिस पर निर्माता का नाम एवं पता मेक/मॉडल सीरियल नम्बर निर्माण का माह एवं वर्ष, टाईप, साईज, किस देश में निर्मित किया गया है लिखा होना चाहिए। इसके अतिरिक्त उपलब्ध कराए जा रहे स्पेसिफिकेशन में मार्किंग/लेबलिंग हेतु दिए गए निर्देशों का पालन किया जाए।
- संलग्न -यथोपरि।

5
(गौरी शंकर)
कृषि निदेशक
उत्तराखण्ड।

- पत्रांक- /कृ0नि0/एस.एम.ए.एम/पंजीकरण-कृषि यंत्र/2022-23/दिनांकित।
- प्रतिलिपि-: निम्नांकित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।
1. अपर कृषि निदेशक, गढ़वाल मण्डल, पौड़ी।
 2. संयुक्त कृषि निदेशक, कुमाऊँ मण्डल, हल्द्वानी (नैनीताल)।
 3. संबंधित मूल विनिर्माता फर्म को विभागीय बेवसाईट के माध्यम से।
 4. अध्यक्ष, जिला यंत्रीकरण समिति।
 5. विभागीय पोर्टल।

/

कृषि निदेशक
उत्तराखण्ड।

पत्र संख्या-230. दिनांक 12 अप्रैल 2022 के द्वारा जारी विज्ञापन से बेलर यंत्र हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र.सं	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मॉडल	यंत्र का स्पेसिफिकेशन	देस्टिग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट को देरता तिथि	अभ्युक्ति
1	BHAGWAN ENGG. WORKS	SQUARE BALER	BEW 165 SB	Tractor hp 45& above, working width-1650mm, weight of Bale-18.16, 18.93 kg. Max PTO power-33.5/45.0 kw, PTO speed-540 rpm, size of Bars-1455x40x7.0mm, no of times-22No of stroke / minute-93, length of stroke-760mm	FMTTI LUCKNOW	IMP-2011/337, SEPTEMBER-2021		पंजीकरण हेतु विहित किया गया है।
2	CRYSTAL AGRO TECH. INDUSTRY	BALER	TRACTOR OPERATED	tractor horse power-50hp & above, PTO speed for operation-340rpm, working width-1850mm, baler size-460x360x200 mm to 1000, avg weight-1.14 to 14.2 kg. max PTO power-32.0kw	A.I.T.C. RAIPUR	612, JULY-2019		पंजीकरण हेतु विहित किया गया है।
3	NEW SWAN MULTITECH LIMITED	Round Straw Baler	MASCAR-MONSTER-770	Working width-1770mm, Power Source-75hp and above, Speed-3.29 to 3.68 kmph, max PTO-46/62.5 hp/kW, Dimension of frame-2100X870X4mm	FIMTTC BIKANER	FIMTTC/MECH/20/1 544, SEPTEMBER-2021	23/09/2028	पंजीकरण हेतु विहित किया गया है।
4	MASCHIO GASPARDINO INDIA PVT.LTD	Round Straw Baler	MASCAR-CORSA-420L	Working width-1550mm, Power Source-50 hp and above, Speed-3.29 to 3.68 kmph, max PTO-33.1kw, Dimension of frame-1520X1340X4.75mm	FIMTTC BIKANER	FIMTTC/MECH/20/1 543, SEPTEMBER-2021	23/09/2028	पंजीकरण हेतु विहित किया गया है।
5	Redlands Ashlyn Morrots PLC, Redlands House, Madona Road Kerala	SQUARE BALER	PITAGORA-L	PTO speed-540rpm, working width-1600 mm, Avg. Bale weight-16.6kg. MAX. PTO power-38.6kw, size of Bars-1490x25, no. of times-22, no. of blade 7 overall dimension-4920x2785x1825, mass-1790 kg	FMTC LUDDHIANA	FMPE/TC/COMM/2 022/1308, APRIL-2022	Apr-29	पंजीकरण हेतु विहित किया गया है।
		SQUARE BALER	MATRIX-1700	tractor drawn square baler, PTO-540rpm, heavy duty frame, tractor required 40 hp & above, Baler size-36x46x(30/120)cm, Baler weight-10kg -26kg, machine size-493x203x198cm, weight-2100kg	FMTC TAMILNADU	FMTC/KLR/TR/051-2021, JUNE-2021	Oct-28	पंजीकरण हेतु विहित किया गया है।
		Round Straw Baler	JUMBO 1208	Power-35 hp and above, Max PTO-40.8 as per tractor, Type-Universal telescopic, Length-variable, Teeth on gears Driver-12, Driven-22, Oil capacity 1.0 ltr, Oil change period 100 after 100 working hours	FMTC Kerala	IMP-28/44/2016 October 2016	Jul-05	पंजीकरण हेतु विहित किया गया है।
		Round Straw Baler	JUMBO 1209	Power-35 hp and above, Max PTO-37.3as per tractor, Type-Universal telescopic, Length-variable, Teeth on gears Driver-12, Driven-22, Oil capacity 1.0 ltr, Oil change period 100 after 100 working hours	FMTC Kerala	IMP-41/57/17 January 2017	Jul-05	पंजीकरण हेतु विहित किया गया है।
		Round Straw Baler	JUMBO 1211	Power-45 hp and above, Max PTO-40.8 as per tractor, Type-Universal telescopic, Length-variable, Teeth on gears Driver-12, Driven-22, Oil capacity 1.0 ltr, Oil change period 100 after 100 working hours	FMTC Kerala	IMP-31/47/2016 October 2016	Jul-05	पंजीकरण हेतु विहित किया गया है।
6	MAHINDRA & MAHINDRA LIMITED(SWARAJ DIVISION)	SQUARE BALER	SWARAJ 180 W	Recommended power of tractor-35 hp. max. PTO power, kw-30.3, PTO speed of operation-540 rpm, working width-1630mm. Avg weight of bale-17.5 kg. Teeth on gears :drive-8 driven-47.	FMTC Kerala	IMP-31/47/2016 October 2016		पंजीकरण हेतु विहित किया गया है।
		ROUND BALER	AB 1000-12 ROLLERS	size of round baler-1710x1450x1250mm, avg. Weight of bale-30.04 to 33.05, size of Bale-610x930 mm, Recommended source of power-35 hp and above, teeth on driven gear-22, on drive gear-12, oil capacity-1.0L, oil change period-change after 300 working hours,	NERFMTTI, ASSAM	31/341, JUNE-2019		पंजीकरण हेतु विहित किया गया है।
7	TIRTH AGRO TECHNOLOGY PVT. LTD.	ROUND BALER	SRB-45	Hp required- 26/35above, PTO speed for operation-540, working width-1030mm, avg. weight of bale-23to24 kg. method of drive-gear, no.of times of each bar- 18(9/pairs), overall dimensions(mm)-length-1245,width-1686 mm/1826max,height-1250, wt-553kg	ICAR-CIAE, TAMILNADU	R-08/71/2020, MAY-2020	May-27	पंजीकरण हेतु विहित किया गया है।
		ROUND BALER	SRB-45		FMTC KERALA	IMP-98/122/2022, FEBRUARY-2022	15/02/2029	पंजीकरण हेतु विहित किया गया है।

Handwritten signatures and initials are present at the bottom right of the page, including a large signature and several initials.

क्र.सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
8	TRACTORS AND FARM EQUIPMENT LIMITED	SQUARE BALER	MASSEY FEGUSON MF 1840	Recommended power source-50 PTO Hp & above, PTO speed-540rpm, Avrg. Weight of Bale-21.4to24.0 kg, working width-1930mm, recommended speed-3mph, MAX. PTO power-40.9kw, overall dimensions-5000x2600x1800mm,mass-1730kg	SRFMTTI ANANTPUR	270/973, FEBRUARY-2019	31/01/2026	परीक्षण हेतु चिह्नित किया गया है।
9	PREET AGRO INDUSTRIES PVT.LTD.	SQUARE BALER	PREET GALLANT-249	power source-50-55hp, PTO speed-540rpm, working width-1365 mm, avrg weight-12.760 to 25.500 kg, max PTO power-3.8kw, working width-1365mm	NRFMTTI HISAR	IMP-891/2116/2018, JANUARY-2018		परीक्षण हेतु चिह्नित किया गया है।
10	OSAW UDYOG PVT.LTD.	RECTANGULAR STRAW BALER	GARUD	TRACTOR HORSE POWER-45HP AND ABOVE, IN PADDY Field with STRAW -1.28 to 2.18,PTO SPEED-540rpm, working width-1810m, effective working width-1640mm, bale size-933x450x360 to 982x450x36, avg. weight-17.31to 29.71	CCSHAU HISAR	HAU/FMPE/21-22/SB-15, MARCH-2022	27/03/2029	परीक्षण हेतु चिह्नित किया गया है।
		ROUND STRAW BALER	GARUD	TRACTOR HORSE POWER-30HP AND ABOVE, IN PADDY Field with STRAW -0.52 to 0.82,PTO SPEED-540rpm, working width-1.20m ,bale size-100 cm, avg. weight-17.25 to 22.54 kg	CCSHAU HISAR	HAU/FMPE/21-22/SB-14, MARCH-2022	27/03/2029	परीक्षण हेतु चिह्नित किया गया है।

उप कृषि निदेशक,
तकनीकी सम्बन्ध,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
युगवत्सु नियंत्रण,
कृषि निदेशालय

अपर कृषि निदेशक,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन
कृषि निदेशालय

वित्त नियंत्रक,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

विभागाध्यक्ष (कार्म मशीनरी),
गोवर्धन/विश्वविद्यालय, पटना

कृषि निदेशक,
उत्तराखण्ड।

पत्र संख्या-230. दिनांक 12 अप्रैल 2022 के द्वारा जारी विज्ञापन से हार्वैस्टर हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र० सं०	मूल विक्रियार्ता फर्म का नाम	यंत्र का नाम	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	टैरिफिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2 Guru Nauak Agri Engineering Works, Punjab	3 Self Propelled Combine Harvester	4 Balkar 654	5 4 stroke, direct injection, turbo charged liquied cooled, compression ignition diesel engine, Max Speed - 2370+50rpm, Rated speed-2200rpm, No-6, Disposition- Vertical, Inline, Bore/stroke-104.0/113.0mm, Four stroke, liquid cooled, direct injection, Max speed- 2100 to 2200 rpm, Rated speed-2000rpm, no of cylinder-3, Bore/Stroke-110/122mm, capacity-3478.2cm ³ , fuel tank capacity-59.6L	6 NRFMTTI-Hisaar	7 COMB-269/2848/2022 /May 2022	8 31-May-27	9 पंजीकरण हेतु विहित किया गया है।
1		COMBINE HARVESTER	BALKAR B-525	Four stroke, liquid cooled, direct injection, Max speed- 2100 to 2200 rpm, Rated speed-2000rpm, no of cylinder-3, Bore/Stroke-110/122mm, capacity-3478.2cm ³ , fuel tank capacity-59.6L	NRFMTTI HISAR	COMB-142/1726/2015 APRIL-2015	30/04/2022	पंजीकरण हेतु विहित किया गया है।
		COMBINE HARVESTER	BALKAR B-525	Four stroke, liquid cooled, direct injection, Max speed- 2100 to 2200 rpm, Rated speed-2000rpm, no of cylinder-3, Bore/Stroke-110/122mm, capacity-3478.2cm ³ , fuel tank capacity-59.6L	NRFMTTI HISAR	COMB-267/2837/2022, APRIL-2022	30/04/2022	पंजीकरण हेतु विहित किया गया है।
		COMBINE HARVESTER	DASMESH-9100 PLASMA PLUS	self propelled, 4stroke, liquid cooled, compression ignition, working width-436cm, wheel size-18.4-30, cutter bar width-425cm,	NRFMTTI HISAR	COMB-239/2757/2021, OCTOBER-2021	31/07/2027	पंजीकरण हेतु विहित किया गया है।
2	DASMESH MECHANICAL WORKS PVT.LTD.	COMBINE HARVESTER	DASMESH-912 DLX	4stroke, liquid cooled, direct injection, max speed at no load- 2550-2650 rpm, rated rpm-2400, bore/stroke-106.5/110mm, capacity-2940cm ³ , fuel tank size-780x600x380mm, capacity-68.5L	NRFMTTI HISAR	COMB-217/2485/2020, JULY-2020	31/07/2027	पंजीकरण हेतु विहित किया गया है।
		COMBINE HARVESTER	DASMESH-912 DLX	4 stroke, liquid cooled, direct enjection, wheel size-16.9-28, ply rating-12pr, maxPTO power-36.4/49.5kw/hp	NRFMTTI HISAR	COMB-242/2760/2021, OCTOBER-2021	31/07/2027	पंजीकरण हेतु विहित किया गया है।
		COMBINE HARVESTER	DASMESH-9100 PLASMA PLUS	compression ignition, max speed-2370+50, rated rpm-2200, low idle speed-600+50rpm, bore/stroke-104/113mm, capacity-5760cm ³ , size of fuel tank-1240x810x360mm, capacity-370L	NRFMTTI HISAR	COMB-216/2484/2020, JULY-2020	31/07/2027	पंजीकरण हेतु विहित किया गया है।
3	KARTAR AGRO INDUSTRIES PVT. LTD.	COMBINE HARVESTER	KARTAR 4000LX	FOUR STROKE, LIQUID COOLED, DIRECT INJECTION, compression ignition, max. Speed-2370+50rpm, BORE/ STROKE-104.0/113.0 MM	NRFMTTI HISAR	COMB-237/2704/2021, JUNE-2021	30/06/2028	पंजीकरण हेतु विहित किया गया है।
4	KISANKRAFT LIMITED	PALM HARVESTER	KK-PH2-215	Recommended high speed-8000rpm, recommended low speed-2500+100 rpm, rated speed-7000rpm, max. speed-5000+200rpm, Bore/stroke-34/28 mm, capacity-25.4cc, capacity of fuel tank-0.80L, dimensions-3230x260x260mm, mass-8.9kg	SRFMTTI ANANTPUR	339/1150, MAY-2020	31/04/2025	पंजीकरण हेतु विहित किया गया है।
5	K.S. AGRICULTURAL INDUSTRIES PVT.LTD.	COMBINE HARVESTER	KS-9300	Four stroke, direct injection, compression ignition engine, engine speed, max-2370+50 rpm, low speed-450-500 rpm, Rated speed-2200+50rpm, fuel tank size-1125x830x350mm, capacity-300L, battery capacity-12v,110Ah,	NRFMTTI HISAR	COMB-211/2478/2020, JUNE-2020		पंजीकरण हेतु विहित किया गया है।

8/1

10

10

10

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक./माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
6	K.S. AGROTECH PVT. LTD	COMBINE HARVESTER	KSA GREEN GOLD	Four stroke, liquid cooled, direct injection, max. speed-2450-2550 rpm, Rated speed-2300rpm, Bore/stroke-87/102.4 mm, capacity-2434 cm ³ , no of cylinder-4, tank size-450x290x235mm, capacity-67.0L,	NRFMTTI HISAR	COMB-210/2477/2020, JUNE-2020	30/06/2027	पंजीकरण हेतु विहित किया गया है।
		COMBINE HARVESTER	KSA GREEN GOLD	Four stroke, liquid cooled, direct injection, max. speed-2450-2550 rpm, Rated speed-2300rpm, no of cylinder-4, bar working width-359cm, max. PTO power-35.0kw, Max engine power-35kw	NRFMTTI HISAR	COMB-246/2769/2022, JANUARY-2022		पंजीकरण हेतु विहित किया गया है।
		Combine Harvester	997 Deluxe	Four Stroke, Direct Injection, Turbo Charged, Liquid cooled, Compression ignitin diesel engine, Max Speed-2370rpm, No-6, Bore/Stroke-104.0/113.0mm, Capacity-5.760cm.	NRFMTTI-Hisaar	COMB-221/2639/2021 / Jan 2021	31-Jan-28	पंजीकरण हेतु विहित किया गया है।
7	Malkit Agro Tech Pvt. Ltd., Nabha Punjab	Combine Harvester	MSR-2018	Size of shaft-length-1040mm, Dia-61.0mm, Type-Bevel gears, Dia of splines shaft-43.5mm, Four, taper roller, 01 no-32208, No of bars-5, Size of tine bar-2140mm length, 26-9dia mm	NRFMTTI-Hisaar	IMP-937/2212/2018/Sept 2018	30-Sep-25	पंजीकरण हेतु विहित किया गया है।
		COMBINE HARVESTER	SWARAJ 8100 EX	Four stroke, direct injection, compression ignition engine, engine speed, max-2370+50 rpm, low speed-600+50 rpm, Bore/stroke-104/113mm, capacity-5760 cm ³ , size of fuel tank-1250x635x340mm,	NRFMTTI HISAR	COMB-179/2155/2018, APRIL-2018	30/04/2025	पंजीकरण हेतु विहित किया गया है।
8	MAHINDRA & MAHINDRA LTD.	COMBINE HARVESTER	SWARAJ 8100 EX + SELF PROPELLED	self propelled, four stroke, direct injection, compression ignition engine, max speed, rpm-2200, engine speed(no load)- 1650, bore/stroke-96/122mm, capacity-3532 cm ³ , fuel tank size-1250x635x340mm, capacity-245L	NRFMTTI HISAR	COMB-262/2809/2022, FEBRUARY-2022	28/02/2029	पंजीकरण हेतु विहित किया गया है।
		COMBINE HARVESTER	PREET-949 T	FOUR STROKE, LIQUID COOLED ,DIRECT INJECTION ,compression ignition, max speed-2400+50, bore/stroke-104/113mm, fuel tank capacity-50l, outer size-720x600x200mm	NRFMTTI HISAR	COMB-252/2782/2022, FEBRUARY-2022	28/02/2029	पंजीकरण हेतु विहित किया गया है।
		COMBINE HARVESTER	PREET-7049 M	FOUR STROKE, LIQUID COOLED ,DIRECT INJECTION ,compression ignition, max speed-2370+50, bore/stroke-104/113mm, fuel tank capacity-365l, size-1240x780x360mm	NRFMTTI HISAR	COMB-224/2642/2021, JANUARY-2021	31/01/2028	पंजीकरण हेतु विहित किया गया है।
		COMBINE HARVESTER	PREET, 4949	FOUR STROKE, water COOLED ,DIRECT INJECTION , max speed-2400, bore/stroke-104/118mm, fuel tank capacity-170L,	NRFMTTI HISAR	COMB-234/2693/2021, APRIL-2021	30/04/2028	पंजीकरण हेतु विहित किया गया है।
9	PREET AGRO INDUSTRIES PVT. LTD.	COMBINE HARVESTER	PREET-987D	FOUR STROKE, LIQUID COOLED ,DIRECT INJECTION ,compression ignition, max speed-2370+50, bore/stroke-104/113mm, fuel tank capacity-365l, size-1270x780x355mm	NRFMTTI HISAR	COMB-213/2480/2020, JUNE-2020	30/06/2027	पंजीकरण हेतु विहित किया गया है।

[Handwritten signature]

[Handwritten mark]

[Handwritten mark]

[Handwritten mark]

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की तैयारी तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
10	TIRTH AGRO TECHNOLOGY PVT. LTD.	COMBINE HARVESTER	SHAKTIMAN PADDY MASTER 3776	FOUR STROKE LIQUID COOLED, DIRECT INJECTION NATURAL ASPIRATED, COMPRESSION IGNITION, MAX SPEED-2400+50 rpm, bore/ stroke-104/118 mm	NRFMTTI HISAR	COMB-182/2158/2018, APRIL-2018		पंजीकरण हेतु विहित किया गया है।
11	YANMAR AGRICULTURAL EQUIPMENT CO, LTD.	COMBINE HARVESTER	YANMAR AW70GV	Four stroke, liquid cooled, compression ignition, max speed-2650+10, rated speed- 2500, bore/stroke-98/110 mm, capacity-3318 cm3, fuel tank size-425x425x565 mm, capacity-90L	NRFMTTI HISAR	COMB-175/2076/2017, DECEMBER-2017		पंजीकरण हेतु विहित किया गया है।

उप कृषि निदेशक,
तकनीकी सम्बन्ध,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

प्रतिनिधि,
विभागाध्यक्ष (फार्म मशीनरी),
गोवर्धन/विठ्ठल, पटनागर

अपर कृषि निदेशक,
कृषि निदेशालय

वित्त नियंत्रक,
कृषि निदेशालय

कृषि निदेशक,
उत्तराखण्ड।

पत्र संख्या-230. दिनांक 12 अप्रैल 2022 के द्वारा जारी विज्ञापन से प्राप्त रिपर हेतु अनुमोदित / स्वीकृत पंजीकृत फर्मों / अधिकृत विक्रेता, मेक / मॉडल का विवरण




क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अव्युक्ति
1	AKHTARI AGRO INDUSTRIES PVT. LTD	Straw Reaper	AKHTARI-A-757	5 Recommended power of tractor-45-60hp & above, MAX. PTO power-36.3kw, rated engine speed-1700 rpm, track width-2230mm, no of teeth on gears, drive/driven-21/21, oil capacity-4.0L, no of tynes-5, knife stroke-80.0mm, cutter bar width-2210mm, overall dimension-3530x2460x1550 mass-1945kg Power source-25 hp and above, power-11.0 kw, max PTO power-31.04 kw (ps), rated engine speed-1000-1200 rpm, cutting bar width-2000mm, working width-2070mm, knife stroke-75mm, stroke per minute-588(at 1000rpm) 69 I (at 1200 stroke per minute-588 at 1000rpm) Max PTO-32.5kw, MS square Hollow pipe and MS plate fabricated, Size of box-2365X70X70mm	6 SLFMTTI LUKNOW	7 IMP-2011/297, JUNE-2021	8	9 पंजीकरण हेतु विहित किया गया है।
2	ANMOL AGRICULTURE WORKS (MANSA / PUNJAB)	Conveyor Reaper	ANMOL-REAPER(7 FEET)	Power-55hp & above, Type of blade-l/jf type-Size 43X201mm, Max PTO-32.5kw, MS square Hollow pipe and MS plate fabricated, Size of box-2365X70X70mm	FIMTTC BIKANER	FIMTTC/IMP/19/119 3, JULY-2020	25/07/2027	पंजीकरण हेतु विहित किया गया है।
3	Amber Innovation Pvt. Ltd., Punchkula Haryana.	Straw Reaper	Farmhed-611	Power-55hp & above, Type of blade-l/jf type-Size 43X201mm, Max PTO-32.5kw, MS square Hollow pipe and MS plate fabricated, Size of box-2365X70X70mm	AITC-Raipur	Report No-044/October 2019		पंजीकरण हेतु विहित किया गया है।
4	BCS India Pvt. Ltd. Mangarh, Ludhiana Punjab	Self Propelled Reaper	Gartia 120	Self propelled reaper, walk behind, 4 stroke, air cooled, single cylinder, spark ignition engine, Bore/stroke-70/56, Capacity-21.5cc, type of valve-over head valve, Capacity fuel tank-3.3 ltr	NRFMTTI Hisar	REAPER-11/2788/2022/February 2022	28-Feb-27	पंजीकरण हेतु विहित किया गया है।
5	Dasmesh Agricultural Industries Pvt. Ltd., Rajkot Road, Malerkotla, Sangroor Punjab	Self propelled Reaper	730 VCR	4 Stroke, Air Cooled, Single Cylinder, Spark ignition engine, High idle speed-3800+150rpm, Low idle Speed-1400+150rpm, Max Speed-2200+200mm, Bore/stroke-77/58, Capacity-270cc	NRFMTTI-Hisaar	Reaper-13/2798/2022/February 2022	Feb-27	पंजीकरण हेतु विहित किया गया है।
6	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharashtra	Tractor Operated Straw Reaper combine	DASMESH-517	Tractor operated straw reaper combine, Pneumatic ribbed, Telescopic with universal joints, reel drive V-belt and pulley through cutter bar auger, knife guard double point without ledger plate, 30 blade serrated, 16 scoops, mass 2030 kg	Tested by NRFMTTI, Hissar	Comb-146/2512/2020 september 2020	2025	पंजीकरण हेतु विहित किया गया है।
7	GOBIND AGRICULTURE WORKS	Power Reaper	4S-120	Single Cylinder, 4 stroke, Vertical, Air Cooled, Compression ignition engine, High idle Speed-3250+50rpm, Low idle speed-1500+50rpm, Recommended speed-3000rpm, Max Power-3.6 kw, Bore/stroke-78/85mm	SREMTTI-Anantapur A.P.	Machine-412/1244/January 2021	31-12-2025	पंजीकरण हेतु विहित किया गया है।
8	Jaggi Agriculture Works, Vill. Kabulpur, District Patiala, Rajpur, Chanor, Rajpura	Straw Reaper	TRACTOR OPERATED	Recommended power of tractor-45hp & above, Max. PTO power-33.5kw Rated engine speed-1570-1600rpm, track width-2150mm, no of tines-5, cutter Bar width-1980mm, knife stroke-68mm, no of strokes-445rpm, overall dimensions-6060x2340x2080mm, mass-1950kg	FIMTTC BIKANER	FIMTTC/MECH/20/1 477, JUNE-2021	17/06/2028	पंजीकरण हेतु विहित किया गया है।
9	KS Agricultural Industries Pvt. Ltd, Railkot Road, Malerkotla, District Sangrur, Punjab	Wheat Straw Reaper	Jaggi 671	45 ha and above, 4 wheel, 2 wheel drive unit construction agriculture tractor, 1850 rpm, no and size 7.0-19, 10 PR, Type-Universal telescopic drive, Drive Length minimum-190 mm, Maximum-2000 mm,	NRFMTTI Hissar	Imp-330/1053 August 2008	2015	पंजीकरण हेतु विहित किया गया है।
		Straw Reaper	SWARAJ KS 756 DB	Pneumatic ribbed wheel, Telescopic shaft and universal joints, t and pulley, 408 strokes to 1700rpm of engine, screw auger on both ends with scoops	SLFMTTI, Lucknow	2011/217 december 2017	2022	पंजीकरण हेतु विहित किया गया है।
		Straw Reaper	KS-9300	4 stroke, direct injection, turbo charged liquid cooled, compression ignition diesel engine Rated speed-2200+50rpm, Cylinder no-6, Disposition-Vertical inline, Bore/stroke-5.760mm	NRFMTTI-Hissar	COMB-211/2478/2020/June 2020	30-Jun-27	पंजीकरण हेतु विहित किया गया है।

Handwritten signatures and initials are present on the right side of the page, including a large signature at the top right and several initials below it.


क्र.सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
		Straw Reaper	KS-9300	4 stroke, direct injection, turbo charged liquid cooled, compression ignition diesel engine Rated speed-2200+50rpm, Cylinder no-6, Disposition-Vertical inline, Bore/stroke-5.760mm	NRFMPTTI-Hisaar	COMB-211/2478/2020/June 2021	01-Jul-27	पंजीकरण हेतु चिह्नित किया गया है।
10	K.S. AGROTECH PVT. LTD (SANGRUR / PUNJAB)	STRAW REAPER	KSA 756 XH	Power-45hp and above, Tractor PTO Powered straw reaper	FMTTI LUKNOW	IMO-2011/241		पंजीकरण हेतु चिह्नित किया गया है।
11	KISANKRAFT LIMITED (BENGALURU URBAN / KARNATAKA)	HARVESTING REAPER	KK-SPR-1201P	4 stroke, air cooled, single cylinder, engine high speed-3800rpm, low speed-1600 to 1900 rpm, Rated speed-3600, Max. speed-2800, Bore/stroke-70/55, capacity-21.2cc, capacity of fuel tank-3.6L	NRFMPTTI HISAR	REAPER-10/2785/2022, FEB-2022	28/02/2027	पंजीकरण हेतु चिह्नित किया गया है।
12	KS Powertech, Rikot Road, Matherkotla punjab	Straw Reaper	KSA-756 XH	45hp and above, Tractor PTO powered straw reaper, Max PTO-34.3 kw, Type-pneumatic wheel, Track width-2150mm, Recommended tyre pressure-3.2kg/cm	SLFMTTI-Lucknow	IMP-2011/241/August 2020		पंजीकरण हेतु चिह्नित किया गया है।
13	MAHINDRA & MAHINDRA LTD. (MUMBAI / MAHARASHTRA)	Straw Reaper	JAGDEEP-742	Recommended power of tractor-above 50hp, max. PTO power, kw-36.2, rated speed-1800 rpm, recommended tyre pressure-2.5 kg/sq.cm, no. of tyre bars-5, cutter width-2220mm, knife stroke-75mm, cylinder width-1415mm,	CCSHAU HISAR	HAU/FMPE/19-20/SR-31, SEPTEMBER-2019		पंजीकरण हेतु चिह्नित किया गया है।
14	NEW VISHAVKARMA AGRO INDUSTRIES (SANGRUR / PUNJAB)	Straw Reaper	TRACTOR OPERATED	Recommended power of tractor-55hp & above, working width-2200mm, track width-2120mm, No. of teeth in gears, drive-18, driven-18, oil capacity-3.0L, no of tynes-21, cutting width-2270mm, speed of cutter bar-860rpm, knife stroke-75mm, overall dimensions-3430x2580x2015mm, mass-2022kg	A.I.T.C. RAIPUR	033, OCTOBER-2019		पंजीकरण हेतु चिह्नित किया गया है।
15	Perfect House Pvt. Ltd.	Self Propelled Reaper	PA-R210-NC	4 stroke, Air Cooled, Single Cylinder-Spark ignition engine, High idle speed-3800+100rpm, Low idle Speed-1750+100rpm, Max Speed-3600mm, Bore/stroke-77/58, Capacity-270cc	NRFMPTTI-Hisaar	Reaper-12/2792/2022/February 2022	28-Feb-27	पंजीकरण हेतु चिह्नित किया गया है।
16	PATIALA DISCS CORPORATION (PATIALA / PUNJAB)	Straw Reaper	PDC-STRAW REAPER-656	Recommended power of tractor-45hp & above, Max. PTO power kw/hp-53.6 hp, track width-2350mm, Tyre pressure-3.5kg/cm ² , nominal speed-540+10, oil capacity-5.0L, Dia. Of bars-28.06mm, Knife stroke-77.17mm, cutting width-2075mm	FIMTTC BIKANER	FIMTTC/MECH/21/1620, DECEMBER-2021	23/12/2028	पंजीकरण हेतु चिह्नित किया गया है।
17	RATNAGIRI IMPLEX PVT. LTD (BENGALURU URBAN / KARNATAKA)	POWER REAPER	AM-GR-4G120-GE/GEH	high idle speed-3220+50 rpm, low idle speed-1800+100, Rated speed-3000rpm, Bore/ stroke-70/55 mm, capacity-21.2cc, capacity of fuel tank-3.5L, knife stroke-45.06mm, stroke / minute-964, cutter bar working width-1200mm, overall dimensions-2345x1650x1160mm, mass-182kg	SRFMTTI ANANTPUR	401/1330, JANUARY-2022	31/12/2026	पंजीकरण हेतु चिह्नित किया गया है।
		POWER REAPER	AM-GR-4G120-GE/GEH	RECOMMENDED high idle speed-3250+50 rpm, low idle speed-1900+100, Rated speed-3000rpm, Bore/ stroke-70/55 mm, capacity-21.2cc, capacity of fuel tank-3.5L, knife stroke-45.06mm, stroke / minute-964, cutter bar working width-1200mm, overall dimensions-2345x1650x1160mm, mass-182kg	SRFMTTI ANANTPUR	401/1330, JANUARY-2022	31/12/2026	पंजीकरण हेतु चिह्नित किया गया है।


Handwritten signatures and initials are present on the right side of the page, including a large signature at the top right and several initials below it.


क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अन्य विवर
1	1. Saeco Strips Pvt. Ltd, Rampura Road Daroha, Tehsil Payal, Ludhiana Punjab	3 Straw Reaper	4 Yodha SAT SR 0056	5 Power of Tractor-45 hp and above, Four wheel, two wheel drive general purpose agricultural tractor, Max PTO-33.5 kw, no and size-two-7.00-19, 10PR, Track width -2210mm,	6 FIMTTC Bikaner	7 FIMTTC/MECH/15/5 February 2018	8	9 पंजीकरण हेतु विनियमित किया गया है।
18		5 Reaper	SAT-FR-007 7Feet	Power of Tractor-40 hp and above, Four wheel, two wheel drive general purpose agricultural tractor, Max PTO-33.5 kw, no and size-two-7.00-19, 10PR, Track width -2210mm,	FIMTTC-Bikaner	FIMTTC/MECH/21/1 604 January 2022	Jan-29	पंजीकरण हेतु विनियमित किया गया है।
		Front Reaper	SAT-FR-007	Power-35hp and above, Max Power-46.7 hp, Main Crop-Wheat, Effective Cutting bar width-2000mm, Working width-2065mm, Stroke per minute-588, Size of blade-82X76mm, Thickness-2.82mm	FIMTTC-Bikaner	FIMTTC/IMP/21/160 4		पंजीकरण हेतु विनियमित किया गया है।
19	SAMYAK MOTORS PVT. LTD.	Self Propelled Reaper	SPR-126 Plus	4 stroke, Single cylinder, Air Cooled, Recommended high idle speed-3800+100 rpm, Low idle Speed-1400+100 rpm, Max Speed-2500+50 rpm, Max Power-2.92 kW, Capacity-163cc, Bore/Stroke-68/45mm	NERFMPTTI Aasam	50/415/ Feb 2022	28-02-2027	पंजीकरण हेतु विनियमित किया गया है।
20	SONALIKA INDUSTRIES	Straw Reaper	SLPCCSR, PADDY CHOPPER	Tractor-PTO powered, trailed Paddy Chopper Cum Straw Reaper Combine, Working width, mm-2050, Engine No-4100YL43D414929FN, No. and size-Two, 7.00-19, 10 PR,	NRFMTTI HISAR	148/2703/2021, JUNE-2021	30/06/2028	पंजीकरण हेतु विनियमित किया गया है।
21	SANGAM AGRICULTURE WORKS, (MANSAL / PUNJAB)	VERTICAL CONVEYOR REAPER	SANGAM REAPER	power source-25 hp and above, power-11.0 kw, max PTO power-22.11 kw(ps), cutting bar width-2070mm, working width-1990mm, knife stroke-80mm, stroke per minute-588(at 1000rpm) 691(at 1200 rpm)	FIMTTC BIKANER	FIMTTC/MECH/16/6 73, DECEMBER-2018	20/12/2025	पंजीकरण हेतु विनियमित किया गया है।
22	SHREE RAM ELECTRIC CO. (JAMNAGAR / GUJARAT)	REAPER CUM BINDER	SHREE RAM-GREENLAND	NOMINAL SIZE-2220MM, POWER SOURCE -25HP AND ABOVE, WORKING WIDTH-2330MM, CUTTER BAR WIDTH-2280MM, KNIFE STROKE-75MM, SHOE TYPE, AT BOTH THE ENDS OF THE CUTTER BAR	TTCFM JUNAGADH	TTCFMJ/E/136/998, MAY- 2021	17/05/2028	पंजीकरण हेतु विनियमित किया गया है।
		REAPER CUM BINDER	SHREE RAM-GREENLAND	NOMINAL SIZE-1310MM, POWER SOURCE -35HP AND ABOVE, WORKING WIDTH-1400MM CUTTER BAR WIDTH-1310MM KNIFE STROKE-65MM SHOE TYPE, AT BOTH THE ENDS OF THE CUTTER BAR	TTCFM JUNAGADH	TTCFMJ/E/96/590, FEBRUARY-2018		पंजीकरण हेतु विनियमित किया गया है।
23	Saaron Mechanical Works Mansa Road, Cheema Mandi, Distt-Sangrur, Punjab-148029	Straw Reaper	Jagatjit-straw reaper-57	45 and above hp, 4 wheel, 2 wheel drive general purpose agriculture tractor, max pto power-51 hp, No and size-2 MRF 7-19 10 PLY, track width-2010 mm, Pieces- 3 circular	FIMTTC Bikaner	FIMTTC/MECH.19/12 55 August 2020	08-08-2027	पंजीकरण हेतु विनियमित किया गया है।
24	Ravindra Agriculture Industries, USNagar	Straw Reaper		टेस्ट रिपोर्ट अभाव				टेस्ट रिपोर्ट उपलब्ध होने के समस्त पंजीकृत किया जाएगा।
25	MalKIt Agro Tech Pvt. Ltd. Punjab	Straw Reaper	MSR-2018	Type-Tractor PTO poweredes straw reaper combine, 4 wheeled, 2 wheel-drive, general purpose agricultural tractor, Max PTO-36.4 kw, Lengthe of shaft-1030X1350mm, Provision for locking-striping loaded pin provided at both hub	NRFMTTI-Hisar	IMP-937/2212/2018/Sept ember 2018		पंजीकरण हेतु विनियमित किया गया है।







सं०	यूएल प्दानामता फर्म का नाम	यंत्र का नाम	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
26	GSA Industries, Village Daulatpur, Rasulpur Juran Road, Patiala PB	Tractor PTO Powered Straw Reaper	GSA-SR-757	45 HP & above, engine speed 1800rpm, Pneumatic wheel, Universal Telescopic type, oil capacity 4L., V-belt & pulley, 688 No. of strokes to 1700 rpm of engine, 30 No. of blades	SLFMTT, Lucknow	IMP-2011/303 June 2021		पंजीकरण हेतु विहित किया गया है।
27	V.S.T. Tillers Tractors Ltd., C-14, Lohia Nagar, Ghaziabad	Power Reaper	5 PR	VST shakti 5 PR, Waling Type Reaper, 135 kg, 2440X1470X950, Single Sylinder Air Cooled Pertol engine, 5HP, 3.1 ltr. Dry type, 2.5 KM/H	SRFMTT Anantpur Andhra Pradesh	235/864 June 2018	2025	पंजीकरण हेतु विहित किया गया है।



उप कृषि निदेशक,
तकनीकी सम्प्रेक्षण,
कृषि निदेशालय



संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय



संयुक्त कृषि निदेशक,
नियोजन
कृषि निदेशालय


प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय


प्रतिनिधि
विभागाध्यक्ष (फार्म मशीनरी),
मो०७००७०वि०वि०, पंतनगर


अपर कृषि निदेशक,
कृषि निदेशालय


वित्त नियंत्रक,
कृषि निदेशालय


कृषि निदेशक,
उत्तराखण्ड।

पत्र संख्या-230 दिनांक 12 अप्रैल 2022 के द्वारा जारी विज्ञापन से प्राप्त सुपर सीडर टिबल हेतु अनुमोदित / स्वीकृत पंजीकृत फर्मों / अधिकृत विक्रेता, मेक / मॉडल का विवरण

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अव्युक्ति
1	Ambher Innovation Pvt. Ltd., Punchkula Haryana	3	4	5	6	7	8	9
1		Super Seeder	11 tyne	Power-50 hp and above, Tyne between tow SS Disc Design, Dimension of frame-2094X560X5mm, LHS-660X470X10, RHS-620X490X8mm, Material-MS Pipe, Size of flanges-250mm, MS Pipe Size-2024X90mm	AITC-Raipur	No-038/October 2019		पंजीकरण हेतु चिह्नित किया गया है
		Super Seeder	PHSSMC-7 (11 tyne)	Power-55hp & above, Type of blade-I type-Size 43X201mm, Max PTO-41.01 (55) kw (HP), MS square Hollow pipe and MS plate fabricated, Size of box-2100X545X4.5mm	FMTC-Hyderabad	IMP-309/464/February 2022	28-02-2029	पंजीकरण हेतु चिह्नित किया गया है
		Super Seeder	13 Tyne	Power-60hp & above, Type of blade-LJF type-Size 43X201mm, Max PTO-32.5kw, MS square Hollow pipe and MS plate fabricated, Size of box-2365X70X70mm	CAFT-Hisaar	HAI/FMPE/21-22/SS-97/March 2022	27-03-2029	पंजीकरण हेतु चिह्नित किया गया है
2	Bhoomi Agro Industries	Paddy Seeder	KSNM/DPS20	No. of rows-8, diameter of drum-200mm, distance b/w hole to hole-75mm, weight of unit-10 kg	AECRI COIMBATORE	126-DPS/2015		पंजीकरण हेतु चिह्नित किया गया है
3	Bir Singh & Sons	Super Seeder	MCS-D10	Horse Power-55 hp and above, Type of blade-L type, Size-23X187 rotan dia X Working width, Max PTO-44.74 kw, Size of box-1860X540X5.0mm, dimensions-640X460X8.0 mm LHS	FMTC TELANGANA	IMP-281/432, JUNE-2021	30/06/2028	पंजीकरण हेतु चिह्नित किया गया है
		Super Seeder	BEW-15 Row	Horse Power-60hp and above, Type of blade-L-Type, Max PTO-36.4kw, Speed-1800rpm, Type of frame-MS square box, Size of box-2745X60X60mm, Thickness of plate-10& 8 mm	SLFMTTI-Lucknow	IMP-2011/3014/July 2021		पंजीकरण हेतु चिह्नित किया गया है
	Bhagwan Engg. Works, Raikot Road, Mafirkotla, Sangrur, Punjab	Super Seeder	BEW 13 Tyne	Horse Power-50hp and above, Type of blade-C-Type, Max PTO-39.2kw, Speed-1800rpm, Type of frame-MS square box, Size of box-2425X60X60mm, Thickness of plate-10 mm	SLFMTTI-Lucknow	2011/313/July 2021		पंजीकरण हेतु चिह्नित किया गया है
		Super Seeder	BEW 11R	"c" Type blade, Rotor blade 54, Furrow opener 11, Hopper Trapezoidal MS sheet with cover	SLFMTTI, Lucknow	2011/232 June 2020		पंजीकरण हेतु चिह्नित किया गया है
		Super Seeder	BEW	Tractor, mounted 9 rows, horse power 60 & above, LHS-10, RHS-10, 6 blades on 9 flanges, blades 54, carbon steel, Gear chain & sprockets, Furrow 11 openers,	IARI/FMTC Pusa New Delhi	IARI/AE/FMTC/19/2 1 October 2019		पंजीकरण हेतु चिह्नित किया गया है
		Super Seeder	BEW- 12 RD	Tractor operated, 9 rows, horse power 50 & above, 6 blades on 9 flanges, blades 54, Boron steel, Gear chain & sprockets, Furrow 12 openers	FMTC, Bikaner	FIMTTC/MECH/19/13 14 June 2020	27-06-2027	पंजीकरण हेतु चिह्नित किया गया है
4	Bhagwan Engg. Works, Raikot Road, Mafirkotla, Sangrur, Punjab	Super Seeder	BEWSS-15R	60hp & above, L type hatched blade, Max Pto-36.4 Kw, 1800 rpm, M.S. Square box, Size of box-2745X60X60 mm Fornt, 2830X60X60mm Rear, MS Plate, Thicknesses-10 & 8 mm	SLFMTTI-Lucknow	IMP-2011/3014/ July 2021		पंजीकरण हेतु चिह्नित किया गया है
		Super Seeder	BEWSS 13T	50hp & above, C type hatched blade, Max Pto-39.2 Kw, 1800 rpm, M.S. Square box, Size of box-2425X60X60 mm Fornt, 2430X60X60mm Rear, MS Plate, Thicknesses-10mm	SLFMTTI-Lucknow	IMP-2011/313/July 2021		पंजीकरण हेतु चिह्नित किया गया है
		Super Seeder	BWE-11R	45hp & above, C type hatched blade, Max Pto-3.65 Spedd, M.S. Square box, Size of box-2145X60X60 mm Fornt, 2160X60X60mm Rear, MS Plate, Thicknesses-8.0mm	SLFMTTI-Lucknow	IMP-2011/232/June 2020		पंजीकरण हेतु चिह्नित किया गया है
		Super Seeder	BEW	PTO-45 hp, Speed 2.28kmph, fornt to seed tube outlet, Max PTO-33.8 kw, 1800 rpm, MS square pipemrn, Thickness-8 mm, Size of bolt-50 length, 14 Dia, 2 Pitch mm	FMTC New Delhi	IARI/AE/FMTC/19/2 1 /Oct 2019		पंजीकरण हेतु चिह्नित किया गया है

Handwritten signature and initials.

Handwritten signature and initials.

Handwritten signature and initials.

Handwritten signature and initials.

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक/मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेदता तिथि	अव्युक्ति
1	2	3	4	5	6	7	8	9
		Super Seeder	BEW-12 RD	Nominal Width-190X12=2280mm, Nominal Width-2045mm rotar, Power source-50hp and above, Max PTO Power-33.8/49.5hp, Size 2115X550X5.80mm	FIMTTC Rajasthan	FIMTTC/MECH/19/13 14 June 2020	Jun-27	परीक्षण हेतु चिह्नित किया गया है
		Super Seeder	BEW 13R	Tractor mounted, "c" Type blade, Rotor blade 60, Furrow opener 13, 26 Disc, Hopper Trapezoidal MS sheet with cover	SLFMTTC, Hardoi road, Lucknow	2011/233 June 2020	2025	परीक्षण हेतु चिह्नित किया गया है
5	Dashmesh Agricultural Industries Pvt. Ltd	Super Happy Seeder	Dasmesh-711	Nominal Width-1827mm, Source of power-tractor, Power of tractor-50hp and above, Type of blade-L type, Max PTO-37.9kw Ps, Rated engine speed-2200 rpm, Size of box-2135X60X60mm, supporting flat-610X130X5mm	CCSHAU HISAR	HAU/FMPE/18-19/SHS-01, FEBRUARY-2019		परीक्षण हेतु चिह्नित किया गया है
		Super Seeder	(LFSS1238)	Max. PTO power, kw- 38.8, Engine speed corresponding to standard PTO speed (rpm)- 2400, Number & size of type- Two, 8.5-20, Two, 16.9-28, Total operational mass (kg)- 2210, Overall dimensions= 2500x1660x1395, 1020x480	FMPE LUDHIYANA	FMPE/TC/Comm./20 20/1207, JUNE-2020	JUNE, 2027	परीक्षण हेतु चिह्नित किया गया है
		Super Seeder	(LFSS1137)	Power-50hp and above, No of openers-10, Nominal Width-1838mm, Material-MS Plate, secondary Gear-Box-680X955X7.9, Disc Side-680X955X7.9, No and sahpe of flanges-10 an circular plate	FMPE LUDHIYANA	FMPE/TC/Comm./20 20/1213, JUNE-2020	JUNE, 2027	परीक्षण हेतु चिह्नित किया गया है
6	Dasmesh Machinial works	Super Seeder -11 Row	LFSS-1238	Power-55hp and above, Nominal width-2145mm, Size of flanges-260mm, thickness of flange-12.7mm, size of holes on each flange for fixing-12 and 14.4, Size of disc-370mm	PAU LUDHIANA	FMPE/TC/COMM./20 20/1207, JUNE-2020	Jun-27	परीक्षण हेतु चिह्नित किया गया है
		Super Seeder -10 Row	LFSS-1137	Maximum PTO power, kw- 38.8, Engine speed corresponding to standard PTO speed (rpm)- 2400 engine rpm at 540 PTO rpm, Number & size of type- Two, 8.5-20, Two, 16.9-28, Total	PAU LUDHIANA	FMPE/TC/COMM./20 20/1213, JUNE-2020	Jun-27	परीक्षण हेतु चिह्नित किया गया है
		Super Seeder	MIDDER-NSS-11T(11-TINES)	nominal width-2310mm, Rotor nominal width-2000mm, power source as recommended-55hp & above, max PTO power, kw/hp-39.8/54.1, distance b/w two flanges-225mm, Rotor blades-54	FIMTTC BIKANER	FIMTTC/MECH/20/14 20, JUNE-2020	06-11-2027	परीक्षण हेतु चिह्नित किया गया है
7	Friends Farming solution	Super Seeder	12 Tines	Power Source-55 hp and above, Max PTO Power-37.3/50.7 hp, Nominal width-200X12+2400 mm, MS Plate, LHS-770X530X10.01, RHS-410X452X8.02	FIMTTC Bikaner	FIMTTC/MECH/19/12 19 June 2020	27-06-2027	परीक्षण हेतु चिह्नित किया गया है
8	Gobind Agriculture Works Punjab	Super Seeder	GHUMAN MOTORS-11 TINES	Power at standard PTO speed, kw- 33.56, Rated engine speed= Max speed at no load= 2200-2400, Low idle speed= 650-750, Speed at max torque= 1100-1300, Drawbar power kw= 27.2, Total operational mass, kg= 835/835x1710/1150x2545/1985	FIMTTC BIKANER	FIMTTC/MECH/20/14 03, JUNE-2020	13/6/2027	परीक्षण हेतु चिह्नित किया गया है
		Super Seeder -7feet	TERRASOLI CROPICA 205(CR-205)	Maximum PTO power, Kw- 36.4, Power at standard power take-off speed, 540+10 rpm, Kw- 37.5, Rated engine speed, rpm- 2100, Drawbar power, Kw- 37.8, Total opeational mass, kg= 905x1415x2320,	FIMTTI LUCKNOW	IMP-2011/328, AUGUST-2021		परीक्षण हेतु चिह्नित किया गया है
		Super Seeder -8feet	TERRASOLI CROPICA 230 (CR-230)	Maximum PTO power, Kw- 36.4, Power at standard power take-off speed, 540+10 rpm, Kw- 37.5, Rated engine speed, rpm- 2100, Drawbar power, Kw- 37.8, Total opeational mass, kg=	FIMTTI LUCKNOW	IMP-2011/329, AUGUST-2021		परीक्षण हेतु चिह्नित किया गया है
10	Jai Auto Pvt. Ltd.	Super Seeder	JAGATI-IJSS(11-TINES)	Power at standard PTO speed, kw/hp- 46.7, Rated engine speed- Max speed at no load= 2200-2400, Low idle speed= 650-750, Speed at max torque= 1100-7300, Drawbar power kw-27.2, Total operational mass, kg- 835/835x1710/1150, 2545/1970	FIMTTC BIKANER	FIMTTC/MECH/21/15 98, JUNE-2021	18/06/2028	परीक्षण हेतु चिह्नित किया गया है

3

3

3

3

3

3

3

क्र. सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / मॉडल	यंत्र का स्पष्टीकरण	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वृद्धता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
11	Jagatjit Agri India Pvt. Ltd.	Super Seeder	JAGATJIT-JSS(10-TINES)	Power at standard PTO speed, kW/hp- 46.7, Nominal width-195X10+1950mm, Location of fertilizer outlet-45mm, Power source-50 hp and above, Dimension of frame-1900X555mm, Material-MS plate	FIMTTC BIKANER	FIMTTC/MECH/21/16 72/July 2021	46954	परीक्षण हेतु विहित किया गया है
		Super Seeder	JAGATJIT-JSS(8-TINES)	Material-MS Sheet & MS Pipe, Dimensions of frame-1524X555mm, No-2, Dimensions-LHS-700X490X10mm, RHS-600X480X8mm, No use of oil seal-01, 65-85-16 RHS,	FIMTTC BIKANER	FIMTTC/MECH/21/17 01/July 2021	27-07-2028	परीक्षण हेतु विहित किया गया है
		Super Seeder	JAGATJIT-JSS(14-TINES)	Nominal Width-195X14=2730, Nominal Width-2585 Rotar, Source of power-Tractor, Power source-55hp and above, Max PTO-46.7hp, Dimension of frame-2685X555mm, LHS-700X490X10, RHS-600X480X8mm	FIMTTC BIKANER	FIMTTC/MECH/21/16 75/July 2021	23-07-2028	परीक्षण हेतु विहित किया गया है
		Super Seeder	JAGATJIT-JSS(13-TINES)	Nominal Width-195X13=2535, Nominal Width-2390Rotar, Source of power-Tractor, Power source-50hp and above, Max PTO-46.7hp, Dimension of frame-2490X555mm, LHS-700X490X10, RHS-600X480X8mm	FIMTTC BIKANER	FIMTTC/MECH/21/15 97/June 2021	18-06-2028	परीक्षण हेतु विहित किया गया है
12	Kartar Agro Engineers Pvt. Ltd.	SUPER SEEDER 11 TINES	KARTAR SUPER SEEDER	Recommended power of tractor-50 hp above, Size of square pipe-52mm, Stiffer for spring- 4.50mm, Frame plate LHS- 571*161, Frame plate RH- 571*167, Thickness of plate, mm- 12.56mm, Overall dimensions, mm= 2298x1471x1720x905,	GBPUAT PANTNAGAR	CTE/FMP/2021-143, APRIL-2021		परीक्षण हेतु विहित किया गया है
13	Kamla Engineering Works	SUPER SEEDER 11 ROW	KAMLA SUPER SEEDER (11 ROWS)	Power at standard PTO speed, kW- 33.0, Rated engine speed, rpm- 2500, No load engine speed during field test, rpm- 1900, Drawbar power, kW- 29.8, Number & size of type= Two, 6.00-16.0/8PR, Two, 14.9-28.0/12PR	CCSHAU HISAR	HAU/FMPE/20-21/SS-43 MAY 2020		परीक्षण हेतु विहित किया गया है
14	Maschio Gasparido India Pvt. Ltd.	Super Seeder-8 feet	MASCHIO GASPARDO-SS2312	Maximum PTO power, Kw- 39.0, Power at standard power take off speed, 540+10 rpm, Kw- 35.3, Rated engine speed, rpm- 2100, Drawbar power, Kw- 37.3, Total operational mass, kg- 680x1150x1830	FIMTTI LUCKNOW	IMP-2011/326, AUGUST-2021		परीक्षण हेतु विहित किया गया है
		Super Seeder-7 feet	MASCHIO GASPARDO-SS2011	Maximum PTO power, Kw-37.5L, Power at standard power take off speed, 540+10 rpm, Kw- 37.5, Rated engine speed, rpm- 2100, Drawbar power, Kw- 37.8, Total operational mass, kg- 905x14.5x2320	FIMTTI LUCKNOW	IMP-2011/325, AUGUST-2021		परीक्षण हेतु विहित किया गया है
		HAPPY SEEDER 9 TINES	SWAN AGRO NSML HS-09	Nominal width-223X9+2007mm, Location of fertilizer outlet-45mm ahead in same row, Power source-45hp and above, Max PTO-33.1 kW, Dimensions of frame-2025X1120X6.30mm	FIMTTC BIKANER	FIMTTC/MECH/18/10 47, MARCH-2019	03-04-2026	परीक्षण हेतु विहित किया गया है
15	New Swan Multitech Ltd.	HAPPY SEEDER 11 TINES	SWAN AGRO NSML HS-10	Nominal width-223X9+2007mm, Location of fertilizer outlet -45mm ahead in same row, Power source-45hp and above, Max PTO-33.1 kW, Dimensions of frame-2025X1120X6.30mm	FIMTTC BIKANER	FIMTTC/MECH/18/10 49, FEBRUARY-2019	02-12-2026	परीक्षण हेतु विहित किया गया है
		HAPPY SEEDER 10 TINES	SWAN AGRO NSML HS-11	Nominal width-2018mm, Location of fertilizer outlet-42mm ahead in same row, Power source-55hp and above, Max PTO-46/62.5 kW, Dimensions of frame-2460X1040X6.30mm	FIMTTC BIKANER	FIMTTC/MECH/18/10 48, MARCH-2019	03-08-2026	परीक्षण हेतु विहित किया गया है
16	OSAW Udhyog Pvt. Ltd. Ambala	SUPER SEEDER 11 ROW	GSS-11 ROWS	Max. PTO power, kW (Ps)- 32.1, Rated engine speed, rpm- 2200, Drawbar power, kW- 30.4, No load engine speed during field test, rpm- 1800, Total operational mass (kg)- 1220x1615x2835	CCSHAU HISAR	HAU/FMPE/20-21/SS-53 MARCH-2021		परीक्षण हेतु विहित किया गया है

क्र.सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/माडल	यंत्र का स्पेसिफिकेशन	उत्प्रेषण संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
17	Parm Agro Industries,	Super Seeder - 8feet Super Seeder - 9 feet Super Seeder 11 Row	Param-831 Param-931 Param-731	Power Source-65 hp and above, Tractor Drawn Mounted type, Max PTO-37.51kw, Type-MS Sheet, Thickness of plate-LHS-10mm & RHS-10MM, Size of bolt-35mm length, 13.86 mm dia Power Source-70 hp and above, Tractor Drawn Mounted type, Max PTO-48.51kw, Type-MS Sheet, Thickness of plate-LHS-10mm & RHS-10MM, Size of bolt-35mm length, 13.86 mm dia Power Source-50 hp and above, Tractor Drawn Mounted type, Max PTO-36.81kw, Rated Engine Speed-1600rpm, Size of box-2095X60X60mm, Working width-2255mm Power at standard PTO speed, kW/hp-51.32 hp, Rated engine speed- Max speed at no load=2200-2400 Low idle speed = 650-750 Speed at max. torque=1100-7300, Drawbar power kW- 27.2,	FMTTC-Kerala FMTTC-Kerala CAET-Hisaar	IMP-105/129/2022/March 2022 IMP-106/130/2022/March 2022 FMPE-19-20/SS-06/March 2020	24-03-2029 24-03-2029	परीक्षण हेतु चिह्नित किया गया है परीक्षण हेतु चिह्नित किया गया है परीक्षण हेतु चिह्नित किया गया है
18	Fatila Disc Corporation	SUPER SEEDER 11 DISCS SUPER SEEDER 9 TINES SUPER SEEDER 13 TINES	(MOUNTED TYPE) PDC-SS(11-DISCS TINES) (MOUNTED TYPE) PDC-SS(09-TINES) (MOUNTED TYPE) PDC-SS(13-TINES)	Power at standard PTO speed, kW/hp-51.32 hp, Rated engine speed- Max speed at no load=2200-2400, Low idle speed=650-750, Speed at max. torque=1100-7300, Drawbar power kW-27.2 Power at standard PTO speed, kW-44.3, Rated engine speed- Max speed at no load= 2450-2600, Low idle speed= 600-700, Speed at max torque= 1100-1500, Drawbar power kW= 34.7, Total operational mass.kg= 1305/1210x2330/1940x3635/3150 Power of Tractor-45 hp and above, Max PTO power-33.56 kW, Type of frame-rectangular rigid frame, Size -60X60 front &60X60 Bak, Thickness-5mm, Side frame-Vertical trapezoidal type	FIMTTTC/BIKANER FIMTTTC/BIKANER FIMTTTC/BIKANER	FIMTTTC/MECH/19/10 95, JUNE-2021 FIMTTTC/MECH/19/12 09, JUNE-2020 FIMTTTC/MECH/19/12 88, JUNE-2021	18/06/2028 06-12-2027 18/06/2028	परीक्षण हेतु चिह्नित किया गया है परीक्षण हेतु चिह्नित किया गया है परीक्षण हेतु चिह्नित किया गया है
19	Saeco Strips Pvt. Ltd, Raumpura Road Daroha, Tehsil Payal, Ludhiana Punjab	Happy Seeder	SAT-HS (10Tyns)	Power of Tractor-45 hp and above, Max PTO power-33.56 kW, Type of frame-rectangular rigid frame, Size -60X60 front &60X60 Bak, Thickness-5mm, Side frame-Vertical trapezoidal type	FIMTTTC-Bikaner	FIMTTTC/MECH/17/89 1, Feb 2019	10-02-2026	परीक्षण हेतु चिह्नित किया गया है
20	Saaron Mechanical Works Mansa Road, Cheema Mandi, Distt-Sangrur, Punjab-148029	Super Seeder Super Seeder Super Seeder	Super Seeder- 11 Tyne JAGIT- JSS (11 Tines) Super Seeder- 12 Tyne JAGIT- JSS (13 Tines)	JSS-07, Working Widht-2100mm, 55 and above hp, 54 no of blade, type of blade- LIF type, Thickness of blade-7 to 8 mm, Gear Bok-Multi speed 11:22/13:23, No of tyns-11, Weight-900 kg, overall dimension-1530X2580X1350 mm tractor operated, mounted type, horse power 45 and above, Rotor blades 48, Boron steel, 6 blades on each lange with left right alternate combination, Propeller shaft with Telescopic having one universal joint on each segment, Hopper box 95/105 kg MS sheet fabricated, Trapezoidal shaped tractor operated, mounted type, horse power 55 and above, Rotor Blades 54, Boron steel, 10 circular langes, 6 blades on each lange with left right alternate combination, Propeller shaft with Telescopic having one universal joint on each segment, Hopper tractor operated, mounted type, horse power 55 and above, Rotor blades 60, Boron steel, 11 circular langes, 6 blades on each lange with left right alternate combination, Furrow opener 13, Propeller shaft with Telescopic having one universal joint on each segment.	SLFMTTTR, Lucknow FIMTTTC, Bikaner tested FIMTTTC, Bikaner tested	IMP-2011/172 January 2019 FIMTTTC/MECH/20/13 22 June 2020 FIMTTTC/MECH/20/13 95 June 2020	Jan-26 2025 2025	परीक्षण हेतु चिह्नित किया गया है परीक्षण हेतु चिह्नित किया गया है परीक्षण हेतु चिह्नित किया गया है





क्र. सं.	उपस्थानक नाम	यंत्र का नाम	मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	आयुक्ति
1	2	3	4	5	6	7	8	9
21	Sonalika Industries Hosiarpur Punjab	SUPER SEEDER 11 ROW SUPER SEEDER 13 ROW	SONALIKA(11-ROW) SLSS-8 FEET	Make, model and type-Mahindra Arjun 605 DI, Number of cylinders-4, Max. PTO power, Kw-37.8, Power at standard power take off speed, 54+10 rpm, Kw-37.5, Rated engine speed, rpm-2100, No load engine speed during field test, rpm-1900, Drawbar power, Kw-37.8. Make, model and type-Mahindra Arjun 605 DI, Number of cylinders-4, Max. PTO power, Kw-37.8, Power at standard power take off speed, 54+10 rpm, Kw-37.5, Rated engine speed, rpm-2100, No load engine speed during field test, rpm-1900, Drawbar power, Kw-37.8. Recommended speed of machine-3.48to3.55 kmph, maxPTO power-33.8kw, engine speed-1800rpm, size of box-2145x60x60mm(front), 2155x60x60(rear), Rotar blade-54 types of blades-JLF type, power source as recommended, hp-55&above, maxPTO power, kw/hp-44.3kw, Rotar blades-48 types of blades-JLF type, power source as recommended, hp-65&above, maxPTO power, kw/hp-44.3kw, Rotar blades-54 recommended power of tractor-55& above, max PTO power-33.0 kw, size of box-2065x60x60mm, size of supporting flat-640x190x8 mm, distance b/w two flanges-205mm, total no of blades-54 recommended power of tractor-50& above, max PTO power-36.2 kw, size of box-2325x60x60mm, size of supporting flat-635x190x8 mm, size of box-2325x60x60mm, rotor blade-66 Speed-3.5 kmph(apa), RPM-1800-1900, Size of box Front-1845X60X60, Rear-1865X60X60mm, Type-MS Plate- Thickness-8 &10 LHS & RHS, Horse power required-50/37.3 hp (apa) Tractor mounted type, horse power 50 and above, LHS-08 & RHS 10, Rotor blades 54, LfJ type, Shoe tyne type, 11 no. of Furrow opener, hopper unit 90/100 for seed/fertilizer box,	FMTTI LUCKNOW FMTTI LUCKNOW FMTTI LUCKNOW	IMP-2011/238, JULY-2020 IMP-2011/296, JUNE-2021 IMP-2011/321, AUGUST-2021		परीक्षण हेतु चिह्नित किया गया है परीक्षण हेतु चिह्नित किया गया है परीक्षण हेतु चिह्नित किया गया है
22	Steel Boy Pvt. Ltd.	SUPER SEEDER-12 ROW	STB-SS-712					
23	Tirth Agro Technology Pvt. Ltd.	Super Seeder Super Seeder	SHAKTIMAN-(SSUS-7) SHAKTIMAN-(SSUS-8)					
24	Vishvakarma Agro Industries, Sangroor Punjab	SUPER SEEDER 11 ROW SUPER SEEDER 12 ROW	VISHAVKARMA-741 VISHAVKARMA-741					
26	GSA Industries, Village Daulatpur, Rasulpur Jaura Road, Patiala, Punjab	Super Seeder Super Seeder	GSA SS-684 AGRIZONE (10 ROW) GSA SS-748 (7") (11ROW)					

उप कृषि निदेशक,
तकनीकी सम्मेलन,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

प्रतिनिधि,
विभागाध्यक्ष (फार्म मशीनरी),
मोडव040वि0वि0, पटनागर

कृषि निदेशक,
उत्तराखण्ड।