









दिनांक 31.09.2013 तक वैद्य हैरो हेतु सूचीबद्ध/पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण:-

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन
1	2	3	4	5	6
1	M/s Hamidi Agriculture Works, Darhiyal Road, Dheemarkhera, Kashipur, US Nagar	Tractor Drawn		Hamidi-Trailed offset Disc Harrow(8*8)/GBPUAT, Pantnagar tested	Trailed offset, No. of gangs-2, eight plain disc in each gang, dia of disc- 610mm, thickness of disc- 5.5mm, overall dimension- 2700* 1910* 540mm, weight- 665kg, field capacity-0.68 ha/hr
2	M/s Lalji & Sons, 261/3 Purani Tehsil, Dehradun Road, Roorkee, Haridwar	Tractor Drawn Trailed Disc Harrow	1- M/S Rajat Agriculture Works Dehradun Road, Roorkee BRANCH (a)- Kotwali More Laksar (b)- Near Forest Chauki, Chakrata Road Sahaspur. 2- Punjab Agriculture Works, Saharanpur Road, Roorkee	Daimond Supuer (7x7)/GBPUAT, Pantnagar tested	Power Source 25hp, trailed offset, single point, 2 gangs, 7 discs in each gang, dia of disc 612mm, plane speed, solid rubber transport wheel, working capacity-5.20ha/day
		Tractor Drawn Harrow Mounted Type Disc Harrow		Tractor Drawn Mounted Type Offset Disc Harrow (7*7)/GBPUAT, Pantnagar tested	Power Source 35hp, trailed offset, single point, 2 gangs, 7 discs in each gang, dia of disc 612mm, solid rubber transport wheel, working capacity-5.20ha/day
3	M/s Roorkee Machinery Store, Haridwar Road, Lakshar, Haridwar	Tractor Drawn Trailed Type Disc Harrow	1-M/s Roorkee Machinery Store, Haridwar Road, Laksar, Distt-Haridwar. 2-M/s Bharat Agro Engineering Works, 115-Gaglheri Road, Shahpur-Bhagwanpur, Haridwar.	Tractor Drawn Trailed Type Disc Harrow(7*7) tested by GBPUAT, Pantnagar	No. of gangs-2, No. of Disc in each gangs-07, Diameter of disc-613mm, overall dimension- 1750*1690*520mm, working capacity-0.64 ha/hr
4	M/s Kartar Singh & Sons, Station Road, Kashipur, U.S. Nagar, Uttarakhand	Tractor Drawn Trailed Type Disc Harrow		Kartar Implements8*8/GBPUAT, Pantnagar	Gang 2, Disc In Each Gang 8 ,Length Of SHAFT 1870mm,overall dimension- 3250*2070*520mm, area covered- 0.65- 0.77ha/hr
5	M/s Kamla Engineering Works, Near PNB, Ismailabad, Kurukshetra, Haryana-136129	Tractor Mounted Disc Harrow		Kamla tractor mounted offset disc Harrow(7*7) /FMPECAET, hisar tested	power source- 35hp & above, Gang 2, 14 Disc, dia of disc 560mm ,Thickness of disc 4mm, overall dimension- 2350*2400*1020mm, area covered- 0.62-0.72ha/hr
6	M/s Tirth Agro Technology Pvt.Ltd., Near Hotel Krishna Park, NH-27, Vavdi, Rajkot, Gujrat-360004	Tractor Mounted /power Harrow	1-Mr. Pranav Singhal, M/s Shri Enterprises, Dehradun, Mob-8171556969, 2-M/s Jai Gurudev Industries, Rudrapur, U.S Nagar, Mob-9927064150, 3-Mr. Rajat Sarhadi, M/s Agriculture Works, Roorki, Haridwar, Mob-9012120171, 4-M/s Namdhari Industries, Gadarpur, U.S Nagar, Mob-9927555856, 5-Mr. Pankaj Singh, M/s Pankaj Engineering Works, Juspur, U.S Nagar, Mob-9758490746	Shaktiman SPH-6D Single speed power harrow/ Tested By FMTTI, Garladinne (A.P)	power source- 55hp & above,working width- 1728mm, No. Of Flanges 7, Size Of Flange 170*95 mm, No. of Blade Each Flange 2, Rotor Blade 14, area covered- 0.296-0.313 ha/hr
				Shaktiman SPH-7D Single speed power harrow/Tested By FMTTI, Garladinne (A.P)	power source- 60hp & above,working width- 1970mm, No. Of Flanges 8, Size Of Flange 170*95 mm, No. of Blade Each Flange 2, Rotor Blade 16, area covered-0.335-0.353ha/hr

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन
1	2	3	4	5	6
7	M/s National Agriculture Repairing Works, Haridwar Road, Lakshar, Haridwar	Tractor Drawn Trailed Type Disc Harrow	-	National-Trailed Type Disc Harrow (7x7)/GBPUAT, Pantnagar tested	two gangs, 7 disc in each gangs, dia of disc-620mm, disc spacing-220mm, disc thickness-4.6mm, plain spool, overall dimension-1760*1700*520mm, field capacity-0.76ha/hr
8	M/S Avon Agriculture Industries, Sakainiya Road, Gadarpur, U.S Nagar	Tractor Drawn Trailed Type Disc Harrow	-	Avon Harrow(8*8)/GBPUAT, Pantnagar tested	Power Souce 35hp, 2 gangs, 8 disc in each gangs, dia of disc-620mm, working capacity-0.83 ha/hr, disc spacing-220mm, overall dimension- 2130*1955*730mm
9	M/s Ravindra Agriculture Industries, B-18, Industrial Estate, Rudrapur, US Nagar	Ravindra offset mounted Disc Harrow	-	Ravindra-offset mounted Disc Harrow (8x8)/NRFMTTL, Hisar tested	power required- 35hp, 2 gangs, 8 disc in each gangs, dia of disc-614mm, overall dimension-3150*2250*900mm, weight- 710kg, avg. area covered- 0.641-0.955 ha/hr,
10	M/s Uttaranchal Agro Industries, Kishanpur, Kichha, US Nagar	Tractor Drawn Trailed Disc Harrow	1-M/s Tyagi Agro Sales, Bareli Road, Kichha, U.S Nagar, 2-M/s Surbhi Agro India, Jwalapur, Haridwar, 3-M/s Kishan Fertilizer Agency, Chaiti Choraha, Kashipur, U.S Nagar.	Tyagi-trailed Disc Harrow(7x7)/NRFMT TL, Hisar tested	Primemover required=above 25hp, No. of gangs 2, No. of Disc in each gangs-07, Dia Of Disc 613mm, overall dimension- 3300*2020*870 mm, weight- 590kg, area covered- 0.613-0.795ha/hr
		Tractor Drawn Trailed Disc Harrow		Tyagi-trailed Disc Harrow(8x8)/GBPUA T, Pantnagar tested	Farmtrac 45xT tractor,, 27.90kw, 14 curved flat scraper assembly, two no. of gangs, 8 disc in each gang, 14 spool, overall dimension- 3250*2070*620mm,area covered- 0.65-0.77ha/hr
11	M/s Jai Gurudev Industries, C-19/20, Industrial Area, Kichha, Bye Pass Road, Rudrapur, US Nagar	Tractor Drawn Trailed Type Disc Harrow	1-M/s Om Bapu Agro Industries, Khasra No-13, Kichha by Pass Road, Rudrapur, U.S Nagar, 2-M/s Shri Enterprises, Dehradun, 3-M/s Guru Har Govind Agriculture Implements, Kashipur Road, Bazpur, U.S. Nagar.	Jai Gurudev (8x8)/NRFMTTL, hisar tested	Power Source 35hp, 2gangs, 8 plain disc in each gang, curved flat scraper assembly, plain spool 7 in each gang, overall dimension- 3285*2300*940mm, weight- 780kg, area covered- 0.720-0.912 ha/hr.
		Tractor Drawn Trailed Type Disc Harrow		Jai Gurudev (7x7)/GBPUAT, Pantnagar tested	Above 35hp, 2gangs, 7discs in each gangs, dia of disc-610mm, overall dimension- 1955*1700*520mm, wweight- 703kg, area covered- 0.64ha/hr
		Tractor Drawn Paddy Harrow		Jai Gurudev (7x7)/GBPUAT, Pantnagar tested	Above 35hp, 2gangs, 7discs in each gangs, dia of disc-480mm, overall dimension- 2770*520*480mm, weight- 280kg, area covered- 0.32ha/hr.

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन
1	2	3	4	5	6
12	M/s Akhtari Agriculture Works, Muradabad Road, Kashipur, US Nagar	Tractor Drawn Trailed Type Disc Harrow		Akhtari-Harrow (7x7)/GBPUAT, Pantnagar tested	power source 55hp, 2 gangs, 7 disc in each gang, dia of disc-600mm, 225mm plain spool disc thickness-4mm, working capacity-5.28 ha/day.
				Akhtari-Harrow (8x8)/GBPUAT, Pantnagar tested	Prime mover-Farmtrac 45XT tractor, 27.90kw, square box type gang frame, two gang, 8 disc in each gang, 14 spools, half moon type bumper, working capacity- 5.76 ha/day
13	M/s Vijay & Company, Haridwar Road, Laksar, Haridwar.	Tractor Drawn Trailed Type Disc Harrow		Anmol-Trailed type (7x7)/ GBPUAT, Pantnagar tested	recommended power- 45hp, double action, 2 gangs, 7 disc in each gang, dia of disc-61 cm , plain spool, 61circular axle, field capacity-0.84 ha/hr.
				Anmol-Trailed type (8x8)/ GBPUAT, Pantnagar tested	recommended power- 45hp, double action, 2 gangs, 8disc in each gangs, dia of disc-61cm , plain spool, 61circular axle, field capacity- 1.15ha/hr.
14	M/s Satwant Agro Engineers, Sangrur Road, BhawaniGarh, Punjab	Disc Harrow	1- M/s Jai Gurudev Industries, Rudrapur, Mob- 9568880000 2- M/s Sandhu Agriculture, Jaspur, Mob- 9927718777	Satwant Disc Harrow tested by DFMPE, Hissar	recommended power- 50hp & above, double action, 2 gangs, 8disc in each gangs, no. of spool- 7 in each gang, overall dimension- 2870*2195*1230mm, field capacity-0.98-1.12 ha/hr.
15	M/s BERI UDYOG Pvt. Ltd. Plot No. 225 to 240, Sector-03, Karnal (Haryana)	Disc Harrow	1-M/s BT. Agency, Aliganj Road, Kashipur, U.S. Nagar 2- M/s A-One Agriculture Industries, Gadarpur, U.S. Nagar 3- M/s Jai Gurudev Industries, Kichha, Rudarpur, U.S. Nagar 4- M/s Prime Solutions, Kaulagarh Road, Dehradun 5- M/s Singh Trading Corporation, Dehradun Road, Roorkee	Field king- trailed type, Tested by CIAE, Nabi Bagh Bhopal	Recommended Source of Power, 45-55 hp, No. Of Disc- 14, GANGS-2, Over All Dimension- 1934* 2037* 430mm, weight- 695kg, Working Capacity 0.38-0.46 ha/h

उप कृषि निदेशक,
तकनीकी संप्रेषण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन एवं अनुश्रवण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

प्रतिनिधि
निदेशक उद्योग
उद्योग निदेशालय

प्रतिनिधि
विभागाध्यक्ष (फार्म मशीनरी)
गो०व०प०वि०वि०.

अपर कृषि निदेशक,
कृषि निदेशालय

वित्त नियंत्रक,
कृषि निदेशालय

कृषि निदेशक,
उत्तराखंड