

# कृषि निदेशालय उत्तराखण्ड, नन्दा की चौकी, प्रेमनगर, देहरादून।

(दूरभाष संख्या-0135-2772677, फ़ैक्स-0135-2771881, ई मेल-dir.agri.Uttarakhand@gmail.com)

पत्रांक-कृ.नि./5620/SMAM/पंजी.-कृषि यंत्र/2024-25

दिनांक- 10 जनवरी, 2025

1. समस्त मुख्य कृषि अधिकारी, उत्तराखण्ड।
2. समस्त कृषि एवं भूमि संरक्षण अधिकारी, उत्तराखण्ड।

**विषय- कृषि यंत्रों/उपकरणों हेतु पंजीकृत फर्म तथा माडल विषयक।**

निदेशालय के पत्र संख्या-कृ.नि./2213/पंजी/कृषि यंत्र/2024-25, दिनांक 26 जुलाई, 2024 के द्वारा विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध करने हेतु विज्ञापन जारी किया गया था। उक्त के क्रम में उत्तराखण्ड अधिप्राप्त नियम 2017, विभिन्न योजनाओं के अन्तर्गत कृषि यंत्रों/उपकरणों पर अनुदान उपलब्ध कराने जाने हेतु कृषि मशीनों तथा यंत्रों/उपकरणों के मूल विनिर्माता फर्मों से प्राप्त पंजीकृत प्रपत्रों का गठित पंजीकरण समिति द्वारा परीक्षण करने के उपरान्त विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध/पंजीकरण हेतु उपयुक्त पाया गया। सूचीबद्ध/पंजीकरण हेतु चिन्हित किए गए यंत्रों/उपकरणों का विवरण निम्नानुसार है।

क्र. सं.	फर्म का नाम	सूचीबद्ध/पंजीकरण होने वाले कृषि मशीनों/यंत्रों/उपकरणों का विवरण
1.	ANDREAS STIHL PVT.LTD., kuruli, pune, Maharastra	Power Weeder
2.	Bir singh & Sons Chandigarh Road, Samrala, Ludhiana Punjab	Power Weeder /Thresher
3.	Bharat Agro Equipments, 27 Vidya Vihar-1, Phase-2 Kargi Road, Dehradun, Uttarakhand	Power Weeder
4.	BCS India Pvt. Ltd. Manngarh, Ludhiana Punjab	Power Weeder
5.	Bonhoeffer machines private limited, faridabad haryana	Power Weeder
6.	Bushra Impex, kalasipalyam new extension, Banglore	Power Weeder
7.	Competent Agriculture Machinery, Near C.O. Office, Delhi-Saharanpur Road, Baraut, Bagpat, U.P.	Power Weeder
8.	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharasta	Power Weeder
9.	Farmworld Agrotech PVT LTD, Sf 08, Shreemad Bhavan, Opp Kanta Stree vikas gruh, Dhebar road, Rajkot Gujarat	Power Weeder
10.	FARM AND GARDEN TECHNOLOGIES PVT.LTD, MG road, sector 28, GURGAON HARYANA	Power Weeder
11.	Falcon Garden Tools Pvt. Ltd. , alamgir, LUDHIANA, PUNJAB	Power Weeder
12.	Ghuman Motors, bhatti road, sirhind, punjab	Power Weeder
13.	GSA Industries, Daulatpur, Rasulpur, Patiala Punjab	Power Weeder
14.	GEORGE MAIJO INDUSTRIES PVT.LTD , CHENNAI, TAMIL NADU	Power Weeder
15.	Hindustan Agro Industries copration, Hoshiarpur, Punjab	Power Weeder/Thresher
16.	Husqvarna (India) Products Pvt. Ltd. First Floor, Swees House No. 5, Mylapore, Chennai, Tamilnadu	Power Weeder/Sprayer
17.	Honda India Power Products Ltd, greater noida, gautam budh nagar, up	Power Weeder
18.	Indicon Agro Industries LLP, Park street, ground floor, Kolkata, WB	Power Weeder
19.	Jai Auto PVT LTD, Dudhola, Dhateer road, Pirthla Palwal Haryana	Power Weeder
20.	Kirloskar Oil Engines Ltd., 498-143 KA, Near IT College Chauraha, SBI Building, Faizabad Road, Lucknow	Power Weeder/Power Tiller

21.	Lal ji & Sons Dehradun Road, Roorkee, haridwar	Power Weeder/thresher
22.	Maan agriculture works, ludhiana byepass, malerkotla sangrur punjab	Power Weeder
23.	MTD Products India Pvt. Ltd. Pune nasik highway, kuruli tal, pune, Maharashtra	Power Weeder
24.	Macan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Power Weeder
25.	Nipha India Limited 48, ganga Jamuna, 28/1, Shakespeare sarani, Kolkata	Power Weeder
26.	Perfect House Pvt. Ltd. Additional MIDC, Satara, Mumbai	Power Weeder
27.	Ramsons Impex, IP- 17, Raipur Sahkari Udhogic Shetra, Vill-Raipur, Bhagwanpur, Roorkee, Haridwar	Power Weeder/Thresher/ Sprayer
28.	RATNAGIRI IMPEX PVT. LTD, mysore road, BENGALURU URBAN KARNATAKA	Power Weeder/Thresher / Sprayer
29.	R.K.Manufactures, nirmal industries, vavdi, rajkot, gujarat	Power Weeder
30.	Stanley Black & Decker India Pvt Ltd, Mahalunge, Chakan, Pune, Maharashtra	Power Weeder
31.	Smooth Run Exports Pvt LTD, Navjivan wadi, Hamalwadi, Dhobi Talao, Mumbai, Maharashtra	Power Weeder
32.	Simpsons & co. Ltd. Anna Salai, Chennai TN	Power Weeder
33.	SUN AGRO, GE ROAD, SUPELA BHILAI Chittasgarh	Power Weeder
34.	Super Power Agro India, Baraut Baghpat UP	Power Weeder/ Sprayer
35.	UGT TECH Pvt Ltd, Kalyani, Nadia, West bengal	Power Weeder
36.	VJ Materials Mart, Sirsi road, Deha, Unchasiwana, Karnal, Haryana	Power Weeder
37.	Varsha Agro mach engg pvt ltd, Singanallur post,coimbatore, tamil nadu	Power Weeder
38.	Vijay and Company, haridwar road, laksar	Power Weeder
39.	VSM International Pvt. Ltd., 65 Red Square Market, Hisar, Haryana	Sprayer
40.	Avtar singh & sons Sangrur PB	Thresher
41.	Akhtari Agriculture Works, Muradabad Road, Kashipur, US Nagar, Uttrakhand	Thresher
42.	Amar Singh & Sons, Ahmadgarh	Thresher
43.	Atharv Agrotech Enginerring, Rishikesh, Uk	Thresher
44.	Bhaike Agriculture Works, Bagha purana road Bhagta Batinda , Punjab	Thresher
45.	Bansal traders, vikasnagar, dehradun	Thresher
46.	Dashmesh Mechanical Works,Nabha-Malerkotla Road, Amargarh Punjab	Thresher
47.	Dasmesh Agro Industries, Baja Khana Road Bhagta Bhai ka, Bhatinda Punjab	Thresher
48.	Indicon Agro Industries LLP, Assam	Thresher
49.	Joginder Singh Narang Singh Ahmedgarh, Sangrur PB	Thresher
50.	Parashar agrotech Bio Pvt Ltd, mohankunj Apartment, Ghausabad, Varansi, UP	Thresher
51.	Ravindra Agricultural Industries, USNagar	Thresher
52.	Sun Agro, supela, bhilai	Thresher
53.	Sonalika Agro industries corporation, Hosiarpur, punjab	Thresher
54.	Zandu Steel Works 1085, Milap Nagar, Near Manav Chowk, Ambala City	Thresher
55.	JAGATSUKH Industries, passi chowk, pakhawal road, ludhiana, punjab	Sprayer
56.	Shakti Agro Industries, Arjun Nagar, Radha Swami Road, Ludhiana PB	Sprayer
57.	Tirth Agro Technology Pvt Ltd. Shaktiman, Bharudi Toll Plaza, Bhunava village, Gondal Rajkot Gujarat	Sprayer

सलंगन सूची के अनुसार कृषक द्वारा सूचीबद्ध/पंजीकृत विनिर्माता फर्म/फर्मों के अधिकृत डीलर से सलंगन सूची में अंकित माडल को क्रय करने पर ही अनुदान देय होगा। अनुदान देते समय निम्न बिन्दुओं को ध्यान में रखा जाए।

1. उपरोक्त पंजीकरण पत्र जारी होने वाले दिनांक से दो वर्ष तक वैध रहेगा।
2. कृषकों को कृषि यंत्रों/उपकरणों पर अनुदान **Submission on Agricultural Mechanization**(SMAM) की गाईडलाइन के अनुसार होगा। पैरा 6.4.2 अथवा संबंधित योजना की गाईडलाइन में इंगित व्यवस्था के अनुसार अनुपालन सुनिश्चित किया जाये। साथ ही यह ध्यान रखा जायेगा कि अनुसूचित जाति, अनुसूचित जनजाति, महिला तथा लघु सीमांत कृषकों को प्राथमिकता मिले।
3. कृषि यंत्रों/उपकरणों पर अनुदान भारत सरकार/राज्य सरकार द्वारा निर्धारित/अनुमन्य **अधिप्राप्त** सीमा तक ही देय होगा।
4. सूचीबद्ध/पंजीकृत फर्म को बिल स्वयं अथवा विनिर्माता की संस्तुती पर नियमानुसार अधिकृत विक्रेता भी बिल जारी कर सकेगा बिल/कैश मैमो पर पूर्ण स्पेसिफिकेशन के साथ कृषि यंत्र का माडल/ब्राण्ड/गारन्टी/क्रम संख्या/चेचिस संख्या, वारन्टी अवधि का अनिवार्य रूप से अंकन करेगा।
5. अनुदान कृषक/मूल विनिर्माता द्वारा अधिकृत विक्रेता से कृषक द्वारा कथित कृषि यंत्रों /उपकरणों के सूचीबद्ध माडल/मेक पर ही देय होगा। फर्म/अधिकृत विक्रेता नियमानुसार टेक्स का अंकन करते हुए टैक्स जमा करना होगा।
6. निदेशालय स्तर पर सूचीबद्ध/पंजीकृत फर्म/माडल/मेक **agrimachinery.nic.in** पर अपलोड करनी होगी, जो कम से कम एक वर्ष तक नहीं बदली जा सकेगी।
7. सूचीबद्ध/पंजीकृत फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों की वर्तमान दरें भारत सरकार की **agrimachinery.nic.in** पर **DBT Agriculture Machinazation** पर अंकित करनी होगी, जो एक वर्ष तक बदली नहीं जा सकेगी।
8. कृषक द्वारा ऑनलाईन डी.बी.टी. पोर्टल पर डीलर से क्रय किए गए यंत्रों के बिल को डीलर पोर्टल पर अपलोड करेगा।
9. जनपद के कृषि एवं भूमि संरक्षण अधिकारी द्वारा गठित सत्यापन टीम द्वारा भौतिक सत्यापन सुनिश्चित कर लिये जाने के उपरांत **Submission on Agricultural Mechanization** (SMAM) की गाईडलाइन एवं राज्य सरकार द्वारा निर्धारित अनुदान की अधिकतम सीमा के अनुसार कार्यवाही करें।
10. सत्यापन के दौरान कृषक द्वारा क्रयित कृषि यंत्र/उपकरण विभाग द्वारा सूचीबद्ध/पंजीकृत किए गए कृषि यंत्रों/उपकरणों के अनुसार ही हो।
11. कृषकों को उपलब्ध कराये जा रहे कृषि यंत्रों/उपकरणों के मूल्य पोर्टल पर दर्शायी दरों से अधिक न हो, यदि दरें अधिक पायी जाती हैं तो संबंधित जनपद के मुख्य कृषि अधिकारी कार्यावाही करेंगे। कृषक जब मेक/माडल, गुणवत्ता एवं मोल भाव कर दर से पूर्णतया संतुष्ट हो जाने के बाद कृषि यंत्रों/उपकरणों को क्रय करें।
12. मुख्य कृषि अधिकारी/कृषि एवं भूमि संरक्षण अधिकारी अनुदानित यंत्रों की सूचना निदेशालय को उपलब्ध करायेंगे।

क्र०सं०	यंत्र का नाम/मेक एवं माडल	यंत्र आपूर्ति कहां से हुई/डीलर का नाम	संख्या	कुल कीमत	कुल वितरित अनुदान
1	2	3	4	5	6

13. फर्म को अपने फर्म का सर्विस सेंटर खोलना होगा। फर्म द्वारा अपने ग्राहकों को **Maintenance** का प्रशिक्षण देना होगा।
14. विभागीय उच्चाधिकारियों द्वारा कृषक को आपूर्तित कृषि यंत्रों/उपकरणों का निरीक्षण करने पर कृषि यंत्रों/उपकरणों को निर्धारित गुणवत्ता के अनुरूप न पाए जाने पर संबंधित विनिर्माता फर्म का पंजीकरण निरस्त कर दिया जायेगा। साथ ही

ऐसी फर्म/अधिकृत विक्रेता को विभाग द्वारा काली सूची में डालने की कार्यवाही की जा सकती है।

15. सूचीबद्ध/पंजीकृत विनिर्माता फर्म/अधिकृत विक्रेता को कृषक द्वारा क्रयित कृषि यंत्रों/उपकरणों पर अनुदानित वर्ष एवं विभाग का नाम अनिवार्य रूप से अंकित करना होगा।

16. विनिर्माता सूचीबद्ध/पंजीकृत फर्म/अधिकृत विक्रेता को समय-समय पर विभाग द्वारा वांछित जानकारी उपलब्ध करानी होगी। ऐसा न करने पर संबंधित को पंजीकरण सूची से विलोपित किया जा सकता है।

17. सरकार द्वारा समय-समय पर जारी दिशा-निर्देशों के अनुसार उपरोक्त शर्तों/नियमों एवं इससे संबंधित प्रक्रिया में आवश्यकतानुसार संशोधित/परिवर्तन किया जा सकेगा।

18. सूचीबद्ध/पंजीकृत फर्म के अधिकृत विक्रेता द्वारा विभाग को उपलब्ध कराई गई किसी भी जानकारी के असत्य पाये जाने की दशा में संबंधित फर्म का पंजीकरण तत्काल प्रभाव से निरस्त कर दिया जायेगा।

19. प्रदायकों को मुख्य कृषि अधिकारी के आदेश एवं दिशा निर्देश के अनुसार कृषक/कृषकों को जनपद/विकासखण्ड स्तर/न्याय पंचायत तक यंत्र उपलब्ध कराने होंगे। इस हेतु प्रदायकों को जिला स्तर पर अपना नेटवर्क स्थापित करना होगा। प्रदायक द्वारा जिले में नियुक्त अधिकृत विक्रेता के पास जी0एस0टी0 पंजीकरण तथा विक्रय उपरान्त सेवा की सुविधा उपलब्ध करायी जानी आवश्यक होगी। प्रदायकों की यह जिम्मेदारी होगी कि वे उनके द्वारा विक्रय की गयी सामग्री के लिये उचित मूल्य पर पुर्जे तथा विक्रय उपरान्त सेवा की सुविधा कृषकों को उपलब्ध करावें। लाभार्थियों को इसके लिये प्राप्त अनुरोध पत्र से 15 दिनों के अन्दर यदि यह व्यवस्था नहीं की जाती है, तो यथा आवश्यक कार्यवाही की जायेगी।

20. फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों पर लेबलिंग प्लेट को riveted किया जाना अनिवार्य होगा, जिस पर निर्माता का नाम एवं पता मेक/मॉडल सीरियल नम्बर निर्माण का माह एवं वर्ष, टाईप, साईज, किस देश में निर्मित किया गया है लिखा होना चाहिए। इसके अतिरिक्त उपलब्ध कराए जा रहे स्पेसिफिकेशन में मार्किंग/लेबलिंग हेतु दिए गए निर्देशों का पालन किया जाए।


संलग्न –यथोपरि।

  
(के0सी0पाठक)  
कृषि निदेशक  
उत्तराखण्ड।

पत्रांक— /कू0नि0/एस.एम.ए.एम/पंजीकरण-कृषि यंत्र/2024-25/दिनांकित।

प्रतिलिपि—: निम्नांकित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. अपर कृषि निदेशक, गढ़वाल मण्डल, पौड़ी।
2. संयुक्त कृषि निदेशक, कुमाऊँ मण्डल, हल्द्वानी (नैनीताल)।
3. संबंधित मूल विनिर्माता फर्म को विभागीय बेवसाईट के माध्यम से।
4. अध्यक्ष, जिला यंत्रीकरण समिति।
5. विभागीय पोर्टल।

  
कृषि निदेशक  
उत्तराखण्ड।

पत्र संख्या-2213, दिनांक 26 जुलाई 2024 के द्वारा जारी विज्ञापन से प्राप्त पावर वीडर हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/मॉडल	यंत्र का स्विफिकेशन	देस्टिंग संस्था	देस्ट रिपोर्ट की तिथि	देस्ट की वैधता तिथि	अभ्युक्ति
1	ANDREAS STIHL PVT.LTD.Kuruli, pune, Maharashtra	Power weeder	STIHL MH-710, 5.2 Kw (7.1 hp)	4 stroke, single cylinder, spark ignition engine, recommended high idle speed-3250+100 rpm, low idle speed-1800+150rpm, max speed-2600rpm, bore/stroke-75/57mm, capacity-252cc, capacity of fuel tank-3.6L	SRFMTTI ANANTPUR	293/1048, AUGUST-2019	31/07/2026	पंजीकरण हेतु चिन्हित किया गया है।
2	ANDREAS STIHL PVT.LTD.Kuruli, pune, Maharashtra	Power weeder	STIHL MH-610, 4.3KW (7.21 HP)	working width-830 mm, 4 stroke, single cylinder, spark ignition, recommended high speed- 3250+100, max speed- 2600rpm, max power-4.3(5.8)kw(hp), bore/stroke-70/55 mm, capacity-212cc, capacity of fuel tank-3.6L	SRFMTTI ANANTPUR	292/1047, AUGUST-2019	31/07/2026	पंजीकरण हेतु चिन्हित किया गया है।
3	BCS India Pvt. Ltd. Manngarh, Ludhiana Punjab	Power weeder	BCS-730, 6.7 kw	Self propelled reaper, walk behinde, High idle speed-3800+100, Low idle Speed-1200+100, Speed-3600rpm, Type-engine, Maxi torque-2200+200 rpm	NRFMTTI Hisar	134/2783/2022/ Feb 2022	Feb-27	पंजीकरण हेतु चिन्हित किया गया है।
4	BCS India Pvt. Ltd. Manngarh, Ludhiana Punjab	Power weeder	BCS HWASDAN Gratia-80G 4KW	4 stroke, air cooled, single cylinder, petrol engine, high speed engine 3800+100rpm, low speed 1600rpm, rated speed 3600rpm, bore/stroke 70/55 capacity 212cc, fuel 3.3L, overall dimension 1050x1390x910mm, mass 71.3kg	NRFMTTI Hisar	191/3140/2024 January 2024	Jan-31	पंजीकरण हेतु चिन्हित किया गया है।
5	BCS India Pvt. Ltd. Manngarh, Ludhiana Punjab	Power weeder	BCS HWASDAN Gratia-100G 4KW	4 stroke, air cooled, single cylinder, petrol engine, high speed engine 3800+100rpm, low speed 1600rpm, rated speed 3600rpm, bore/stroke 70/55 capacity 212cc, fuel 3.3L, overall dimension 1350x1930x920mm, mass 63kg	NRFMTTI Hisar	194/3155/2024 April 2024	Apr-31	पंजीकरण हेतु चिन्हित किया गया है।
6	BCS India Pvt. Ltd. Manngarh, Ludhiana Punjab	Power weeder	BCS HWASDAN Gratia-105G 5KW	4 stroke, air cooled, single cylinder, petrol engine, high speed engine 3800+100rpm, low speed 1600rpm, rated speed 3600rpm, bore/stroke 77/58 capacity 269cc, fuel 4.1L, overall dimension 1500x1230x1220mm, mass 110kg	NRFMTTI Hisar	193/3154/2024 April 2024	Apr-31	पंजीकरण हेतु चिन्हित किया गया है।
7	BCS India Pvt. Ltd. Manngarh, Ludhiana Punjab	Power weeder	BCS Gratia-H450 2.3kW	4 stroke, air cooled, single cylinder, petrol vertical engine, high speed engine 3600+100rpm, low speed 1900rpm, rated speed 3600rpm, bore/stroke 68/48 capacity 175cc, fuel 1.2L, overall dimension 1145x1030x650mm, mass 37.54kg	NRFMTTI Hisar	188/3110/2023 November 2023	Nov-28	पंजीकरण हेतु चिन्हित किया गया है।
8	BCS India Pvt. Ltd. Manngarh, Ludhiana Punjab	Power weeder	BCS HWASDAN Gratia-303M 4KW	4 stroke, air cooled, single cylinder, petrol engine, high speed engine 3800+100rpm, low speed 1600rpm, rated speed 3600rpm, bore/stroke 70/55 capacity 212cc, fuel 3.3L, overall dimension 1640x1020x710mm, mass 91kg	NRFMTTI Hisar	190/3139/2024 January 2024	Jan-31	पंजीकरण हेतु चिन्हित किया गया है।
9	BCS India Pvt. Ltd. Manngarh, Ludhiana Punjab	Power Weeder	Gratia-140, 5.5 KW	Self propelled reaper, walk behinde, Air Cooled, 4 stroke, Single Cylinder, Diesel Engine, High idle speed-3800+100, Low idle Speed-800+100, Speed-3600rpm,	NRFMTTI Hisar	127/2772/2022 Jan 2022	Jan-27	पंजीकरण हेतु चिन्हित किया गया है।
9-1	BCS India Pvt. Ltd. Manngarh, Ludhiana Punjab	Power Weeder	BCS-742	Air Cooled, 4 Stroke, Single cylinder, diesel engine, High Speed- 3800+100, Low idle speed-1200+100, Rated speed-3600 rpm, dispoiton-vertical, Bor/stroke-86/76mm	NRFMTTI Hisar	126/2764/2021, December, 2021	Dec-26	पंजीकरण हेतु चिन्हित किया गया है।
10	Bonhoeffer machines private limited, Sector-23, faridabad haryana	Power Weeder	BON DI 950 4.51KW	Air cooled, 4 stroke, single cylinder, petrol engine, high engine seed 3800+100rpm, low engine speed 1150+100rpm, rated speed 3600rpm, max power of engine 4kW, cylinder 1no., bore/stroke 86/72mm, capacity 418cc, fuel capacity 4.5litre, overall dimension 1825x1220x1350mm, mass 155kg	NRFMTTI Hisar	199/3200/2024 June 2024	Jun-31	पंजीकरण हेतु चिन्हित किया गया है।

*(Handwritten signatures and marks)*



क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/माडल	यंत्र का स्पेसिफिकेशन	टैस्टिंग संस्था	टैस्ट रिपोर्ट की तिथि	टैस्ट की वैधता तिथि	अभ्युक्ति
1	Bonhoeffer machines private limited, Sector-23, Faridabad haryana	Power Weeder	BON GI 500B 2.6kW/3.53hp	Air cooled, 4 stroke, single cylinder, petrol engine, high engine speed 3780+100rpm, low engine speed 1600+100rpm, rated speed 3600rpm, max power of engine 2.6kW, cylinder 1no., bore/stroke 64/4.5mm, capacity 149cc, fuel capacity 1.2litre, overall dimension 1270x632x920mm, mass 37kg	NRFMTTI Hisar	620/1677 July 2024	Jun-31	पंजीकरण हेतु चिन्हित किया गया है।
11	Bushra Impex, kalasipalyam new extension, Bangalore	Power Weeder	XI-POWER, X1-1050 4.05kw/5.51hp	Air cooled, 4 stroke, single cylinder, diesel engine, high engine speed 3250+100rpm, low engine speed 1400+50rpm, rated speed 3000rpm, max power of engine 4.05kw/5.51hp, cylinder 1no., bore/stroke 78/62mm, capacity 149cc, fuel capacity 3.5litre, overall dimension 1710x1300x1250mm, mass 113.50kg	SRFMTTI ANANTPUR	571/1624 MAY 2024	Apr-31	पंजीकरण हेतु चिन्हित किया गया है।
12	Bushra Impex, kalasipalyam new extension, Bangalore	Power Weeder	XI-POWER, X1-750P 4.78kw/6.5hp	Air cooled, 4 stroke, single cylinder, petrol engine, high engine speed 3250+100rpm, low engine speed 1200+50rpm, rated speed 3000rpm, max power of engine 4.78kw/6.5hp, cylinder 1no., bore/stroke 77/58mm, capacity 270cc, fuel capacity 5.5litre, overall dimension 1740x1280x1430mm, mass 117kg	SRFMTTI ANANTPUR	565/1616 MAY 2024	Apr-31	पंजीकरण हेतु चिन्हित किया गया है।
13	Bushra Impex, kalasipalyam new extension, Bangalore	Power Weeder	XI-POWER, X1-750 4.78kw/6.5hp	Air cooled, 4 stroke, single cylinder, petrol engine, high engine speed 3600+200rpm, low engine speed 1400+200rpm, rated speed 3400rpm, max power of engine 3.3kw/4.5hp, cylinder 1no., bore/stroke 68/54mm, capacity 196cc, fuel capacity 3litre, overall dimension 1580x660x1240mm, mass 82kg	SRFMTTI ANANTPUR	418/1357 MARCH 2022	Feb-27	पंजीकरण हेतु चिन्हित किया गया है।
14	Bushra Impex, kalasipalyam new extension, Bangalore	Power Weeder	XI-POWER, X1-1150D 9.1kw/12.4hp	Air cooled, 4 stroke, single cylinder, petrol engine, high engine speed 3600+200rpm, low engine speed 1400+200rpm, rated speed 3400rpm, max power of engine 9.1kw/12.4hp, cylinder 1no., bore/stroke 92/75mm, capacity 498cc, fuel capacity 5litre, overall dimension 1860x1490x1500mm, mass 156kg	SRFMTTI ANANTPUR	440/1278 August 2021	Jul-26	पंजीकरण हेतु चिन्हित किया गया है।
15	BIR SINGH & SONS, Samrala, Ludhiana, Punjab	Rotary Weeder	PAMMI (BSS-RW-7), 34 HP	power source as recommended-40hp & above, MAX PTO power, kw/hp-34 hp, dimensions- 2300x650mm, no. of Rotor blade-36, overall dimensions- 920x2300x1180mm, Mas-630 kg	FIMTTC BIKANER	FIMTTC/MECH/20/1560, APRIL-2022	Apr-29	पंजीकरण हेतु चिन्हित किया गया है।
16	Bharat Agro Equipments, 27 Vidya Vihar-1, Phase-2 Kargi Road, Dehradun, Uttarakhand	Power Weeder	RG 3.6-100Q-ZY, 3.9 Kw	Single Cylinder, Vertical, 4 Stroke, Air Cooled Engine, Size of Machine-Self Propelled, Max Speed-3600+200, Low Speed-1500+200, Max Power 4.4 kW, Bore/Stroke-70/55mm	SRFMTTI-Anantapur A.P.	398/1321/Dec 2021	Nov-26	पंजीकरण हेतु चिन्हित किया गया है।
17	Bharat Agro Equipments, 27 Vidya Vihar-1, Phase-2 Kargi Road, Dehradun, Uttarakhand	Power Weeder	RG 6.3 D-130C-Z	Single Cylinder, Vertical, 4 Stroke, Air Cooled Engine, Size of Machine-Self Propelled, Max Speed-3600+200, Low Speed-1600+200, Max Power 7.1 kW, Bore/Stroke-86/72mm	SRFMTTI-Anantapur A.P.	382/1302/october, 2021	Sep-26	पंजीकरण हेतु चिन्हित किया गया है।
18	Bharat Agro Equipments, 27 Vidya Vihar-1, Phase-2 Kargi Road, Dehradun, Uttarakhand	Power Weeder	CENTURY XL-5P	4 stroke, air cooled, single cylinder, petrol engine	NRFMTTI, Hisar, Haryana	90/2456/2020 February 2020	Feb-25	पंजीकरण हेतु चिन्हित किया गया है।
19	Competent Agriculture Machinery, Near C.O. Office, Delhi-Saharanpur Road, Baraut, Bagpat, U.P.	Power Weeder	CAM 1G 4 1A, 4.6 HP	4 stoke single cylinder, 4.6 hp, 3060 rpm, no. of flanges-6, rotor blades-24, average capacity- 0.223-0.280 ha/hr	NRFMTTI, Hisar, Haryana	158/2914/2022 September 2022	Sep-27	पंजीकरण हेतु चिन्हित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	Competent Agriculture Machinery, Near C.O. Office, Delhi-Saharanpur Road, Baraut, Bagpat, U.P.	Power Weeder	CAM 1D-105	Specification-425x368x382, Weight-15.50 kg, Max net torque(apa)- 12.5 NM@2600rpm, Engine oil capacity- 0.95 liter, Fuel tank capacity-4.50 liter	6	7	8	9
21	Competent Agriculture Machinery, Near C.O. Office, Delhi-Saharanpur Road, Baraut, Bagpat, U.P.	Power Weeder (weeder)	CAM IG 200, 4.6 HP	4 stroke, single cylinder, petrol engine bore/stroke 70/54 capacity 196cc, power 3.6kW, fuel 3.5l	GBPUAT, Pantnagar, Uttarakhnad	CTE/FMP/2023-209	Mar-30	पंजीकरण हेतु चिन्हित किया गया है।
22	Competent Agriculture Machinery, Near C.O. Office, Delhi-Saharanpur Road, Baraut, Bagpat, U.P.	Power Weeder (weeder)	CAM IG 200, 4.6 HP	4 stroke, single cylinder, petrol engine bore/stroke 70/54 capacity 196cc, power 3.6kW, fuel 3.5l	GBPUAT, Pantnagar.	2020-113 July 2020	July 2023	पंजीकरण हेतु चिन्हित किया गया है।
23	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharashtra	Power Weeder	G-105 P, 6 Hp	Self Propelled, Walk Behind, Single Cylinder, Vertical, Air Cooled, Direct Injection, Compression ignition engine, High idle speed-3600+100 rpm, low idle speed-1400+100 rpm,	SRFM/TTI, Anantpur, AP	42/1/1364 April 2022	Mar-27	पंजीकरण हेतु चिन्हित किया गया है।
24	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharashtra	Power Weeder	e-AGRO CARE G-105FQSD-A, 3.6 kw	Single Cylinder, Vertical, Air Cooled, Direct Injection, Compression ignition engine, High idle speed-3250+50 rpm, low idle speed-1400+100 rpm, Bore/stroke-70/54mm	SRFM/TTI, Anantpur, AP	490/1499 May 2023	Apr-28	पंजीकरण हेतु चिन्हित किया गया है।
25	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharashtra	Power Weeder	e-AGRO CARE D-531 E, 6.62 kw	Single Cylinder, Vertical, Air Cooled, Direct Injection, Dieel Engine, High idle speed-3200+100 rpm, low idle speed-1000+200 rpm, Bore/stroke-86/70 mm	SRFM/TTI, Anantpur, AP	514/1537 September 2023	Aug-28	पंजीकरण हेतु चिन्हित किया गया है।
26	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharashtra	Power Weeder	e-AGRO CARE G-500-1A, 3.6 kw	4 Stroke Single Cylinder, Vertical, Air Cooled, petrol engine, High idle speed-3250+50 rpm, low idle speed-1400+100 rpm, Bore/stroke-70/54mm	SRFM/TTI, Anantpur, AP	509/1529 August 2023	Jul-28	पंजीकरण हेतु चिन्हित किया गया है।
26-1	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharashtra	Power Weeder	e-AGRO CARE D-105	5 Stroke Single Cylinder, Vertical, Air Cooled, petrol engine, High idle speed-3250+50 rpm, low idle speed-1400+100 rpm, Bore/stroke-70/54mm	NERFM/TTI-Asam	Machine-116/487, March 2024	Mar-31	पंजीकरण हेतु चिन्हित किया गया है।
27	Farmworld Agrotech PVT LTD, Sf 08, Shreemad Bhavan, Opp Kanta Stree vikas guruh, Dhebar road, Rajkot Gujarat	Power weeder	farm World/ FWM/210P 5.2HP	Self propelled walk behind, 5.2HP, single cylinder, 4 stroke, gasoline engine, power 6.4kw	SRFM/TTI Anantpur AP	426/1264 march 2021	Feb-26	पंजीकरण हेतु चिन्हित किया गया है।
28	Farmworld Agrotech PVT LTD, Sf 08, Shreemad Bhavan, Opp Kanta Stree vikas guruh, Dhebar road, Rajkot Gujarat	Power weeder	farm World/ FWM/420DE 8.7HP	Self propelled walk behind, 8.7HP, single cylinder, 4 stroke, air cooled, diesel engine, power 6.4kw	SRFM/TTI Anantpur AP	422/1256 march 2021	Feb-26	पंजीकरण हेतु चिन्हित किया गया है।
29	Farm and Garden Technologies pvt. Ltd. Vipul Agora, MG Road, Sector 28, Gurgaon, Haryana	Power Weeder	TEXAS TX 701TG (A) 3.8kW, 5.17hp	4 stroke, single cylinder, air cooled, Spark Ignition Engine, Recommended high idle speed, (rpm)-3600+50, Recommended low idle speed, (rpm)-1350+100, Recommended rated speed, (rpm)-2700, Bore/Stroke,(mm)-70/55, Capacity, (cc)-212	SRFM/TTI ANANTPUR	547/1596 March 2024	Feb-31	पंजीकरण हेतु चिन्हित किया गया है।
30	Farm and Garden Technologies pvt. Ltd. Vipul Agora, MG Road, Sector 28, Gurgaon, Haryana	Power weeder	Texas LLLL 832TG 4.5kW, 6.12hp	4 stroke, single cylinder, air cooled, Spark Ignition Engine, Recommended high idle speed, (rpm)-3600+50, Recommended low idle speed, (rpm)-1350+100, Recommended rated speed, (rpm)-3300, Bore/Stroke,(mm)-70/55, Capacity, (cc)-212	SRFM/TTI ANANTPUR	545/1589 February 2024	Jan-33	पंजीकरण हेतु चिन्हित किया गया है।
31	Farm and Garden Technologies pvt. Ltd. Vipul Agora, MG Road, Sector 28, Gurgaon, Haryana	Power Weeder	Texas Alligator-9 DPE 8.7Hp	8.7hp, Air cooled 4 stroke diesel engine, no. of flanges-6, rotor blades-24, single cylinder, average capacity- 0.095-0.099 ha/hr	SRFM/TTI ANANTPUR	544/1588 February 2025	Jan-33	पंजीकरण हेतु चिन्हित किया गया है।


क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की तैयारी तिथि	अभ्युक्ति
1	2 Falcon Garden Tools Pvt. Ltd., Malerkotla Road, Alamgir, Ludhiana	3 Power weeder	4 Falcon FRTC-2010 H 3.69kW	5 high speed 3700rpm, low speed 1250rpm, max torque 2500rpm, bore/stroke 68/54apa, capacity 196cc, capacity 3.7L, overall dimension 1695x680x870mm, mass 71kg	6 Tested by NRFMPTTI, Hisar	7 123/2750/2021 September 2021	8 Sep-26	9 पंजीकरण हेतु चिन्हित किया गया है।
32	Falcon Garden Tools Pvt. Ltd., Malerkotla Road, Alamgir, Ludhiana	Power weeder	Falcon FRTC-2015 H 3.7kW	high speed 3700rpm, low speed 1250rpm, max torque 2500rpm, bore/stroke 68/54apa, capacity 196cc, capacity 3.7L, overall dimension 1510x645x1210mm, mass 71kg	Tested by NRFMPTTI, Hisar	122/2749/2021 September 2021	Sep-26	पंजीकरण हेतु चिन्हित किया गया है।
34	Falcon Garden Tools Pvt. Ltd., Malerkotla Road, Alamgir, Ludhiana	power weeder		power weeder attachments				पंजीकरण हेतु चिन्हित किया गया है।
35	Ghuman Motors, bhatti road, sirhind, punjab	Inter Row Rotary Weeder 3 ROW	GHUMAN AGROTECH (3-ROW)	power source 30hp&above max PTO power 35.05/47hp, dimension 750x470x8.50mm, dimension of frame 2140x500mm, rotor blades 36no., overall dimension 860x2190x1240mm, mass 550kg	FIMTTC RAU Bikaner Rajasthan	FIMTTC/MFCh/2 2/19/19 May 2022	May-29	पंजीकरण हेतु चिन्हित किया गया है।
36	GSA Industries, Daulatpur, Rasulpur, Jauran road, Patiala Punjab	POWER WEEDER	GSA(Supremo 0336)	tractor horse power required 35& above, power source 40&above, max PTO power 28.9kW, size of shaft 332x50, no. of flanges 06, overall dimension 900x1965x1300mm, weight 550kg	SLFMTTI Rahmankhera Lucknow	REHMANKHERA/ 2024-25/10/448 JUNE 2024	Jun-31	पंजीकरण हेतु चिन्हित किया गया है।
37	GSA Industries, Daulatpur, Rasulpur, Jauran road, Patiala Punjab	POWER WEEDER	GSA(Supremo 0560)	tractor horse power required 50& above, power source 40&above, max PTO power 36.5kW, size of shaft 332x50, no. of flanges 06, overall dimension 900x3420x1310mm, weight 700kg	SLFMTTI Rahmankhera Lucknow	REHMANKHERA/ 2024-25/11/449 JUNE 2024	Jun-31	पंजीकरण हेतु चिन्हित किया गया है।
38	George Maijo Industries Pvt. Ltd. apex plaza, nungambakkam high road, chennai, tamil nadu	POWER TILLER	MAIJO MAHAVEER 13 IIP	single cylinder, air cooled, direct injection, compression ignition, max. speed-2650+50, low speed-1400+100rpm, Bore/ stroke-95/95mm, capacity-673 cc, fuel tank capacity-11.0L, overall dimensions-2420x880x1290	SRFMTTI ANANTPUR	PT-152/1354, MARCH- 2022	Feb-29	पंजीकरण हेतु चिन्हित किया गया है।
39	George Maijo Industries Pvt. Ltd. apex plaza, nungambakkam high road, chennai, tamil nadu	Power Weeder	WM 1100C-6DLX, 6.1 kw, 8.3 hp	4 Stroke, Single cylinder, vertical, air cooled, direct injection, compression ignition engine, high idle speed-3800+100 rpm, low idle speed-1400+200 rpm	SRFMTTI Anantpur Andhra Pradesh	316/1088 October 2019	Sep-26	पंजीकरण हेतु चिन्हित किया गया है।
40	George Maijo Industries Pvt. Ltd. apex plaza, nungambakkam high road, chennai, tamil nadu	Power weeder	MAIJO WM 1100A-6, 5.1 HP	4 Stroke, Single cylinder, vertical, air cooled, compression ignition engine, high idle speed-3700+100 rpm, low idle speed-1150+100 rpm, max power-4.8kw, bore/stroke-78/62mm	SRFMTTI Anantpur	392/1315 December 2021	Nov-26	पंजीकरण हेतु चिन्हित किया गया है।
41	George Maijo Industries Pvt. Ltd. apex plaza, nungambakkam high road, chennai, tamil nadu	Power weeder	WM 500 DLX, 3.4 Kw	Air cooled, single cylinder, 4 stroke, inclined, Spark ignitin engine, High idle speed-3700+200 rpm, Low idle speed-1500+100 rpm, Max Power-3.4@3600 rpm, No-1, Disposition-Inclined, Bore/Stroke-68/54mm	SRFMTTI Anantpur	393/1316/ December 2021	Nov-26	पंजीकरण हेतु चिन्हित किया गया है।
42	George Maijo Industries Pvt. Ltd. apex plaza, nungambakkam high road, chennai, tamil nadu	Power weeder	WM 1100C Elite Maijo 3.56kW	Air cooled, single cylinder, 4 stroke, inclined, Spark ignitin engine, High idle speed-3840+100 rpm, Low idle speed-1400 rpm, Max Power-3.56@3600 rpm, No-1, Disposition-Inclined, Bore/Stroke-70/55mm	DAFW NERFMTTI Assam	85/456 February 2023	Feb-28	पंजीकरण हेतु चिन्हित किया गया है।

Handwritten signature/initials in blue ink.

Handwritten signature/initials in blue ink.

Handwritten signature/initials in blue ink.

Handwritten signature/initials in blue ink.

Handwritten signature/initials in blue ink.

Handwritten signature/initials in blue ink.



क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	George Maijo Industries Pvt. Ltd. apex plaza, nungambakkam high road, chennai, tamil nadu	Power weeder	WM 1100C Elite3 78kW/5.13 hp	5 Air cooled, single cylinder, 4 stroke, inclined, Spark ignitin engine, High idle speed-3840+100 rpm, Low idle speed-1400 rpm, Max Power-3.78kW/5.13hp@3500 rpm, No-1, Disposition-Inclined, Bore/Stroke-70/55mm	6 SRFMPTTI Anantapur	7 582/1637 june 2024	8 May-31	9 पंजीकरण हेतु चिन्हित किया गया है।
43	George Maijo Industries Pvt. Ltd. apex plaza, nungambakkam high road, chennai, tamil nadu	Power weeder	WM 1100C6 DLX plus 6.80hp/9.25hp	5 Air cooled, single cylinder, 4 stroke, inclined, compression ignitin engine, High idle speed-3840+100 rpm, Low idle speed-1400 rpm, Max Power-6.80kW/9.25hp@3600 rpm, No-1, Disposition-Inclined, Bore/Stroke-86/72mm	6 SRFMPTTI Anantapur	7 581/1636 june 2024	8 May-31	9 पंजीकरण हेतु चिन्हित किया गया है।
44	George Maijo Industries Pvt. Ltd. apex plaza, nungambakkam high road, chennai, tamil nadu	Power Weeder	WM-900 WEIMA Maijo	5 4 Stroke, Single cylinder, vertical, air cooled, direct injection, compression ignition engine, high idle speed-3840+1000 rpm, low idle speed-1400 rpm, Rated Power observed-3.90kw	6 NERFMPTTI Assam	7 84/455, february 2023	8 29-02-2023	9 पंजीकरण हेतु चिन्हित किया गया है।
45	Hindustan Agro Industrucs Corporation, Hoshiarpur Punjab	Power Weeder	Kisan- 170GS 3.85kW	5 Power Weeder Walk Behind Type, Engine Speed High-3800+100rpm, Low Speed-1400+200rpm, Bore/Stroke-70/54mm, Capacity-196cc, Capacity Fuel Tank-3.6 Ltr	6 NRFMPTTI-Hisar	7 186/3099/2023 November 2023	8 Nov-28	9 पंजीकरण हेतु चिन्हित किया गया है।
46	Husqvarna (India) Products Pvt. Ltd. First Floor, Swees House No. 5, Mylapore, Chennai, Tamilnadu	Power Weeder	TF-338, 3.4 Kw, 4.62 HP	5 Size of Machine-1080mm, Max Power-3.4kW, High Speed-3400+100, Low Speed-1300+100rpm, Max Speed-2600+200rpm, Bore/Stroke-70/55mm, Capacity-212cc	6 SRFMPTTI-Anantapur A.P.	7 395/1318/Dec 2021	8 Nov-26	9 पंजीकरण हेतु चिन्हित किया गया है।
47	Husqvarna (India) Products Pvt. Ltd. First Floor, Swees House No. 5, Mylapore, Chennai, Tamilnadu	Power Weeder	HUSQVARNA TF-230 3.3kw	5 Self propelled, 4 stroke, single cylinder, air cooled, 3600 rpm, power 3.3kw(4-5hp)	6 SRFMPTTI, Anantapur, AP	7 396/1224 November 2020	8 Oct-25	9 पंजीकरण हेतु चिन्हित किया गया है।
48	Husqvarna (India) Products Pvt. Ltd. First Floor, Swees House No. 5, Mylapore, Chennai, Tamilnadu	Power Weeder	HUSQVARNA TF-120P 1.4kW 1.9HP	5 Self propelled, 4 stroke, air cooled, 3100 rpm	6 SRFMPTTI, Anantapur, AP	7 420/1253 February 2021	8 Jan-26	9 पंजीकरण हेतु चिन्हित किया गया है।
49-1	Husqvarna (India) Products Pvt. Ltd. First Floor, Swees House No. 5, Mylapore, Chennai, Tamilnadu	Power Weeder	DRY LAND TF338 P	5 High idle speed-3400rpm, Low idle speed-1200 rpm, oil consumption-10W40-60ml, cylinder bor diameter-70.16mm, No of cylinder-1, Dispositio-inclined, Capacity-211.5cc	6 AECRITAU-Tamilnadu	7 FMTC/KLR/TR/0 84-2023, March 2023	8 Apr-26	9 पंजीकरण हेतु चिन्हित किया गया है।
49-2	Husqvarna (India) Products Pvt. Ltd. First Floor, Swees House No. 5, Mylapore, Chennai, Tamilnadu	Power Weeder	TF-440	5 High idle speed-3780+60rpm Low idle speed-1380 rpm, rated speed-3600rpm, No of cylinder-1, disposition-vertical, Bore/stroke -70/55mm, Capacity-212cc	6 NRFMPTTI-Hisar	7 power weed-203/3210/2024, June 2024	8 Jun-31	9 पंजीकरण हेतु चिन्हित किया गया है।
49-3	Husqvarna (India) Products Pvt. Ltd. First Floor, Swees House No. 5, Mylapore, Chennai, Tamilnadu	Power Weeder	TF544+	5 High idle speed-3900rpm Low idle speed-1300 rpm, rated speed-3300rpm, No of cylinder-1, disposition-vertical, Bore/stroke -76/72mm, Capacity-418cc	6 NRFMPTTI-Hisar	7 power weed-169/3007/2023, April 2023	8 Apr-28	9 पंजीकरण हेतु चिन्हित किया गया है।
49-4	Husqvarna (India) Products Pvt. Ltd. First Floor, Swees House No. 5, Mylapore, Chennai, Tamilnadu	Power Weeder	TF-545 P	5 High idle speed-3780rpm Low idle speed-1800+200rpm, rated speed-3600rpm, No of cylinder-1, disposition-Inclined, Bore/stroke -77/58mm, Capacity-270cc	6 SRFMPTTI-Anantapur A.P.	7 Machine-335/1134, March 2020	8 Feb-25	9 पंजीकरण हेतु चिन्हित किया गया है।
50	Honda India Power Products Ltd, Sector-41(kasna), greater noida, Gautam budhnagar, up	Power Weeder	F300, 2 Hp	5 Self Propelled, Walk Behind, Hand Held Rotary Type, Air Cooled, 4 Stroke, Single Cylinder, Petrol engine, High Speed-3800+4000, Low Speed-1850+2150rpm, Bore/Stroke-46/48mm, Capacity -79.7cc	6 NRFMPTTI-Hisar	7 124/2754/2021/Oc tober 2021	8 Oct-26	9 पंजीकरण हेतु चिन्हित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	Honda India Power Products Ltd, Sector-41(kasna), greater noida, Gautam budhnagar, up	3 Rotary Tiller (Power Weeder)	4 FJ500 RD, 2.9 kw	5 Max Size-915 Omm, 4 Stroke, Air Cooled, Single Cylinder, Petrol Engine,, High Idle Speed-3800rpm, Bore/Stroke-68.0X45.0mm, Capacity-163cc, Capacity Fuel tank-3.1 ltr	6 NEREMTTI Assam	7 34/377/January 2021	8 Jan-26	9 पंजीकरण हेतु चिन्हित किया गया है।
51	Honda India Power Products Ltd, Sector-41(kasna), greater noida, Gautam budhnagar, up	Power Weeder	HONDA FQ650 3.74kW	4 Stroke, Air Cooled, Single Cylinder, Petrol Engine,, High Idle Speed-3800rpm, Bore/Stroke-68X54mm, Capacity-196cc, Capacity Fuel tank-3.7 ltr	NEREMTTI Assam	113/484 February 2024	Feb-31	पंजीकरण हेतु चिन्हित किया गया है।
53	Indicon Agro Industries LLP, Park street, ground floor, Kolkata,WB			Test report not submitted				पंजीकरण हेतु चिन्हित नहीं किया गया है।
54	Jai Auto PVT LTD, Dudhola, Dhateer road, Pirthla Palwal Haryana	Inter Row Rotary Weeder 3	IRW 1416	tractor horse power required 50& above, power source 50&above, max PTO power 36.3kW, overall dimension 1210x2230x1110mm, weight 610kg	SLFMTTI Rahmankhera Lucknow	REHMANKHERA/ 2024-25/26/464 JULY 2024	Jul-31	पंजीकरण हेतु चिन्हित किया गया है।
55	Kirloskar Oil Engines Ltd., 498-143 KA, Near IT College Chauraha, SBI Building, Faizabad Road, Lucknow	Power Weeder	Kirloskar KMW MINT-5P, 3.6 kw, 4.9 hp	4 Stroke, single cylinder, air cooled, diesel engine, Recommended High Idle Speed-1800+100 rpm, Low Idle Speed-1800+100 rpm, Max Power-3.6 kw, Capacity-196cc	SRFMTTI, Anantpur, AP	366/1187 Aug 2020	Jul-25	पंजीकरण हेतु चिन्हित किया गया है।
56	Kirloskar Oil Engines Ltd., 498-143 KA, Near IT College Chauraha, SBI Building, Faizabad Road, Lucknow	Power operated weeder	Kirloskar KMW MINT-8 4.62HP	4 Stroke, single cylinder, air cooled, diesel engine, 4.62 hp,no. of flanges-8, rotor blades- 32, overall dimension- 1700*760*1080mm, Average capacity- 0.092-0.097 ha/hr	Tested by SRFMTTI, Anantpur, AP	445/1417 September 2023	01-09-2027	पंजीकरण हेतु चिन्हित किया गया है।
57	Kirloskar Oil Engines Ltd., 498-143 KA, Near IT College Chauraha, SBI Building, Faizabad Road, Lucknow	Power operated weeder	Kirloskar KMW MINT-5 4.62HP	4 Stroke, single cylinder, air cooled, diesel engine, 4.62 hp,no. of flanges-4, rotor blades- 32, overall dimension- 1750*760*1030mm, capacity Fuel- 4.5L	Tested by SRFMTTI, Anantpur, AP	450/1425 September 2022	31-08-2027	पंजीकरण हेतु चिन्हित किया गया है।
58	Kirloskar Oil Engines Ltd., 498-143 KA, Near IT College Chauraha, SBI Building, Faizabad Road, Lucknow	Power operated weeder	Kirloskar KMW MINT-8 DLX, 8HP	4 Stroke, single cylinder, air cooled, diesel engine, 7.75 hp, no. of flanges-10, rotor blades- 38, overall dimension- 1930*1360*1080mm, Average capacity- 0.125-0.132 ha/hr	Tested by SRFMTTI, Anantpur, AP	365/1186 July 2020	Jun-25	पंजीकरण हेतु चिन्हित किया गया है।
59	LALJI and SONS, dehradun road, Roorkee, haridwar	Power Weeder	BHOOMIPUTRA 5.2kW/7hp	Specification-430x368x381, Weight-19.50 kg, rated power 5.2kw/7hp, Engine oil capacity- 1.00liter, Fuel tank capacity- 5.00 liter	GBPUAT Pantnagar Uttarakhand	2024-25/04/254 April 2024	April 2024	पंजीकरण हेतु चिन्हित किया गया है।
60	Maan agriculture works, ludhiana byepass, malerkotla sangrur punjab	Tractor operated inter three row rotary	MAAN 786	power source 30hp&above, max PTO power 41.75kW/56hp, weight 550kg, size 940x2190x1420mm	FIMTTC RAU Bikaner Rajasthan	FIMTTC/ME/Ch/2 1/1816 May 2022	May-29	पंजीकरण हेतु चिन्हित किया गया है।
61	MTD Products India Pvt. Ltd. Pune nasik highway, kuruli tal, pune, Maharashtra	Power Weeder	CUB CADET RT65, 4.2 kw 5.7 hp	self propelled, size-480mm, single cylinder, 4 stroke, air cooled, ignition engine, max speed-3750+100, rted engine speed-3600, max power-4.2(5.7)-kw(metric hp), capacity-208cc	SRFMTTI ANANTPUR	402/1333, JANUARY-2022	Dec-26	पंजीकरण हेतु चिन्हित किया गया है।
62	MTD Products India Pvt. Ltd. Pune nasik highway, kuruli tal, pune, Maharashtra	Power Weeder	CUB CADET FT 550B 4kw	Air cooled, 4 stroke, single cylinder, petrol engine, high engine seed 3600+100rpm, low engine speed 1800+100rpm, rated speed 3400rpm, max power of engine 4kW, cylinder l no, bore/stroke 70/55mm, capacity 212cc, fuel capacity 3.5litre, overall dimension 1280x1240x62mm, mass 62kg	NRFMTTI, Hisar, Haryana	Power weeder 183/3096/2023 October 2023	Oct-28	पंजीकरण हेतु चिन्हित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक/माडल	यंत्र का स्पीसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
63	MTD Products India Pvt. Ltd. Pune nasik highway, kuruli tal, pune, Maharashtra	Power Weeder	MTD FT550, 4.0 kw, 5.39 hp	single cylinder, 4 stroke, air cooled, ignition engine, max speed at no load-3600+100, rated engine speed-3400, speed at max torque-2500, max power-4.0(5.39)kw(hp), bore/stroke-70/55 mm, capacity-212cc, capacity of fuel tank-3.6l	SRFMTTI ANANTPUR	390/1312, NOVEMBER-2021	Oct-26	पंजीकरण हेतु चिन्हित किया गया है।
64	MTD Products India Pvt. Ltd. Pune nasik highway, kuruli tal, pune, Maharashtra	Power Weeder	MTD FT750, 4.1 kw, 5.6 hp	single cylinder, 4 stroke, air cooled, ignition engine, max speed at no load-3250+100, rated engine speed-3200, speed at max torque-2500, max power-4.1(5.6)kw(hp), bore/stroke-77/58 mm, capacity-270cc, capacity of fuel tank-3.4l	SRFMTTI ANANTPUR	385/1305, OCTOBER-2021	Sep-26	पंजीकरण हेतु चिन्हित किया गया है।
65	Macan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Power Weeder	CW-750P, 2.44 kw	High Idle Speed-3600rpm, Low idle speed-1450+50 rpm, Rated speed-3300rpm, Bore/Stroke-77/56mm, Air Cooled, 4 Stroke, Single Cylinder, Petrol Engine, Capacity-215cc, Compression ratio-8.5:1	NRFMTTI-Hisar Haryana	No-153/2886/2022 August 2022	Oct-27	पंजीकरण हेतु चिन्हित किया गया है।
66	Macan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Power Weeder	CW-750P HD, 6.00 kw	High Idle Speed-3700rpm, Low idle speed-1400+50 rpm, Rated speed-3400rpm, Bore/Stroke-77/58mm, Air Cooled, 4 Stroke, Single Cylinder, Petrol Engine, Capacity-270cc, Capacity 5.2l, overall dimension 1500x1300x130mm, mass 130kg	NRFMTTI-Hisar Haryana	No-154/3097/2023 October 2023	Oct-28	पंजीकरण हेतु चिन्हित किया गया है।
67	Macan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Power Weeder	CW 1060D 6hp	High Idle Speed-3750rpm, Low idle speed-1250 rpm, Rated speed-3600rpm, Bore/Stroke-78/62mm, Air Cooled, 4 Stroke, Single Cylinder, Diesel Engine, Capacity-296cc, Compression ratio-20:1	NRFMTTI, Hisar, Haryana	No-160/2920/2022 Sept 2022	Sep-27	पंजीकरण हेतु चिन्हित किया गया है।
68	Macan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Power Weeder	CW 1190D 9hp	High Idle Speed-3750rpm, Low idle speed-1250 rpm, Rated speed-3600rpm, Bore/Stroke-86/72mm, Air Cooled, 4 Stroke, Single Cylinder, Diesel Engine, Capacity-418cc, Compression	NRFMTTI, Hisar, Haryana	No-159/2919/2022 Sept 2022	Sep-27	पंजीकरण हेतु चिन्हित किया गया है।
69	Macan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Power Weeder	CW-750PT, 6.00 kw	High Idle Speed-3780rpm, Low idle speed-1500+50 rpm, Rated speed-3600rpm, Bore/Stroke-70/55mm, Air Cooled, 4 Stroke, Single Cylinder, Petrol Engine, Capacity-212cc, Capacity 3l, overall dimension 1335x1045x1345mm, mass 86.4kg	NRFMTTI-Hisar Haryana	No-185/3098/2023 October 2023	Oct-28	पंजीकरण हेतु चिन्हित किया गया है।
70	Nipha India Limited 48, ganga Jamuna, 28/1, Shakespear sarani, Kolkata.	Power Weeder	NIPHA 100GG HD	single cylinder, 4 stroke, forced air cooled inclined, spark ignition engine, high idle speed 1760rpm, low speed 1440rpm, speed rated 3600rpm, power 4kW, bore/stroke 70/55mm, capacity 212cc, fuel 3.5l, overall dimension 1530x1210x1195mm, mass 79kg	FMTTC CSIR CMERI MGA Durgapur, WB	CSIR/CMERI/FM TTC/2024/003 MARCH 2024	Feb-31	पंजीकरण हेतु चिन्हित किया गया है।
71	Perfect House Pvt. Ltd. Additional MIDC, Satara, Mumbai	Power Weeder	PA-PW-6.0GB, 4.4 kw	Rate Power-4.4kw (6.0HP) Displacement-212 CC, Engine Speed-800 RPM, Rota Speed-800 RPM, No of Gears-2 forward and 1 revers, Cultivation width-114-125cm, Cultivation depth-6.5 engine fuel petrol, Fuel Consumption-0.9 ltr	NRFMTTI-Hisar Haryana	140/2828/2022/ March 2022	Mar-27	पंजीकरण हेतु चिन्हित किया गया है।
72	Perfect House Pvt. Ltd. Additional MIDC, Satara, Mumbai	Power Weeder	PA-PW-6.0 GG, 4.4 kw	Rate Power-4.4kw (6.0HP) Displacement-212 CC, Engine Speed-800 RPM, Rota Speed-800 RPM, No of Gears-2 forward and 1 revers, Cultivation width-114-125cm, Cultivation depth-6.5 engine fuel petrol, Fuel Consumption-0.9 ltr	SRFMTTI ANANTPUR	380/1300 october 2021	Sep-26	पंजीकरण हेतु चिन्हित किया गया है।
73	Ramsons Impex, Raipur Sahkari Udhyog, Bhagwanpur Haridwar	Rotary Weeder/Power Weeder	RICO ITALY-RI 500 4.6kW	4 stroke, diesel engine, air cooled, 3600 rpm, mass-85kg, dimension 1400x1060x1310mm	NRFMTTI, Hisar, Haryana	121/2701/2021 May 2021	May-26	पंजीकरण हेतु चिन्हित किया गया है।

क्र.सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	देस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	Ramsons Impex, Raipur Sahkari Udhyog, Bhagwanpur Haridwar	Power Weeder	RICO ITALY RI 500+ 4.6HP	4.6hp, 4 stroke, self propelled, single cylinder, air cooled, petrol engine, 3600 rpm	GBPUAT, Pantnagar, Uttarakhand	2021/133 February 2021	8	पंजीकरण हेतु चिन्हित किया गया है।
74	Ramsons Impex, Raipur Sahkari Udhyog, Bhagwanpur Haridwar	Power Weeder	RICO ITALY-RI-500X 3.9kW	3.9kW, 4 stroke, self propelled, single cylinder, air cooled, petrol engine, 3500 rpm, dimension 1615x688x1024mm	GBPUAT, Pantnagar, Uttarakhand	2023/217 April 2023	May-30	पंजीकरण हेतु चिन्हित किया गया है।
75	Ramsons Impex, Raipur Sahkari Udhyog, Bhagwanpur Haridwar	Power Weeder	RICO ITALY-RI-500H 3.9kW	3.9kW, 4 stroke, self propelled, single cylinder, air cooled, petrol engine, 3600 rpm, dimension 1625x865x1287mm	GBPUAT, Pantnagar, Uttarakhand	2022/186 April 2022	April 2023	पंजीकरण हेतु चिन्हित किया गया है।
76	Ramsons Impex, Raipur Sahkari Udhyog, Bhagwanpur Haridwar	Power Weeder (Tiller)	RICO Italy RI740+ 5kW	5kW, 4 stroke, self propelled, single cylinder, air cooled, petrol engine, 3600 rpm, dimension 1719x950x670mm	GBPUAT, Pantnagar, Uttarakhand	PANTNAGAR/20 24-25/07/265 JULY 2024	July 2024	पंजीकरण हेतु चिन्हित किया गया है।
77	Ramsons Impex, Raipur Sahkari Udhyog, Bhagwanpur Haridwar	Power Weeder (Tiller)	RICO Italy RI500J 5.3kW	5.3kW, 4 stroke, self propelled, single cylinder, air cooled, petrol engine, 3600 rpm, dimension 1620x675x1030mm	GBPUAT, Pantnagar, Uttarakhand	PANTNAGAR/20 24-25/05/258 MAY 2024	May 2024	पंजीकरण हेतु चिन्हित किया गया है।
78	Ramsons Impex, Raipur Sahkari Udhyog, Bhagwanpur Haridwar	Power Weeder (Tiller)	RICO Italy RI500XRT SIMBA 5.5kW	5.5kW, 4 stroke, self propelled, single cylinder, air cooled, petrol engine, 3600 rpm, dimension 1722x673x962mm	GBPUAT, Pantnagar, Uttarakhand	PANTNAGAR/20 24-25/06/262 JUNE 2024	June 2024	पंजीकरण हेतु चिन्हित किया गया है।
80	Ratnagiri Impex Pvt. Ltd. 7th cross, new guddadahalli, mysore road, Bangalore	Power Weeder (Tiller)	AI 900, 3.6 kw	Max Power+3.6kw, 4 Stoke single cylinder, Air cooled petrol engine, Specification-830X450X2660mm, Weight-16kg, Displacement-208cc, Fuel tank capacity-3.9 ltr, Max speed -3600to 3700rpm	GBPUAT-Pantnagar	CTE/FMP/2021-166/October 2021	Oct 2023	पंजीकरण हेतु चिन्हित किया गया है।
81	Ratnagiri Impex Pvt. Ltd. 7th cross, new guddadahalli, mysore road, Bangalore	Power Weeder	AM-RT-5P, 3.4 kw 4.6 hp	4 stroke, single cylinder, Air cooled, vertical, compression ignition engine, Max speed - 3800+100, Low idle speed- 1500, Max power observed kw-3.4(4.6)@ 3600 rpm, Bore/Stroke, mm (apa)-70/55	SRFMTTI ANANTPUR	356/1176/June 2020	31.05.2025	पंजीकरण हेतु चिन्हित किया गया है।
82	Ratnagiri Impex Pvt. Ltd. 7th cross, new guddadahalli, mysore road, Bangalore	Power Weeder	OM-MH 180 RK, 3.4 kw, 4.6 hp	4stroke, single cylinder, Air cooled, vertical, compression ignition engine, Max speed - 3800+100, Low idle speed- 1500, Max power observed kw-3.4(4.6)@ 3600 rpm, Bore/Stroke, mm (apa)-70/55	SRFMTTI ANANTPUR	355/1175/June 2020	31.05.2025	पंजीकरण हेतु चिन्हित किया गया है।
83	Ratnagiri Impex Pvt. Ltd. 7th cross, new guddadahalli, mysore road, Bangalore	Power Weeder	AM-MPTC-6600-6D, 4.5 kw, 6.1 hp	4 stroke, single cylinder, Air cooled, vertical, compression ignition engine, Max speed - 1800+100, Low idle speed- 1200, Max power observed kw-4.4(6.0)@ 1700 rpm, Bore/Stroke, mm (apa)-78/62.	SRFMTTI ANANTPUR	407/1338, JANUARY-2022	31/12/2026	पंजीकरण हेतु चिन्हित किया गया है।
84	Ratnagiri Impex Pvt. Ltd. 7th cross, new guddadahalli, mysore road, Bangalore	Power Weeder	Agrimate AM-MPTC-5D-3G 3.8kW	High Idle Speed-3700rpm, Low idle speed-2500+50 rpm, Rated speed-3600rpm, Bore/Stroke-73/59mm, Air Cooled, 4 Stroke, Single Cylinder, diesel Engine, Capacity-247cc, Capacity 3.5l, overall dimension 1500x1300x1353mm, mass 88.5kg	SRFMTTI ANANTPUR	624/1681 July 2024	Jun-31	पंजीकरण हेतु चिन्हित किया गया है।
85	Ratnagiri Impex Pvt. Ltd. 7th cross, new guddadahalli, mysore road, Bangalore	Power Weeder	Agrimate AM-MPTC-1100-9D	High Idle Speed-3700rpm, Low idle speed-1150+50 rpm, Rated speed-3600rpm, Bore/Stroke-86/72mm, Air Cooled, 4 Stroke, Single Cylinder, Petrol Engine, Capacity-418cc, Capacity 5l, overall dimension 1730x1560x1510mm, mass 157kg	SRFMTTI ANANTPUR	618/1675 July 2024	Jun-31	पंजीकरण हेतु चिन्हित किया गया है।



क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेदता तिथि	आयुक्ति
1	2	3	4	5	6	7	8	9
86	Ratnagiri Impex Pvt. Ltd. 7th cross, new guddadahalli, mysore road, Bangalore	Power Weeder	Agrimate AM-RT-212	High Idle Speed-3800rpm. Low idle speed-1500+50 rpm. Rated speed-3600rpm, Bore/Stroke-70/58.47mm, Air Cooled, 4 Stroke, Single Cylinder, Petrol Engine, Capacity-225cc, Capacity 5l, overall dimension 1430x1310x1010mm, mass 75kg	SRFM/TTI ANANTPUR	619/1676 July 2024	Jun-31	पंजीकरण हेतु चिन्हित किया गया है।
87	Ratnagiri Impex Pvt. Ltd. 7th cross, new guddadahalli, mysore road, Bangalore	Power Weeder	Agrimate AM-MPT-1100-6D, 6 hp	Agrimate AM-MPT-1100-6D, Self propelled, Walk Behind, Size of Machine-900mm, Capacity-247 CC, Bore/stroke-78/62 mm, Fuel Tank- Mild Steel, Colling System-forced air Cooling, startin system-Manual recoil Startin System	SRFM/TTI, Anantpur, AP	284/1027 June 2019	May-28	पंजीकरण हेतु चिन्हित किया गया है।
88	R.K.Manufactures, nirmal industries, vavdi, rajkot, gujarat	Power Weeder	RK-PW-520DES	single cylinder, 4 stroke, air cooled, ignition engine, max speed at no load-3250+100, rated engine speed-3000, speed at max torque-2400, max power-6.22(8.46)kw(hp), bore/stroke-86/72 mm, capacity-418cc, capacity of fuel tank-5.5L	SRFM/TTI, Anantpur, AP	534/1572 november 2023	Oct-28	पंजीकरण हेतु चिन्हित किया गया है।
89	R.K.Manufactures, nirmal industries, vavdi, rajkot, gujarat	Power Weeder	RK-PW-105P	single cylinder, 4 stroke, air cooled, ignition engine, max speed at no load-3800+100, rated engine speed-3600, speed at max torque-2800, max power-3.80(5.17)kw(hp), bore/stroke-70/55 mm, capacity-212cc, capacity of fuel tank-3.5L	SRFM/TTI, Anantpur, AP	535/1573 november 2023	Oct-28	पंजीकरण हेतु चिन्हित किया गया है।
90	Stanley Black & Decker India Pvt Ltd, Mahalunge, Chakan, Pune, Maharashtra			Test report not submitted				पंजीकरण हेतु चिन्हित नहीं किया गया है।
91	Smooth Run Exports Pvt Ltd, Navjivan wadi, Hamalwadi, Dhobi Talao, Mumbai, Maharashtra	power weeder	VI POWER GOLD ST 8010 3.26kW	4 Stroke, Air Cooled, Single Cylinder, Petrol Engine, High Idle Speed-3800rpm, Bore/Stroke-70/55mm, Capacity-212cc, Capacity Fuel tank-3.7 ltr. Overall dimension 1395x1060x1025mm, mass 73.55kg	NERFM/TTI Assam	120/491 MARCH 2024	Mar-31	पंजीकरण हेतु चिन्हित किया गया है।
92	Simpsons & co. Ltd. Anna Salai, Chennai TN	power weeder	ISAM 800PRO 6.3kW	self propelled walk behind type, working width 960mm, spark ignition, wet clutch, no. of flanges 6no., 4 no. of blades, rated power 5.1kW,	NRFM/TTI Hisar Haryana	208/3233/2024 July 2024	Jul-31	पंजीकरण हेतु चिन्हित किया गया है।
93	Simpsons & co. Ltd. Anna Salai, Chennai TN	power weeder	ISAM 550PRO 4.1kW	self propelled walk behind type, working width 960mm, spark ignition, wet clutch, no. of flanges 6no., 4 no. of blades, rated power 3.7kW,	NRFM/TTI Hisar Haryana	207/3232/2024 July 2024	Jul-31	पंजीकरण हेतु चिन्हित किया गया है।
94	Simpsons & co. Ltd. Anna Salai, Chennai TN	power weeder	ISAM 550 MASTER 4.1kW	self propelled walk behind type, working width 960mm, spark ignition, wet clutch, no. of flanges 6no., 4 no. of blades, rated power 3.7kW,	NRFM/TTI Hisar Haryana	205/3230/2024 July 2024	Jul-31	पंजीकरण हेतु चिन्हित किया गया है।
95	Simpsons & co. Ltd. Anna Salai, Chennai TN	power weeder	ISAM 800 MASTER 6.3kW	self propelled walk behind type, working width 1500mm, spark ignition, wet clutch, no. of flanges 10no., 4 no. of blades, rated power 5.1kW,	NRFM/TTI Hisar Haryana	206/3231/2024 July 2024	Jul-31	पंजीकरण हेतु चिन्हित किया गया है।
96	Simpsons & co. Ltd. Anna Salai, Chennai TN	power weeder	ISAM 450 MASTER 3.6kW	self propelled walk behind type, working width 1380mm, spark ignition, wet clutch, no. of flanges 4no., 4 no. of blades, rated power 2.9kW,	NRFM/TTI Hisar Haryana	204/3229/2024 July 2024	Jul-31	पंजीकरण हेतु चिन्हित किया गया है।
97	SUN AGRO, GE ROAD, SUPELA BHILAI Chittasgarh	Power Weeder	SUN AGRO SA-7000P 4.22kW/7.5hp	4 stroke, single cylinder, air cooled, spark ignition, high speed 3850+50rpm, low speed 1660+50rpm, rated power 4.22kW, rated speed 3600rpm, bore/stroke 70/55mm, capacity 212cc, fuel 3.2l, overall dimension 1515x1160x1200mm, mass 92kg	NERFM/TTI Assam	107/478 January 2024	Jan-31	पंजीकरण हेतु चिन्हित किया गया है।
98	Super Power Agro India, Baraut Baghatpat UP	Power Weeder	SUPER POWER SP-570H, 3.74 kw (5.0 hp)	Self Propelled, Walk Behind type, Speed-3600rpm, Max Power-3.74kW, Capacity -196cc, Valve clearance -0.18 inlet, 0.20 exhaust, Material-Sheet metal	NRFM/TTI-Hisaar	146/2840/2022/April 2022	Apr-27	पंजीकरण हेतु चिन्हित किया गया है।



क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेदता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
99	Super Power Agro India, Baraut Baghpat UP	Power Weeder (Tiller)	SP-580, 3.7 hp	Air Cooled Diesel Engine, Weight-12kg, Displacement-196cc, Fuel Tank-3.5 ltr., Bore/Stroke-70/53mm, Compression ratio-19:1, Max Speed-3400to 3600rpm	GBPUAT-Pantnagar	2020-161/October 2021	Oct-28	पंजीकरण हेतु चिह्नित किया गया है।
100	Super Power Agro India, Baraut Baghpat UP	Power Weeder (Tiller)	SP-176 D, 3.7 hp	Air Cooled Diesel Engine, Weight-14kg, Displacement-214cc, Fuel Tank-4.5 ltr., Bore/Stroke-71/52mm, Compression ratio-19:1, Max Speed-3500to 3800rpm	GBPUAT-Pantnagar	2020-159/October 2021	Oct-28	पंजीकरण हेतु चिह्नित किया गया है।
101	UGT TECH Pvt Ltd, Kalyani, Nadia, West bengal	POWER WEEDER (Tiller)	UGT-YUVA 7P 4.8kW/6.6hp	single cylinder, air cooled, 4 stroke, spark Ignition engine, high speed 3700+50rpm, low speed 1800+100rpm, rated speed 3600rpm, max torque 12Nm, rated power 4.8kW/6.6hp, bore/stroke 67/60 capacity 211cc	FMTC CSIR-SMERI, MGA, Durgapur, Westbengal	CSIR/CMERI/FM TTC/2023/004 July 2023	Jul-28	पंजीकरण हेतु चिह्नित किया गया है।
102	UGT TECH Pvt Ltd, Kalyani, Nadia, West bengal	POWER WEEDER	UGT YKT 140D 5.8kW/7.8hp	single cylinder, air cooled, 4 stroke, spark Ignition engine, high speed 3840rpm, low speed 1200rpm, rated speed 3600rpm, max torque 22Nm, rated power 5.8kW/7.8hp, bore/stroke 86/72mm capacity 418cc	FMTC CSIR-SMERI, MGA, Durgapur, Westbengal	CSIR/CMERI/FM TTC/2024/005 MARCH 2024	Feb-31	पंजीकरण हेतु चिह्नित किया गया है।
103	UGT TECH Pvt Ltd, Kalyani, Nadia, West bengal	POWER WEEDER	YKT 100G 4.6kW/6.2hp	single cylinder, air cooled, 4 stroke, spark Ignition engine, high speed 3700rpm, low speed 1800+50rpm, rated speed 3600rpm, max torque 12Nm, rated power 4.6kW/6.2hp, bore/stroke 72/55mm, capacity 224cc	FMTC CSIR-SMERI, MGA, Durgapur, Westbengal	CSIR/CMERI/FM TTC/2023/006 July 2023	Jul-28	पंजीकरण हेतु चिह्नित किया गया है।
104	UGT TECH Pvt Ltd, Kalyani, Nadia, West bengal	POWER WEEDER	YKT 110D 4.6kW/6.2hp	single cylinder, air cooled, 4 stroke, spark Ignition engine, high speed 3700rpm, low speed 1600+50rpm, rated speed 3600rpm, max torque 12.5Nm, rated power 4.73kW/6.4hp, bore/stroke 78/64mm, capacity 305cc	FMTC CSIR-SMERI, MGA, Durgapur, Westbengal	CSIR/CMERI/FM TTC/2023/005 July 2023	Jul-28	पंजीकरण हेतु चिह्नित किया गया है।
105	UGT TECH Pvt Ltd, Kalyani, Nadia, West bengal	POWER WEEDER	UGT MASTER 8P 5.8kW/7.8hp	single cylinder, air cooled, 4 stroke, spark Ignition engine, high speed 3840rpm, low speed 1440rpm, rated speed 3600rpm, max torque 19Nm, rated power 5.8kW/7.8hp, bore/stroke 77/58mm, capacity 270cc	FMTC CSIR-SMERI, MGA, Durgapur, Westbengal	CSIR/CMERI/FM TTC/2024/004 MARCH 2024	Feb-31	पंजीकरण हेतु चिह्नित किया गया है।
106	VJ Materials Mart, Sirsi road, Deha, Uchhasiwana, Karnal, Haryana	Power Weeder	GAJA HITECH Agro G-104P 3.75kW/5.10hp	High Idle Speed-3600rpm, Low idle speed-1400+100 rpm, Rated speed-3400rpm, Bore/Stroke-70/55mm, Air Cooled, 4 Stroke, Single Cylinder, Petrol Engine, Capacity-212cc, Capacity 5.5l, overall dimension 1400x1140x110mm, mass 65kg	SRPMTTI Anantpur Andhra Pradesh	543/1587 February 2024	Jan-31	पंजीकरण हेतु चिह्नित किया गया है।
107	Varsha Agro mach engg pvt ltd, Singanallur post, coimbatore, tamil nadu	Power Weeder	VARSHA RABBIT	High Idle Speed-3800rpm, Low idle speed-1400+50 rpm, Rated speed-3600rpm, Bore/Stroke-56/40mm, Air Cooled, 4 Stroke, Single Cylinder, Petrol Engine, Capacity-98cc, Capacity 2.5l, overall dimension 1200x500x920mm, mass 48kg	SRPMTTI Anantpur Andhra Pradesh	529/1565 November 2023	Oct-28	पंजीकरण हेतु चिह्नित किया गया है।
108	Varsha Agro mach engg pvt ltd, Singanallur post, coimbatore, tamil nadu	Power Weeder	Varsha HW 524 DE 3.6kW(4.9hp)	high speed 3250rpm, low speed 1300rpm, max torque 2800rpm, power 3.6kW, bore/stroke 73/59mm, capacity 247cc, overall dimension 1465x1190x1150mm, mass 101kg	SRPMTTI Anantpur Andhra Pradesh	378/1204 September 2020	Aug-25	पंजीकरण हेतु चिह्नित किया गया है।
109	Varsha Agro mach engg pvt ltd, Singanallur post, coimbatore, tamil nadu	Power Weeder	Varsha SW 9 DEL 5.5kW	high speed 3250rpm, low speed 1400rpm, max torque 2800rpm, power 5.5kW, bore/stroke 86/70mm, capacity 406cc, overall dimension 1670x930x795mm, mass 166kg, power 7.5hp	SRPMTTI Anantpur Andhra Pradesh	376/1202 September 2020	Aug-25	पंजीकरण हेतु चिह्नित किया गया है।
110	Varsha Agro mach engg pvt ltd, Singanallur post, coimbatore, tamil nadu	Power Weeder	Varsha SW 940 DE 5.7kW	high speed 3250rpm, low speed 1300rpm, max torque 2800rpm, power 5.7kW, bore/stroke 86/70mm, capacity 406cc, overall dimension 1680x1540x1280mm, mass 166kg, power 7.7hp	SRPMTTI Anantpur Andhra Pradesh	377/1203 September 2020	Aug-25	पंजीकरण हेतु चिह्नित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेंछता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
111	Varsha Agro mach engg pvt ltd, Singanallur post,coimbatore, tamil nadu	Power Weeder	Varsha FALCON 4.1kW	high speed 3800rpm, low speed 1400rpm, max torque 2800rpm, power 4.1kW, bore/stroke70/55mm, capacity 212cc, overall dimension 1360x710x1100mm, mass 76kg, power 5.6hp	SRFMTTI Anantpur Andhra Pradesh	481/1484 March 2023	Feb-28	पंजीकरण हेतु चिन्हित किया गया है।
112	Varsha Agro mach engg pvt ltd, Singanallur post,coimbatore, tamil nadu	Power Weeder	Varsha CHAMPION 3.8kW	high speed 3600rpm, low speed 1400rpm, max torque 2800rpm, power 3.8kW, bore/stroke70/54mm, capacity 208cc, overall dimension1495x935x1250mm, mass 65kg, power 5.2hp	SRFMTTI Anantpur Andhra Pradesh	433/1271 June 2021	May-26	पंजीकरण हेतु चिन्हित किया गया है।
113	Varsha Agro mach engg pvt ltd, Singanallur post,coimbatore, tamil nadu	Power Weeder	Varsha HECTOR 3.8kW	high speed 3600rpm, low speed 1400rpm, max torque 2800rpm, power 3.8kW, bore/stroke 70/54mm, capacity 208cc, overall dimension 1475x880x1290mm, mass 112kg	SRFMTTI Anantpur Andhra Pradesh	432/1270 June 2021	May-26	पंजीकरण हेतु चिन्हित किया गया है।
114	Varsha Agro mach engg pvt ltd, Singanallur post,coimbatore, tamil nadu	Power Weeder	VARSHA SEAL 4.75kW 6.5hp	High Idle Speed-3800rpm, Low idle speed-1400+50 rpm, Rated speed-3600rpm, Bore/Stroke-77/58mm, Air Cooled, 4 Stroke, Single Cylinder, Petrol Engine, Capacity-270cc, Capacity 5.5l, overall dimension 1550x1120x1080mm, mass 120kg	SRFMTTI Anantpur Andhra Pradesh	530/1566 November 2023	Oct-28	पंजीकरण हेतु चिन्हित किया गया है।
115	Vijay and Company, haridwar road, laksar	power weeder	kisan shakti KS-10211 4.2kW	4 stroke, single cylinder, air cooled, petrol engine, power 4.20kW, rated 3600rpm, bore/stroke 73/55mm, capacity 198cc	DFMPECT GBPUAT pantnagar	CTE/FMP test report/2023-235 July 2023	August 2028	पंजीकरण हेतु चिन्हित किया गया है।
116	Vijay and Company, haridwar road, laksar	power weeder	kisan shakti KS-10211H 4.5kW	4 stroke, single cylinder, air cooled, petrol engine, power 4.50kW, rated 3600rpm, bore/stroke 73/56mm, capacity 198cc	DFMPECT GBPUAT pantnagar	CTE/FMP test report/2023-232 July 2023	August 2028	पंजीकरण हेतु चिन्हित किया गया है।
117	Kirloskar Oil Engines Ltd., Pune Maharashtra	power weeder	kirloskar Min T6P	Type-Single Cylinder, Air Cooled, Four Stroke, Inclined, Spark Ignition, High idle speed-3850+100, Low idle speed-2150+100rpm, Rated speed-3600+100rpm, Disposition-Inclined, Bore /Stroke-68/54mm	SRFMTTI-Anantapur A.P.	Machine-666/1736, October 224	30-09-2031	पंजीकरण हेतु चिन्हित किया गया है।
118	Kirloskar Oil Engines Ltd., Pune Maharashtra	power weeder	kirloskar Min T9	Type-Single Cylinder, Air Cooled, Four Stroke, Ignition, High idle speed-3780+100, Low idle speed-1500+100rpm, Rated speed-3600+100rpm, Disposition-Inclined, Bore /Stroke-86/72mm	SRFMTTI-Anantapur A.P.	Machine-656/1718, September 2024	31-08-2024	पंजीकरण हेतु चिन्हित किया गया है।

उप कृषि निदेशक, तकनीकी समर्थन, कृषि निदेशालय

सयुक्त कृषि निदेशक, गुणवत्ता नियंत्रण, कृषि निदेशालय

अपर कृषि निदेशक, कृषि निदेशालय

प्रतिनिधि, कृषि निदेशक, उद्योग, उद्योग निदेशालय

विभागाध्यक्ष (फार्म मशीनरी), गोवर्धन/विठो, पतनगर

कृषि निदेशक, उत्तराखण्ड।

पत्र संख्या-2213, दिनांक 26 जुलाई, 2024 के द्वारा जारी विज्ञापन से प्राप्त श्रेसर हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
1	Avtar singh & sons Sangrur PB	multicrop thresher	Avtar	main crop wheat, power 35hp, size 2470x1040x940mm, Ms rod material, range of clearance 20-25mm front, 15-20mm rear	FIMTTC-Bikaner	FIMTTC/THR/19/1212 January 2022	Jan-29	पंजीकरण हेतु चिन्हित किया गया।
2	Akhtari Agriculture Works Kashipur USNagar	Paddy Thresher	A-786	recommended Power-35hp and above, Main Crop-Paddy, Max PTO-24.3 kw (33.0) Ps, Size-3580X1155mm, Length of the shaft-1045 closed, 1370 Extended, Mass of shaft-6.5kg	SRFMTTI-Anantapur	Th-30/750/March 2017	March 2026	पंजीकरण हेतु चिन्हित किया गया।
3	Akhtari Agriculture Works Kashipur USNagar	Multi Crop Thresher	(AKHTARI-755)	Total Length-750mm, Size-1140X40X40mm, Stoke length-22mm, Size of blower-930X290mm, No of blade-12, MS road	FMTTI LUCKNOW	IMP-2011/298, JUNE-2021	Junc 2026	पंजीकरण हेतु चिन्हित किया गया।
4	Bir Singh & Sons	Paddy Multi Crop Thresher	PAMMI(GL-57)	power source-35hp& above, size of thresher-1542/1829x915, power -31.04kw, frame size-3285x1060x1120mm, nominal speed-540+10 rpm, size of cylinder-1200x770mm, overall dimensions-4420x1067x2133mm,	FIMTTC BIKANER	FIMTTC/THR/21/1769, NOVEMBER-2021	25/11/2028	पंजीकरण हेतु चिन्हित किया गया।
5	Bir Singh & Sons	Paddy Thresher	PAMMI GL 257	Max. pto power-35kw, size of thresher-3263x1060, length of shaft-603/937, size of cylinder-1786x851mm, overall dimensions-4253x2053x2540mm, mass-1500kg	FMTC KERALA	IMP-87/110/2021, NOVEMBER-2021	22/11/2028	पंजीकरण हेतु चिन्हित किया गया।
6	Bir Singh & Sons	Maize Thresher	Pammi-BSS-116	Max. pto power-35kw, size of thresher-1620X695mm, Max PTO-42.9hp, Main crop-Maize, Power requiremnet-35and above hp	FIMTTC-Bikaner	FIMTTC/THR/23/2270, June 2024	03-06-2031	पंजीकरण हेतु चिन्हित किया गया।
7	Bir Singh & Sons	Multi Crop Thresher	Pammi-Multicrop	Max. pto power-35kw, size of thresher-820X920mm, Max PTO-42.9hp, Main crop-Wheat, Power requiremnet-35and above hp	FIMTTC-Bikaner	FIMTTC/THR/22/2007, June 2023	23-06-2030	पंजीकरण हेतु चिन्हित किया गया।
8	Hindustan Agro Industries copration, Hoshiarpur	Multi crop Thresher	Kisan HT-40	Size of Thresher-810x520mm, Main Crop-Wheat, Type of prime-mover-PTO Driver, Powe-35hp and above, Material-MS Angle & channel, Overall Dimension the machine-4900x1670x2040mm	FIMTTC-Bikaner	FIMTTC/Thr/22/1909 / September 2022	Sep-29	पंजीकरण हेतु चिन्हित किया गया।
9	Hindustan Agro Industries copration, Hoshiarpur	Power Thresher 3hp	Kisan Charkha	Capacity-2Qntl/hours, Power-3hp	BIS	2322537/25/01/202422	Jan-25	पंजीकरण हेतु चिन्हित किया गया।
10	Hindustan Agro Industries copration, Hoshiarpur	Power Thresher 5hp	Kisan Charkha	Capacity-2Qntl/hours, Power-3hp	BIS	2322537/25/01/202422	Feb-25	पंजीकरण हेतु चिन्हित किया गया।
11	Dasmesh Mechanical Works, Nabha-Malerkotla Road, Amargath Punjab	PADDY THRESHER	LFTH 1203	Power source above 35hp, Dia of drum-685mm, No. of thrower-4, flywheel-2, overall dimension-4220*2720*2140mm, weight- 1395kg, Output Capacity-7.42-9.35 qt/hr	Ludhiana tested	FMPE/TC/COMM/2022/1365 December 2022	Dec-29	पंजीकरण हेतु चिन्हित किया गया।

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन / यंत्र का प्रकार	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2 Dasmesh Mechanical Works, Nabha-Malerkotla Road, Amargarh Punjab	3 Multi crop Thresher	4 MCT-4900	5 Power source above 40-55 hp, Main frame-No & size -124X62X6X2720-nons, No % size of angle iron-65X65X5.0X1060-1nos mm, Size of MS Box-52.5X52.5X950mm-1nos, Type-PTO drive shaft with universal joints	6 NRFMTTI- Hissar	7 Th-29/2352/2019 September 2019	8 Sep-26	9 पंजीकरण हेतु चिन्हित किया गया।
13	Dasmesh Mechanical Works, Nabha-Malerkotla Road, Amargarh Punjab	Wheat Thresher	Landforce-FTH-1128	Size of thresher-635X810 mm, Main Crop-wheat, Power requirement-45.0hp, type of drive-through propeller shaft, size-985X65X65X5	DFMPE-CAET-CCSHAU Hissar	HAU/FMPE/23-24/W/Thresh-14, October 2023	Oct 2030	पंजीकरण हेतु चिन्हित किया गया।
14	Dasmesh Mechanical Works, Nabha-Malerkotla Road, Amargarh Punjab	Wheat Thresher	Landforce-FTH-1136	Size of thresher-830X845mm, Main Crop-wheat, Power requirement-40.0hp, type of drive-through propeller shaft, size-1020X75X75X5mm	DFMPE-CAET-CCSHAU Hissar	HAU/FMPE/23-24/W/Thresh-15, October 2023	Oct 2030	पंजीकरण हेतु चिन्हित किया गया।
15	Bansal Traders Vikasnagar, Dehradun	Wheat Thresher		size of box-62x62x4.5mm, Belt size-B-55, dia. Of pully-152mm, recommended power-5hp, speed-1440rpm, size of cylinder-268x463mm, concave clearance-27, overall dimensions-1182x1020x1255mm, Total mass-220kg	GBPUAT Pantnagar Uttarakhand	CTE/FMP/2022-181, MARCH-2022	March 2029	पंजीकरण हेतु चिन्हित किया गया।
16	Ravindra Agricultural Industries, USNagar	Multi crop Thresher	Multi crop Thresher -2017	Size of thresher-1770X775mm, Power requirement-35 hp & above, Material-MS angle & c-channel, Size of rectangular Box-3050X1175X1020mm	FIMTTC-Telangana	No-th-83/253/January 2019	31-01-2026	पंजीकरण हेतु चिन्हित किया गया।
17	Ravindra Agricultural Industries, USNagar	Wheat Thresher	Wheat Thresher-2018	Recommended Power-39hp and above, Main Crop-wheat, Length-2160mm, Width-1030mm, Height-1130mm, Type-belt drive, No of belts-C-103, Diameter of main shaft-65mm	FMTC-Jannu	Auj/FMTC/19-20/TH-5/40/ 27-08-2019	2026	पंजीकरण हेतु चिन्हित किया गया।
18	Ravindra Agricultural Industries, USNagar	Paddy Thresher	Four Fan	Power Source-35.0 hp and above, Recommended Power-26.11 kw (35.00) hp, Overall dimensions-4630X2770X2525mm, Belt Drive, Length of vertical long ms angle-1107.00mm	SLFMTTC-Bhubanswar	IMP-173/2021-22/May	18-05-2028	पंजीकरण हेतु चिन्हित किया गया।
19	Indicon Agro Industries LLP, Assam	Power Paddy Thresher	IND-POT-5	Overall Dimension in mm-1265(L) X635(W)X830 (H), Power Source-1.0 hp motor, Weight-58kg, Main Crop-Paddy	CAET-Orissa	IMP-371/2018, March 2018	2025	पंजीकरण हेतु चिन्हित किया गया।
20	Sonalika agro Industries Corporation, Hosiarpur, Punjab	Multi Crop Thresher	SLCDSMCT-32	Power-35hp and above, Max PTO-25.7 kw, Size of channel-125X60X5.0X2480-02, Recommended crop mustard and wheat	NRFMTTI- Hissar	TH-33/2426/2020, January 2020	31-01-2027	पंजीकरण हेतु चिन्हित किया गया।
21	Bhaike Agriculture Works, Bagha purana road Bhagta Batinda, Punjab	Multi Crop Thresher	Bhaike		FIMTTC-Bikaner	FIMTTC/THR/16/715, July 2018	2025	पंजीकरण हेतु चिन्हित किया गया।
22	Amar Singh & Sons, Ahmadgarh,	Tractor Operated Harmba Thresher	HARDEEP	Size of Thresher-770X860mm, Power-35 & above hp, Main Crop-Wheat, Shaft dia & length-54.27X510 dia, Method of feeding-manual, size of platform-1560X1580mm	FIMTTC-Bikaner	FIMTTC/THR/21/183 4, March 2022	26-03-2029	पंजीकरण हेतु चिन्हित किया गया।



क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
23	Sun Agro, supela, bhilai	Paddy Thresher	SA-MTEI	Power Source-03 Hp Motor plate frame-35X35X03X355-02nos, Size of angle iron-35X35X03X380mm, Diameter of shaft-25 mm	SLAITC DAE IGKV campus, Raipur Chhattisgarh	Report No-2022-23/28, January 2023	Jan 2020	पंजीकरण हेतु चिन्हित किया गया।
24	Joginder Singh Narang Singh Ahmedgarh, Sangrur PB	Tractor Operated Multi crop Thresher	Hardev	size thresher 770x860mm, main crop wheat, power 35hp, overall dimension 4600x1560x2190mm, weight 1327kg	FIMTTC-Bikaner RAU	FIMTTC/Thr/19/1145 / August 2021	Aug-28	पंजीकरण हेतु चिन्हित किया गया।
25	Joginder Singh Narang Singh Ahmedgarh, Sangrur PB	Tractor Operated Wheat Thresher	HATDEV WT-32	size thresher 760x830mm, main crop wheat, power 35hp, overall dimension 5110x1530x2110mm, weight 1260kg	FMTTC samastipur bihar	14/FMTTC/FMPE/CAE/2022 14 march 2022	Mar-29	पंजीकरण हेतु चिन्हित किया गया।
26	Ramsons Impex, Bhagwanpur, Roorkee, Haridwar	Multicrop Thresher	RICO RI 2413	Electric Motor, Power-3hp and above, Main Crop-wheat, Other corp-Gram, Soyabean, Pulses, Thresher evaluated -wheat & gram, Size-1065X900X705 mm	FIMTTC-Bikaner	FIMTTC/THR/20/140 7 March 2021	Feb-28	पंजीकरण हेतु चिन्हित किया गया।
27	Ramsons Impex, Bhagwanpur, Roorkee, Haridwar	Paddy Thresher	RICOitaly RI PT 50	length of hanger 190mm, overall dimension 1180x1000x1260mm, mass 65kg.	DFMPECT GRPUAT Pantnagar USNagar	CTE/FMP/TEST REPORT 2022-204 DECEMBER 2022	Dec-29	पंजीकरण हेतु चिन्हित किया गया।
28	Dasmesh Agro Industries, Baja Khana Road Bhagta Bhai ka, Bhatinda Punjab	Multicrop thresher	D.R.-32 X36 G1	Size of Thresher-812X914mm, Powr-35 hp and above, Main Crop-Wheat and mustard, Size of rectangular box-2745X1025X1075mm	FMTTC-PITSOURH-Telangana	TH-100/482, June 2022	Jun-29	पंजीकरण हेतु चिन्हित किया गया।
29	Dasmesh Agro Industries, Baja Khana Road Bhagta Bhai ka, Bhatinda Punjab	Multicrop thresher	DR 32X37 G3	Tractor Power-35-65 hp, Max PTO-33.1 (45) kW, Type-Rectangular, Size -2685X125X60/60X5.67, Size of MS Square box-1065X50X50-2nos	FMTTC-KCAETKAU-Kerala	IMP-118/142/2022, August 2022	Aug-29	पंजीकरण हेतु चिन्हित किया गया।
30	Dasmesh Agro Industries, Baja Khana Road Bhagta Bhai ka, Bhatinda Punjab	Multicrop thresher	DR 32X37 G4	Tractor Power-35-65 hp, Max PTO-33.8 (45) kW, Type-Rectangular, Size -2685X125X60/60X5.67, Size of MS Square box-1065X50X50-2nos	FMTTC-KCAETKAU-Kerala	IMP-120/144/2022, August 2022	Aug-29	पंजीकरण हेतु चिन्हित किया गया।
31	Dasmesh Agro Industries, Baja Khana Road Bhagta Bhai ka, Bhatinda Punjab	Multicrop thresher	DR 32X39 GS	Size of Thresher-812X990mm, Main crop-Wheat and mustard, Power requirement-35hp and above, Size of rectangular box-2638x1050X1080mm	FMTTC-PITSOURH-Telangana	Th-101/483, June, 2022	Jun-29	पंजीकरण हेतु चिन्हित किया गया।
32	Dasmesh Agro Industries, Baja Khana Road Bhagta Bhai ka, Bhatinda Punjab	Multicrop thresher	DR 30X37	Recommended Tractor-35-65 hp, Max PTO-38.03 (51)kW, Type-Rectangular, Fabricated by MS C-channel angle iron, MS square box & MS plate	FMTTC-KCAETKAU-Kerala	IMP-117/141/2022, August 2022	Aug-29	पंजीकरण हेतु चिन्हित किया गया।
33	Lal ji & Sons Dehradun Road, Roorkee	Wheat Thresher	C-2010	Electric Motor-3hp, Size of box-60X60X4.2mm, Recommended speed -1140rpm, single motor 3hp, Mainr Corp-wheat, Size of cylinder-265X460mm, Dia of pages-31.50mm, Cylinder speed -720rpm, No of bar-4	GBPUAT Phatnagar	CTE/FMP/2021-158/October 2021	Oct 2028	पंजीकरण हेतु चिन्हित किया गया।



क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
34	Zandu Steel Works 1085, Milap Nagar, Near Manav Chowk, Ambala City	Multicrop Thresher	JP-ZANDU	Size of thresher-915x950mm, power source-35 hp & above, Frame size-2450x1075x1120mm, nominal speed-540+10 rpm, size of cylinder-860x830 mm, overall dimensions-4935x1570x2120 mm, weight-1200 kg	FIMTTC BIKANER	FIMTTC/THR/21/168 1, MARCH-2022	03-07-2029	पंजीकरण हेतु चिन्हित किया गया।
35	Zandu Steel Works 1085, Milap Nagar, Near Manav Chowk, Ambala City	Tractor operated Thresher(trailed type)	JP Zandu & co	size of thresher 900x890mm, power source 35 & above, main crop wheat, blade material chaff cutter blade, overall dimension 4945x1680x2125mm, mass 1200kg	FIMTTC-Bikaner	FIMTTC/THR/23/217 0 MAY 2023	May-30	पंजीकरण हेतु चिन्हित किया गया।
36	Zandu Steel Works 1085, Milap Nagar, Near Manav Chowk, Ambala City	Tractor operated Paddy Thresher(trailed type)	JP Zandu	size of thresher 1440x915mm, power source 35 & above, main crop Paddy, blade material chaff cutter blade, overall dimension 4945x1680x2125mm, mass 1200kg	FIMTTC-Bikaner	FIMTTC/THR/23/208 1 MAY 2023	May-30	पंजीकरण हेतु चिन्हित किया गया।
37	Atharv Agrotech Engineering, Rishikesh, Uk	Mini Thresher Machine	Annapurna Mini Thresher A-20 Y 2022	Test Report Not Submitted		Applied for Testing in GBPUAT Pantnagar		टेस्ट रिपोर्ट प्राप्त होने के उपरान्त पंजीकरण हेतु चिन्हित किया जाएगा।
38	Parashar agrotech Bio Pvt Ltd, mohankunj Apartment, Ghausabad, Varansi, UP	millet thresher cum pearler			VPKAS-Almora	63/VPKAS/ITMU/2023 2026/8707, Dated-02-02-2024	2031	पंजीकरण हेतु चिन्हित किया गया।
39	Ratnagiri Impex Pvt. Ltd., Maysor Road, Bangalore	Paddy Thresher						टेस्ट रिपोर्ट प्राप्त होने के उपरान्त पंजीकरण हेतु चिन्हित किया जाएगा।

उप कृषि निदेशक,  
तकनीकी सम्प्रदाय,  
कृषि निदेशालय

संयुक्त कृषि निदेशक,  
गुणवत्ता नियंत्रण,  
कृषि निदेशालय

संयुक्त कृषि निदेशक,  
नियोजन,  
कृषि निदेशालय

प्रतिनिधि,  
निदेशक उद्योग,  
उद्योग निदेशालय

प्रतिनिधि,  
विभागाध्यक्ष (फार्म मशीनरी),  
मो08040वि0वि0, पंतनगर

अपर कृषि निदेशक,  
कृषि निदेशालय

वित्त नियंत्रक,  
कृषि निदेशालय

कृषि निदेशक,  
उत्तराखण्ड।

पत्र संख्या-2213, दिनांक 26 जुलाई, 2024 के द्वारा जारी विज्ञापन से प्राप्त कृषि रक्षा यंत्र हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1		3	4	5	6	7	8	9
1	Husqvarna India Product Pvt. Ltd. First floor sweets house, Sir P S sivasamy salai, Mylapore, Chennai TN	Engine operated Power Sprayer	HUSQVARNA 321S15	321S15, Output Capacity 1/min-3.2 to 4.3 apa, Type- single cylinder, 2 stroke, Air Cooled, Spark Ignition, Petrol engine, Cylinder-1, Vertical, Capacity cc-25.4, Compression ratio-7.84:1	NRFMTTI Hisaar	361/2205/2018 August 2018	August 2024	पंजीकरण हेतु विहित किया गया।
2	Husqvarna India Product Pvt. Ltd. First floor sweets house, Sir P S sivasamy salai, Mylapore, Chennai TN	Portable Sprayer	HUSQVARNA 321 SP	Max. Power speed RPM- 7000, Power output (kW/hp)- 0.7 kW/0.93 HP, Fuel capacity (L)- 0.65, Source of power- 0.7 kW/0.93 HP 2-Stroke Petrol Engine	KCAFTKAU Kerala	PEC/2022/59, January-2023	05-01-2025	टेस्टिंग संस्था मान्य न होने के कारण पंजीकरण हेतु विहित नहीं किया गया है।
3	JAGATSUKH Industries, passi chowk, pakhawal road, ludhiana, punjab	Tractor Operated Boom Sprayer	Charlie, CH-400- B20	Output capacity-35 to 50 L/min, tractor power 18kW& above, max PTO power 30.8kW, chemical tank material- plastic, mounted on MS Sheet with nuts n bolts,, size of sheet 195x160x10mm	NRFMTTI HISAR	PS-506/2839/2022, April 2022	Apr-29	पंजीकरण हेतु विहित किया गया।
4	JAGATSUKH Industries, passi chowk, pakhawal road, ludhiana, punjab	Tractor Operated Boom Sprayer	jagatsukh	Output capacity-55 L/min, tractor power 20hp& above, chemical tank material- Agrochemical, mounted on with help of four nuts n bolts,, size of frame 195x156x110mm	NRFMTTI HISAR	HAU/FMPE/23- 24/TOPBS-04 August 2023	Aug-30	पंजीकरण हेतु विहित किया गया।
5	JAGATSUKH Industries, passi chowk, pakhawal road, ludhiana, punjab	Tractor operated air assisted	Charlie TF600	Output capacity-63.91 L/min, tractor power 20hp& above, mass of shaft 18.80kg, chemical tank material- HDPE, mounted on rectangular frame fabricated from MS channel,, overall dimension 3000x1170x1410mm, mass 415kg	ICAR-CIA, Bhopal MP	95/2021 September 2022	Sep-29	पंजीकरण हेतु विहित किया गया।
6	JAGATSUKH Industries, passi chowk, pakhawal road, ludhiana, punjab	Tractor Operated Sprayer (first batch)	Charlie, CH-600-A	Output capacity-47 to 70 L/min, tractor power 22kW, max PTO power 30.8kW, chemical tank material- plastic, mounted on top of frame with nuts n bolts,, size of frame 80x40mm	NRFMTTI HISAR	PS-477/2687/2021, March-2021	Mar-26	पंजीकरण हेतु विहित किया गया।
7	JAGATSUKH Industries, passi chowk, pakhawal road, ludhiana, punjab	Tractor Operated Boom Sprayer	jagatsukh	Output capacity-35 L/min, tractor power 20hp& above, chemical tank material- Agrochemical, mounted on with help of four nuts n bolts,, size of frame 195x157x10mm	NRFMTTI HISAR	HAU/FMPE/23- 24/TOPBS-03 August 2023	Aug-30	पंजीकरण हेतु विहित किया गया।
8	Ramsons Impex, IP-17, Raipur Sahkari Udyogic Kshetra, Bhagwanpur, Rookkee	Battery Operated Sprayer	RICOITALY RI-16 BT	16 ltr tank, polypropylene tank, 19" long spray gun, weight-2.2kg	NRFMTTI Hisar, (Haryana)	PS-445/2562/2020 October 2020	31-10-2025	पंजीकरण हेतु विहित किया गया।
9	Ramsons Impex, IP-17, Raipur Sahkari Udyogic Kshetra, Bhagwanpur, Rookkee	Power Knapsack Sprayer	RICOITALY RI-708 4S	Power sprayer, telescopic shaft, pump speed- 1000 to 1200 rpm, tank capacity-500 lt, spray gun, weight- 160kg	FIMTTC, Bikaner	15/658 November 2015	November 2020	टेस्टिंग संस्था मान्य न होने के कारण पंजीकरण हेतु विहित नहीं किया गया है।

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
10	Ramsons Impex,IP-17, Raipur Sahkari Udyogic Kshetra, Bhagwanpur, Rookee	Manual Sprayer	RI-16B	Capacity of sprayer, 1- 16, Piston dia, mm- 45, Rated pressure, kg/cm2 (apa)- 1 to 4, Piston stroke, mm- 35, Size (mm) (LxWxH)- 355x185x345, Capacity (l)- 16,	NRFMTTI Hisar, (Haryana)	PS-516/2876/2022 July, 2022	31 July, 2027	पंजीकरण हेतु विहित किया गया।
11	Ramsons Impex,IP-17, Raipur Sahkari Udyogic Kshetra, Bhagwanpur, Rookee	RICOTALY Operated HTP Sprayer	GRI-26 (ITALIA)	Type- Inclined, 4 stroke, air cooled, single cylinder, petrol engine, Power rating kW (apa)- 2.9 kW @3600 rpm, Rated speed rpm(apa)- 3600, Speed at max. torque, rpm (apa)- 2500, Bore/Stroke, mm (apa)- 70/54	NRFMTTI Hisar (Hararyana)	PS-518/2889/2022 August 2022	31 August 2029	पंजीकरण हेतु विहित किया गया।
12	Ratnagiri Impex Pvt. Ltd. Bengalore	Knapsack Sprayer	AM-405E 2 IN I	Size,mm Height-370, Width-150, Length-340, Type-Hollow cone, Multi-holes (6), Flat Fan, Max. Length of strap, mm-930, Battery mounting arrangement-The battery is fixed in a cavity made in the plastic tank and tightened with the help of a plastic strip and screw 165x96 2x152	ICAR BHOPAL	69/2020, OCTOBER-2021	05-10-2026	पंजीकरण हेतु विहित किया गया।
13	Ratnagiri Impex Pvt. Ltd. Bengalore	Knapsack Sprayer	AM-16-PRO-SS	Size mm- Height-360, Width-150, Length-330, Capacity, l- 16, Flow rate l/min-1.26 at 4 kg/cm. Type-Hollow cone, Multi-holes (6), Flat Fan, Size of nozzle (mm)-Hollow cone L=62, mm dia+12, out,dia+9 Multi-holes (6), L+69, inn.dia+33 Flat fan L=67,inn,dia=12,out,dia=4-5	ICAR BHOPAL	70/2020, OCTOBER-2021	05-10-2026	पंजीकरण हेतु विहित किया गया।
14	Ratnagiri Impex Pvt. Ltd. Bengalore	Knapsack Sprayer	AMP-708 2S	Single cylinder, Forced air cool 2 stroke engine (IE34F), Recommended power-0.75 kw @7500 rpm, Power rating kW/lp-0.75/1.00, Size mm- Height-490, Width-240, Capacity, l-20	NRFMTTI HISAR	PS-554/3133/2024 January 2024	31-01-2031	पंजीकरण हेतु विहित किया गया।
15	Ratnagiri Impex Pvt. Ltd. Bengalore	OPERATED SPRAYER	AMP-768 PRO	Output capacity l/min-3to8, Size of sheet, mm-240x15, Overall Dimensions, mm Length-290, Width-300, Height-336, Length of house-1230, Capacity of fuel tank, l-0 600	NRFMTTI HISAR	268/1953, OCTOBER-2016		पंजीकरण हेतु विहित किया गया।
16	Ratnagiri Impex Pvt. Ltd. Bengalore	OPERATED SPRAYER	AM22 GK80	Max. horse power KW (Ps)-1.2kW, High idle-3900RPM, Low idle-1650rpm, rated speed 3600RPM, Speed at max. torque-2500RPM, Capacity of fuel tank (l)- 2 lI,	NRFMTTI HISAR	PS-513/2871/2022 July 2022	31-07-2029	पंजीकरण हेतु विहित किया गया।
17	Ratnagiri Impex Pvt. Ltd. Bengalore	OPERATED SPRAYER	AM22 GK160	Max. horse power KW (Ps)-2.9kW, High idle-3900RPM, Low idle-1650rpm, rated speed 3600RPM, Speed at max. torque-2500RPM, Capacity of fuel tank (l)- 3 lI, output capacity 6 to 18l/min	NRFMTTI HISAR	PS-549/3125/2024 January 2024	31-01-2031	पंजीकरण हेतु विहित किया गया।
18	Ratnagiri Impex Pvt. Ltd. Bengalore	OPERATED SPRAYER	AM30 GX 160	Max. horse power KW (Ps)-2.9kW, High idle-3900RPM, Low idle-1650rpm, rated speed 3600RPM, Speed at max. torque-2500RPM, Capacity of fuel tank (l)- 3 lI, output capacity 6 to 18l/min	NRFMTTI HISAR	PS-551/3127/2024 January 2024	31-01-2031	पंजीकरण हेतु विहित किया गया।
19	Shakti Agro Industries, Arjun Nagar, Radha Swami Road, Ludhiana PB	Manual Knapsack Sprayer	SKP-60	Knapsack Sprayer-16 ltr cap. with plastic tank with platic pressure chamber inside the tank, weighth-4.5	BIS	IS 3906:1995, CM/L-9034567	31-12-2020	पंजीकरण हेतु विहित किया गया।
20	Shakti Agro Industries, Arjun Nagar, Radha Swami Road, Ludhiana PB	Battery Operated Knapsack Sprayer	Shakti- SBS-500e	Rated speed, rpm- 2700, Overall size, mm(LxWxH)- 370x185x395, Capacity (l)- 16, Overall Dimensions, mm- Height-470, Width- 200, Length- 370	NRFMTTI Hisaar	PS-514/2872/2022 July, 2022	31 July, 2027	पंजीकरण हेतु विहित किया गया।

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
21	Shakti Agro Industries, Arjun Nagar, Radha Swami Road, Ludhiana PB	Battery Cum Hand Operated Knapsack Sprayear	Shakti- SBS-520e	Motor operating voltage- DC, 12V, nom. (9-14.4V), Rated speed, rpm- 2700, Overall size, mm(LxWxH)- 350x185x390, Capacity (l)- 16, Overall Dimensions, mm- Height-600, Width- 185, Length- 430	NRFMTTI Hisaar	PS-509/2857/2022 May, 2022	31 May 2027	पंजीकरण हेतु चिह्नित किया गया।
22	Shakti Agro Industries, Arjun Nagar, Radha Swami Road, Ludhiana PB	Battery Operated Knapsack Sprayear	Shakti- SBS-500 DM	Size 395X180X370mm, Maxium pressure without-7.5, Battery mountin garrangement-160X105X45mm, Weight of battery-3.4 kg	ICAR,MP	34/2019 October, 2019	25 October 2028	पंजीकरण हेतु चिह्नित किया गया।
23	Shakti Agro Industries, Arjun Nagar, Radha Swami Road, Ludhiana PB	Engine Operated Knapsack Sprayear	SPS-767 F	Power rating, kW- 0.75 kW@7500 rpm, Max. torque- 1.1 Nm@5000rpm, Bore/Stroke- 39/26, Capacity cc- 31.1	NRFMTTI Hisaar	PS-525/2978/2023 April, 2023	30 April 2030	पंजीकरण हेतु चिह्नित किया गया।
24	Shakti Agro Industries, Arjun Nagar, Radha Swami Road, Ludhiana PB	Engine Operated Knapsack Sprayear	SPS-P768 F	Max. torque, Nm- 1.1 Nm@5000rpm, Power rating kW- 0.75 kW@7500 rpm, High idle speed- 8000 rpm, Low idle speed- 3000 rpm, Bore/Stroke, mm- 39/26	NRFMTTI Hisaar	PS-524/2977/2023 April, 2024	30 April 2030	पंजीकरण हेतु चिह्नित किया गया।
25	Super Power Agro India, Baraut Baghpat UP	Battery Operated Knapsack Sprayer	SP-20B	Capacity of Sprayer-18 ltr, Working Pressure-1 to 4 kg/cm, Type- Sealed-lead-Acid Battery, Capacity & rating 12V, 7.2AH, Speed- 2500 rpm, Max Current-3.5A, Output Voltage-DC 12V, Outpur Current-1.2A	NRFMTTI Hisar	PS-490/2794/2022/February 2022	28-02-2027	पंजीकरण हेतु चिह्नित किया गया।
26	V.S.M. International Pvt. Ltd. 65, Red Square Market, Hisar, Haryana	Manually Operated Knapsack Sprayer	XPS-901	Extra Power, Output capacity-33 to 46.5 apa, Type-over head valve, 4 stroke, air cooled, single cylinder, spark ignition, petrol engine, Power-3.7 kW@3600 rpm, Max Tarque-10.9 Nm@2500 rpm	CAET Hisaar	HAU/FMPE/13-14 March 2014	March 2021	पंजीकरण हेतु चिह्नित नहीं किया गया
27	V.S.M. International Pvt. Ltd. 65, Red Square Market, Hisar, Haryana	Manually Operated Knapsack Sprayer	XPS-902	Extra Power, Capacity of sprayer-16 ltr, HDPE Pipe, Size designation-18 G 5/16, Mild Steel, Handle-steel, Piston-PVC, Pump Cylinder-Engineerin plastic,	CAET Hisaar	HAU/FMPE/13-14 March 2014	March 2021	पंजीकरण हेतु चिह्नित नहीं किया गया
28	V.S.M. International Pvt. Ltd. 65, Red Square Market, Hisar, Haryana	Battery Operated Knapsack Sprayer	XPS-702	Type-DC Motor, Capacity of sprayer-16 ltr, Max pressure-0.45 MPA, Capacity -12V 8.0 Ah/0 HR, Nozzle-Hollow cone type, Overall dimension- 495X210X385mm, Suction volume-3.6L/Min,	CAET Hisaar	HAU/FMPE/14-15/Man-05 Sep 2014	Sept 2021	पंजीकरण हेतु चिह्नित नहीं किया गया
29	V.S.M. International Pvt. Ltd. 65, Red Square Market, Hisar, Haryana	Battery Cum Hand Operated Knapsack Sprayer	XPS-703	Type-DC Motor, Capacity of sprayer-20 ltr, Max Current-5 amp, Capacity & rating-13.5-13.8V, 12 Ah/20 HR, Nozzle-Hollow cone type, Overall dimension- 495X210X385mm, Suction volume-3.6L/Min,	NRFMTTI Hisaar	PS-462/2632/2020 December 2020	31 December 2025	पंजीकरण हेतु चिह्नित किया गया
30	V.S.M. International Pvt. Ltd. 65, Red Square Market, Hisar, Haryana	Battery Cum Hand Operated Knapsack Sprayer	XPS-704	Type-DC Motor, Capacity of sprayer-20 ltr, Max Current-2.2A,, Capacity & rating- 12V, 8 Ah/20 HR, Nozzle-Hollow cone type, Overall dimension- 610X190X415mm, Suction volume-3.6L/Min,	NRFMTTI Hisaar	PS-461/2631/2020 December 2020	31 December 2025	पंजीकरण हेतु चिह्नित किया गया
31	V.S.M. International Pvt. Ltd. 65, Red Square Market, Hisar, Haryana	Engine Operated Knapsack Sprayer	XPS-800-P	Extra Power, Output capacity-10 apa, Type-Single cylinder, 2 stroke, Air cooled, spark, ignition, Petrol engine, Power rating-0.7 kw@6500 rpm, Max torque- 1.6 Nm@5600 rpm, Size of frame -260X340X220 mm	NRFMTTI Hisaar	PS-451/2568/2020 November 2021	November 2027	पंजीकरण हेतु चिह्नित किया गया



क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेधता तिथि	अभ्युक्ति
1	V.S.M. International Pvt. Ltd. 65, Red Square Market, Hisar, Haryana	Engine Operated Knapsack Sprayer	XPS-825	Extra Power, Output capacity-10 lpa, Type-Single cylinder, 2 stroke, Air cooled, spark, ignition, Petrol engine, Power rating-0.72 kw@7000 rpm, Max torque-1.02 Nm@5000 rpm, Size of frame -300X400X275 mm	NRFMTTI Hisaar	PS-450/2567/2020 November 2020	8	परीक्षण हेतु चिह्नित किया गया
32	V.S.M. International Pvt. Ltd. 65, Red Square Market, Hisar, Haryana	Engine Operated Knapsack Sprayer	XPS-600	Extra Power, Output capacity-20 lpa, Type-Single cylinder, 2 stroke, Air cooled, spark, ignition, Petrol engine, Power rating-0.72 kw@6500 rpm, Max torque-1.02 Nm@5000 rpm, Size of frame -300X400X275 mm	NRFMTTI Hisaar	PS-209/1871/2016 June 2016	June 2025	परीक्षण हेतु चिह्नित किया गया
33	V.S.M. International Pvt. Ltd. 65, Red Square Market, Hisar, Haryana	Engine Operated Knapsack Sprayer	XPS-201	Extra Power, Output capacity-10 lpa, Type-Single cylinder, 4 stroke, Air cooled, spark, ignition, Petrol engine, Power rating-1.2 kw@6500 rpm, Max torque-1.8 Nm@5500 rpm, Size of frame -320X335X1.5mm	NRFMTTI Hisaar	Ps-447/2564/2020 November 2020	November 2027	परीक्षण हेतु चिह्नित किया गया
34	V.S.M. International Pvt. Ltd. 65, Red Square Market, Hisar, Haryana	Engine Operated Knapsack Sprayer	XPS-204	Extra Power, Output capacity-8 lpa, Type-Single cylinder, 2 stroke, Air cooled, spark, ignition, Petrol engine, Power rating-0.75 kw@6500 rpm, Max torque-0.95 Nm@5000 rpm, Size of frame -310X220X1.5mm	NRFMTTI Hisaar	PS=449/2566/2020 November 2020	November 2027	परीक्षण हेतु चिह्नित किया गया
35	V.S.M. International Pvt. Ltd. 65, Red Square Market, Hisar, Haryana	Engine Operated Knapsack Sprayer	XPS-25 HTP	Extra Power, Output capacity-8 lpa, Type-Single cylinder, 4 stroke, Air cooled, spark, ignition, Petrol engine, Power rating-3.7 kw@3600 rpm, Max torque-10.9 Nm@2500 rpm, Size of frame -260Z50X2.5mm	NRFMTTI Hisaar	PS--402/2324/2019 June 2019	June 2026	परीक्षण हेतु चिह्नित किया गया
36	Tirth Agro Technology Pvt Ltd. Shaktiman, Bharudi Toll Plaza, Bhunava village, Gondal Rajkot Gujarat	Tractor Mounted Boom Sprayer	Shaktiman Protektor 600	three cylinder, four stroke, water cooled, naturally aspirated diesel engine, max power 16.5kW/22.43ps, rated speed 3600rpm, low speed 1200+100rpm, bore/stroke 75/77.6mm, capacity 1028cc	NRFMTTI, Hisar tested	561/3167/2024 April 2024	30-04-2031	परीक्षण हेतु चिह्नित किया गया
37	Tirth Agro Technology Pvt Ltd. Shaktiman, Bharudi Toll Plaza, Bhunava village, Gondal Rajkot Gujarat	Tractor Mounted Boom Sprayer	Shaktiman Protektor 900	three cylinder, four stroke, water cooled, naturally aspirated IDI diesel engine, max power 18.5kW/25.1ps, rated speed 3000rpm, low speed 1200+50rpm, bore/stroke 78/78.4mm, capacity 1123cc	NRFMTTI, Hisar tested	562/3168/2024 April 2024	30-04-2031	परीक्षण हेतु चिह्नित किया गया

उप कृषि निदेशक, तकनीकी समीक्षण, कृषि निदेशालय

समुक्त कृषि निदेशक, गुणवत्ता नियंत्रण, कृषि निदेशालय

प्रतिनिधि, निदेशक उद्योग, उद्योग निदेशालय

समुक्त कृषि निदेशक, नियोजन कृषि निदेशालय

प्रतिनिधि, विभागाध्यक्ष (फार्म मशीनरी), गी0904040/वि0/वि0, पलनगर

कृषि निदेशक, उत्तराखण्ड।

कृषि निदेशक, वित्त नियंत्रक, कृषि निदेशालय

अपर कृषि निदेशक, कृषि निदेशालय



**पत्र संख्या-2213, दिनांक 26 जुलाई, 2024 के द्वारा जारी विज्ञापन से प्राप्त पावर टिलर हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण**

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	Kirtoskar Oil Engines Ltd., 498-143 KA, Near IT College Chauraha, SBI Building, Faizabad Road, Lucknow	POWER TILLER	KMW MEGA T12 DLV 8.9KW	5 Single cylinder, water cooled, horizontal, Direct Injection and compression ignition engine, Max. speed at no load- 2650+25, Low idle speed- 1100+100, Rated speed- 2400, Speed at max. torque- 1400-100, Bore/stroke, (mm)- 96/96	6 SRFMTTI ANANTAPUR	7 161/1451 November 2022	8 Oct-25	9 पंजीकरण हेतु चिन्हित किया गया है।
2	Kirtoskar Oil Engines Ltd., 498-143 KA, Near IT College Chauraha, SBI Building, Faizabad Road, Lucknow	POWER TILLER	KMW MEGA T12 L.V-S, 9.6 KW	5 Single cylinder, water cooled, horizontal, Direct Injection and compression ignition engine, Max. speed at no load- 2650+25, Low idle speed- 1100+100, Rated speed- 2400, Speed at max. torque- 1400-100, Bore/stroke, (mm)- 96/96	6 SRFMTTI ANANTAPUR	7 154/1359, MARCH-2022	8 Feb-25	9 पंजीकरण हेतु चिन्हित किया गया है।
3	Kirtoskar Oil Engines Ltd., 498-143 KA, Near IT College Chauraha, SBI Building, Faizabad Road, Lucknow	POWER TILLER	KMW MEGA T- 15 LV 10.7KW	5 Direct injection, water cooled, horizontal, single cylinder, compression ignition engine, Max. speed at no load- 2200, Low speed- 850+50, Rated speed- 2000, Speed at max. torque- 1500+200, Bore/stroke, (mm)- 105/115	6 SRFMTTI ANANTAPUR	7 156/1370, MAY-2022	8 Apr-25	9 पंजीकरण हेतु चिन्हित किया गया है।

उप कृषि निदेशक,  
तकनीकी समीक्षण,  
कृषि निदेशालय

संयुक्त कृषि निदेशक,  
गुणवत्ता नियंत्रण,  
कृषि निदेशालय

संयुक्त कृषि निदेशक,  
नियोजन  
कृषि निदेशालय

प्रतिनिधि,  
निदेशक उद्योग,  
उद्योग निदेशालय

प्रतिनिधि,  
विभागाध्यक्ष (कार्म मशीनरी),  
गोवर्णमंथन, पटना

अपर कृषि निदेशक,  
कृषि निदेशालय

वित्त नियंत्रक,  
कृषि निदेशालय

कृषि निदेशक,  
उत्तराखण्ड।