

कृषि निदेशालय उत्तराखण्ड, नन्दा की चौकी, प्रेमनगर, देहरादून।

(दूरभाष संख्या-0135-2772677, फ़ैक्स-0135-2771881, ई मेल-dir.agri.Uttarakhand@gmail.com)

पत्रांक- 3278 /SMAM/पंजी.-कृषि यंत्र/2023-24 देहरादून दिनांक-02 सितम्बर, 2023

1. समस्त मुख्य कृषि अधिकारी, उत्तराखण्ड।
2. समस्त कृषि एवं भूमि संरक्षण अधिकारी, उत्तराखण्ड।

विषय- कृषि यंत्रों/उपकरणों हेतु पंजीकृत फर्म तथा माडल विषयक।

निदेशालय के पत्र संख्या-कृ.नि./8216/पंजी/कृषि यंत्र/2023-24, दिनांक 29 मार्च, 2023 के द्वारा विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध करने हेतु विज्ञापन जारी किया गया था। उक्त के क्रम में उत्तराखण्ड अधिप्राप्त नियम 2017, विभिन्न योजनाओं के अन्तर्गत कृषि यंत्रों/उपकरणों पर अनुदान उपलब्ध कराने जाने हेतु कृषि मशीनों तथा यंत्रों/उपकरणों के मूल विनिर्माता फर्मों से प्राप्त पंजीकृत प्रपत्रों का गठित पंजीकरण समिति द्वारा परीक्षण करने के उपरान्त विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध/पंजीकरण हेतु उपयुक्त पाया गया। सूचीबद्ध/पंजीकरण हेतु चिन्हित किए गए यंत्रों/उपकरणों का विवरण निम्नानुसार है।

क्र.सं.	फर्म का नाम	सूचीबद्ध/पंजीकरण होने वाले कृषि मशीनों/यंत्रों/उपकरणों का विवरण
1.	American Spring & Pressing Works, ASPEE, Mumbai, Maharashtra	Power Weeder/Sprayer
2.	Andreas Stihl Pvt. Ltd., Khed, Pune, Maharashtra	Power Weeder/Sprayer
3.	BTL EPC Ltd., Shrachi Tower, EM Bypass Kolkata	Power Weeder/Power Tiller
4.	BCS India Pvt. Ltd., Vill- Mangarh, P.O.Kohara, Distt- Ludhiana	Power Weeder
5.	Benson Agro Engineering, Satpur, Nashik, Maharashtra	Power Weeder/Thresher
6.	Chakradhar Chemicals pvt. Ltd., Muzaffarnagar, Uttar Pradesh	Power Weeder/Sprayer
7.	Falcon Garden Tools Pvt. Ltd., Malerkotla Road, Alamgir, Ludhiana	Power weeder
8.	GEORGE MAIJO INDUSTRIES PVT.LIMITED, Chennai, Tamil Nadu	Power Weeder
9.	RATNAGIRI IMPEX PVT. LTD, Mysore road, Banglore, Karnataka	Power Weeder
10.	Farmworld Agrotech PVT LTD, Rajkot Gujarat	Power weeder
11.	Farm & Garden Technologies Pvt. Ltd., Gurgaon, Haryana	Power weeder
12.	Husqvarna (India) Products Pvt. Ltd., Chennai, Tamilnadu	Power Weeder/Sprayer
13.	Singla Enterprises, Ludhiana, Punjab	Power Weeder
14.	vijay and company, haridwar road, laksar	power weeder
15.	Krishitek industries PVT LTD, Gandhinagar Gujarat	Power Weeder
16.	Kirloskar Engines Ltd., Faizabad Road, Lucknow	Power operated weeder/Power Tiller
17.	Kisan Kraft lited, General & Allied Industries, Karnal, Haryana	Power Weeder
18.	Macan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Power Weeder
19.	Nipha India Limited ,Shakespeare sarani, Kolkata	Power Weeder
20.	Mhaswadkar Autolines PVT LTD, Satara, MS	Power Weeder
21.	Stanish power, Panchavati, Nashik, Maharastra	Power Weeder
22.	Neptune Packaging Pvt. Ltd., Indore, Madhya pradesh	Power Weeder/ Sprayer
23.	Ralli Agrotech Limited, Valsad, Gujarat	Power weeder/ Sprayer
24.	Pubert India Pvt. Ltd., Bangalore, Karantaka	Power Weeder
25.	Ramsons Impex, Bhagwanpur, Roorkee, Haridwar	Power Weeder/ Sprayer/Thresher

26.	Sukoon Solutions PVT LTD Ghaziabad	Electrical Power Weeder
27.	Varsha Agro mach engg pvt ltd, coimbatore	Power Weeder
28.	Simpsons & co. Ltd. Anna Salai, Chennai TN	Power Weeder Commercial
29.	VSM International Pvt. Ltd., 65 Red Square Market, Hisar, Haryana	Power Weeder/ Sprayer
30.	V.S.T. Tillers Tractors Ltd., Bangalore, Karnataka	Power Weeder/Power Tiller
31.	Competent Agriculture Machinery, Bagpat, U.P.	Power Weeder/ Sprayers
32.	CAM Agrotech Pvt. Ltd. Baraut, Baghpat, UP	Power Weeder
33.	Perfect House Pvt. Ltd. (Maharashtra)	Power Weeder
34.	Bonhoeffler machines private limited, Faridabad, haryana	Power Weeder
35.	E-Agrocare Machineries & Equipments Pvt. Ltd., Aurangabad, Maharashtra	Power Weeder
36.	Saraswati Krishi Udyog, Assandh, Karnal Haryana	PTO Operated Weeder/ Sprayers
37.	Perfect House Pvt. Ltd. Mumbai, maharashtra	Power Weeder
38.	Bansal Traders, Vikasnagar, Dehradun.	Power Weeder/Thresher
39.	VSM International Pvt. Ltd., Hissar, Haryana	power weeder and tiller attachments
40.	Shona Agri Solutions, Jind, Haryana	power weeder attachments
41.	Hindustan Agro Industries copration, Hoshiarpur	Thresher
42.	Madho Agro Industry, Plot no. B-3, Focal Point, (MOGA / PUNJAB)	Thresher
43.	Bir singh & Sons Chandigarh Road, Samrala, Ludhiana Punjab	Thresher
44.	Sun Agro, Supela, Bhilai	Thresher
45.	Joginder Singh Narang Singh, Sangrur, Punjab	Thresher
46.	Saeco Strips Pvt. Ltd, Ludhiana Punjab	Thresher
47.	K.S. Powertech, Rikot Road, Malerkotla punjab	Thresher
48.	Zandu Steel Works, Ambala City, Haryana	Thresher
49.	Dashmesh Agro Industries, Pohir, Ludhiana, Ahmadgarh Punjab	Thresher
50.	Avtar Singh & Sons Sangrur, Punjab	Thresher
51.	Avon Agriculture Industries, Gadarpur, US Nagar	Thresher
52.	Dasmesh Mechanical Works, Amargarh, Punjab	Thresher
53.	Jai Gurudev Industries., Rudrapur, US Nagar	Thresher
54.	Kartar Agriculture Implements, Station Road, Kashipur, US Nagar	Thresher
55.	Gahir Agro Industries Ltd., District Sanrur Punjab	Sprayers
56.	Shakti Agro Industries, Ludhiana Punjab	Sprayers
57.	Masand Agritech, Indore, Madhya Pradesh	Sprayers
58.	RSR Retail Pvt. Ltd., Noida, Uttar Pradesh	Sprayers
59.	Kisankraft Ltd. Bengaluru, Karnataka	Sprayers
60.	Mohit Agritech 276, 1A Near Ghadge Lawns Nashik	Sprayers
61.	Bhoomi Agro Industires, Rajkot, Gujarat	Sprayers
62.	Modern Sprayers Pvt. Ltd., Ludhiana, Punjab	Sprayers

सलंगन सूची के अनुसार कृषक द्वारा सूचीबद्ध/पंजीकृत विनिर्माता फर्म/फर्मों के अधिकृत डीलर से सलंगन सूची में अंकित माडल को क्रय करने पर ही अनुदान देय होगा। अनुदान देते समय निम्न बिन्दुओं को ध्यान में रखा जाए।

1. उपरोक्त पंजीकरण पत्र जारी होने वाले दिनांक से दो वर्ष तक वैध रहेगा।
2. कृषकों को कृषि यंत्रों/उपकरणों पर अनुदान **Submission on Agricultural Mechanization(SMAM)**की गाईडलाइन के अनुसार होगा। पैरा **6.4.2**अथवा संबंधित योजना की गाईडलाइन में इंगित व्यवस्था के अनुसार अनुपालन सुनिश्चित किया जाये। साथ ही यह ध्यान रखा जायेगा कि अनुसूचित जाति, अनुसूचित जनजाति, महिला तथा लघु सीमांत कृषकों को प्राथमिकता मिले।
3. कृषि यंत्रों/उपकरणों पर अनुदान भारत सरकार/राज्य सरकार द्वारा निर्धारित/अनुमन्य अधिप्राप्त सीमा तक ही देय होगा।
4. सूचीबद्ध/पंजीकृत फर्म को बिल स्वयं अथवा विनिर्माता की संस्तुती पर नियमानुसार अधिकृत विक्रेता भी बिल जारी कर सकेगा बिल/कैश मैमो पर पूर्ण स्पेसिफिकेशन

के साथ कृषि यंत्र का माडल/ब्राण्ड/गारन्टी/क्रम संख्या/चेचिस संख्या, वारन्टी अवधि का अनिवार्य रूप से अंकन करेगा।

5. अनुदान कृषक/मूल विनिर्माता द्वारा अधिकृत विक्रेता से कृषक द्वारा क्रयित कृषि यंत्रों /उपकरणों के सूचीबद्ध माडल/मेक पर ही देय होगा। फर्म/अधिकृत विक्रेता नियमानुसार टेक्स का अंकन करते हुए टैक्स जमा करना होगा।
6. निदेशालय स्तर पर सूचीबद्ध/पंजीकृत फर्म/माडल/मेक agrimachinery.nic.in पर अपलोड करनी होगी, जो कम से कम एक वर्ष तक नहीं बदली जा सकेगी।
7. सूचीबद्ध/पंजीकृत फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों की वर्तमान दरें भारत सरकार की Agrimachinery.nic.in पर DBT Agriculture Machinazation पर अंकित करनी होगी, जो एक वर्ष तक बदली नहीं जा सकेगी।
8. कृषक द्वारा ऑनलाईन डी.बी.टी. पोर्टल पर डीलर से क्रय किए गए यंत्रों के बिल को डीलर पोर्टल पर अपलोड करेगा।
9. जनपद के कृषि एवं भूमि संरक्षण अधिकारी द्वारा गठित सत्यापन टीम द्वारा भौतिक सत्यापन सुनिश्चित कर लिये जाने के उपरांत **Submission on Agricultural Mechanization** (SMAM) की गाईडलाइन एवं राज्य सरकार द्वारा निर्धारित अनुदान की अधिकतम सीमा के अनुसार कार्यवाही करें।
10. सत्यापन के दौरान कृषक द्वारा क्रयित कृषि यंत्र/उपकरण विभाग द्वारा सूचीबद्ध/पंजीकृत किए गए कृषि यंत्रों/उपकरणों के अनुसार ही हो।
11. कृषकों को उपलब्ध कराये जा रहे कृषि यंत्रों/उपकरणों के मूल्य पोर्टल पर दर्शायी दरों से अधिक न हो, यदि दरें अधिक पायी जाती हैं तो संबंधित जनपद के मुख्य कृषि अधिकारी कार्यावाही करेंगे। कृषक जब मेक/माडल, गुणवत्ता एवं मोल भाव कर दर से पूर्णतया संतुष्ट हो जाने के बाद कृषि यंत्रों/उपकरणों को क्रय करें।
12. मुख्य कृषि अधिकारी/कृषि एवं भूमि संरक्षण अधिकारी अनुदानित यंत्रों की सूचना निदेशालय को उपलब्ध करायेंगे।

क्र०सं०	यंत्र का नाम/मेक एवं माडल	यंत्र आपूर्ति कहां से हुई/डीलर का नाम	संख्या	कुल कीमत	कुल वितरित अनुदान
1	2	3	4	5	6

13. फर्म को अपने फर्म का सर्विस सेंटर खोलना होगा। फर्म द्वारा अपने ग्राहकों को Maintenance का प्रशिक्षण देना होगा।
14. विभागीय उच्चाधिकारियों द्वारा कृषक को आपूर्तित कृषि यंत्रों/उपकरणों का निरीक्षण करने पर कृषि यंत्रों/उपकरणों को निर्धारित गुणवत्ता के अनुरूप न पाए जाने पर संबंधित विनिर्माता फर्म का पंजीकरण निरस्त कर दिया जायेगा। साथ ही ऐसी फर्म/अधिकृत विक्रेता को विभाग द्वारा काली सूची में डालने की कार्यवाही की जा सकती है।
15. सूचीबद्ध/पंजीकृत विनिर्माता फर्म/अधिकृत विक्रेता को कृषक द्वारा क्रयित कृषि यंत्रों/उपकरणों पर अनुदानित वर्ष एवं विभाग का नाम अनिवार्य रूप से अंकित करना होगा।
16. विनिर्माता सूचीबद्ध/पंजीकृत फर्म/अधिकृत विक्रेता को समय-समय पर विभाग द्वारा वांछित जानकारी उपलब्ध करानी होगी। ऐसा न करने पर संबंधित को पंजीकरण सूची से विलोपित किया जा सकता है।
17. सरकार द्वारा समय-समय पर जारी दिशा-निर्देशों के अनुसार उपरोक्त शर्तों/नियमों एवं इससे संबंधित प्रक्रिया में आवश्यकतानुसार संशोधित/परिवर्तन किया जा सकेगा।
18. सूचीबद्ध/पंजीकृत फर्म के अधिकृत विक्रेता द्वारा विभाग को उपलब्ध कराई गई किसी भी जानकारी के असत्य पाये जाने की दशा में संबंधित फर्म का पंजीकरण तत्काल प्रभाव से निरस्त कर दिया जायेगा।

19. प्रदायकों को मुख्य कृषि अधिकारी के आदेश एवं दिशा निर्देश के अनुसार कृषक/कृषकों को जनपद/विकासखण्ड स्तर/न्याय पंचायत तक यंत्र उपलब्ध कराने होंगे। इस हेतु प्रदायकों को जिला स्तर पर अपना नेटवर्क स्थापित करना होगा। प्रदायक द्वारा जिले में नियुक्त अधिकृत विक्रेता के पास जी0एस0टी0 पंजीकरण तथा विक्रय उपरान्त सेवा की सुविधा उपलब्ध करायी जानी आवश्यक होगी। प्रदायकों की यह जिम्मेदारी होगी कि वे उनके द्वारा विक्रय की गयी सामग्री के लिये उचित मूल्य पर पुर्जे तथा विक्रय उपरान्त सेवा की सुविधा कृषकों को उपलब्ध करावें। लाभार्थियों को इसके लिये प्राप्त अनुरोध पत्र से 15 दिनों के अन्दर यदि यह व्यवस्था नहीं की जाती है, तो यथा आवश्यक कार्यवाही की जायेगी।

20. भारत सरकार उपायुक्त (M&T) कृषि एवं किसान कल्याण मंत्रालय भारत सरकार M&T अनुभाग कृषि भवन नयी दिल्ली ने पत्र संख्या-F.No.13-30/2023-M&T(I&P)दिनांक 27 जुलाई, 2023 के द्वारा अवगत कराया गया है कि ऐसे कृषि मशीन एवं यंत्र जिन पर अनुदान दिया जा रहा है केंद्रीयकृत कोडिंग सिस्टम लागू किया गया है। फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों पर भारत सरकार द्वारा दिये गये उक्त निर्देशों का पालन किया जाए।

संलग्न-यथोपरि।


कृषि निदेशक
उत्तराखण्ड।

पत्रांक- /एस.एम.ए.एम/पंजीकरण-कृषि यंत्र/2023-24/दिनांकित।

प्रतिलिपि-: निम्नांकित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. अपर कृषि निदेशक, गढ़वाल मण्डल, पौड़ी।
2. संयुक्त कृषि निदेशक, कुमाऊँमण्डल, हल्द्वानी (नैनीताल)।
3. संबंधित मूल विनिर्माता फर्म को विभागीय बेवसाईट के माध्यम से।
4. अध्यक्ष, जिला यंत्रीकरण समिति।
5. विभागीय पोर्टल।

1
कृषि निदेशक
उत्तराखण्ड।

प्र संख्या-8216, दिनांक 29 मार्च, 2023 के द्वारा जारी विज्ञापन से प्राप्त पावर वीजर/पावर टिलर हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र0 सं0	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/मॉडल	यंत्र का स्थापिकेशन	ट्रेडिंग संस्था	ट्रेड रिपोर्ट की तिथि	ट्रेड की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
1	American Spring & Pressing Works, ASPEE House, B.J. Patel Road, Malad (West) Mumbai, Maharashtra	Power Weeder	ASPEE RT-DE-105 6hp	Recommended power-, 6 hp, stroke, single cylinder, diesel engine, 2800 rpm, no. of flanges- 08, rotor blades- 32, average capacity- 0.09-0.14 ha/hr	NRFMTTL, Hisar, Haryana	133/2780/2022 January 2022	Jan-27	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	ASPEE RT/GE/G-5.5 5.6HP	4 Stroke diese Engine, petrol engine, high speed 3600rpm, low speed 1410rpm, capacity 215cc, capacity fuel 3.5L	NRFMTTL, Hisar, Haryana	109/2660/2021 January 2021	Jan-26	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	ASPEE G270 5kw	air cooled, 4 store, single cylinder, petrol engine, high speed 3600rpm, low speed 1850rpm, power 5kw	FMTATC CSIR-CMERI MGA, durgapur, west bengal	CSIR/CMERI/FM TTC/2022/004 May 2022	May-27	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	ASPEE H/GX200 4.1kw	air cooled, 4 store, single cylinder, petrol engine, high speed 3600rpm, low speed 1800rpm, power 4.1kw	FMTATC CSIR-CMERI MGA, durgapur, west bengal	CSIR/CMERI/FM TTC/2022/003 May 2022	May-27	पंजीकरण हेतु चिन्हित किया गया है।
2	Andreas Stihl Pvt. Ltd., Gut No-53/01, Pune-Nashik Highway, Near Vijay Logistics, Behind Lear Company, Kuruli, Tal, Khed, Pune	Power Weeder	STIHL MH 710 5.2kw	High idle speed 3250+100 RPM, Low idle Speed-1800+150rpm, Speed-3000rpm, Speed at maximum -2600 rpm, Max power-5.2 @3000 rpm	SRFMTTL, Anantpur, AP	293/1048 August 2019	Jul-24	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	STIHL MH 610 4.3kw	High idle speed 3250+100 RPM, Low idle Speed-1800+150rpm, Speed-3000rpm, Speed at maximum -2600 rpm, Max power-4.3 @3000 rpm	SRFMTTL, Anantpur, AP	292/1047 August 2019	Aug-24	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	BC-230 1.55KW 2.1HP	Working Width-300mm, Single cylinder, two stroke, air cooled petrol engine, No-1, idle speed-2800 rpm, fuel tank capacity-0.810 ltr	BIRSA-Ranchi	BAU/DAV/09/19 January 2019	2024	पंजीकरण हेतु चिन्हित किया गया है।
3	BTL EPC Ltd., Shrachi Tower, 7th Floor, Anandapur, EM Bypass Kolkata	Power Weeder	SHRACHI-8X650 BD 5.6KW, 7.6HP	Four stroke, single cylinder, vertical, air cooled, direct injection, compression ignition engine, Speed-3750+100 rpm, Low speed-1300 to 1600 rpm, Speed at max-1300+100 rpm, Max power -5.1 @3600rpm	SRFMTTL, Anantpur, AP	328/1120 February 2020	Jan-25	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	SHRACHI-9D6+ 6.35kw	Single cylinder, 6.35 kw, 3800 rpm, overall dimension- 1890*720*1350mm, Air cooled, 4 stroke, capacity-438cc, capacity of fuel tank-5L	SRFMTTL, Anantpur, AP	467/1454 December 2022	Nov-27	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	SHRACHI-7P3H 3.8KW	Single cylinder, 3.8 kw, 3750 rpm, overall dimension- 1600*900*1065mm, Air cooled, 4 stroke, capacity-196cc, capacity of fuel tank-3.6L	SRFMTTL, Anantpur, AP	453/1431 October 2022	Sep-27	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	SHRACHI-7P3 3.8kw	Single cylinder, 3.8 kw, 3750 rpm, overall dimension- 1510*890*1250mm, Air cooled, 4 stroke, capacity-196cc, capacity of fuel tank-3.5L	SRFMTTL, Anantpur, AP	454/1432 October 2022	Sep-27	पंजीकरण हेतु चिन्हित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मॉक /माडल	यंत्र का स्वीसिफिकेशन	टैरिफिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की तैयारी तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
		Power Weeder	SHRACHI-6D3 5.1kW	Single cylinder, 5.1 kw, 3750 rpm, overall dimension-1700*1220*1440mm, Air cooled, 4 stroke, capacity-.296cc, capacity of fuel tank-3.5L	SRFMTTI, Anantpur, AP	327/1119 February 2020	Jan-25	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	SHRACHI- 7P3B 3.8kW	Single cylinder, 3.8 kw, 3750 rpm, overall dimension-1660*795*1115mm, Air cooled, 4 stroke, capacity-196cc, capacity of fuel tank-3.5L	SRFMTTI, Anantpur, AP	455/1433 October 2022	Sep-27	पंजीकरण हेतु चिन्हित किया गया है।
		Diesel Power Weeder	SHRACHI- 8D6 5.74kW	Diesel operated, 5.74 kw, 3250 rpm, overall dimension- 1750*1500*1380mm, Air cooled, 4 stroke, capacity-418cc, capacity of fuel tank-5L	SRFMTTI, Anantpur, AP	461/1441 October 2022	Sep-27	पंजीकरण हेतु चिन्हित किया गया है।
4	BCS India Pvt. Ltd., Vill- Mangarh, P.O.Kohara, Distt- Ludhiana	Power Weeder	BCS MC-720P 3.69kW	petrol engine, high speed 3850rpm, low speed 1400rpm, max torque 2500rpm, bore/stroke 68/54mm, capacity 196cc, overall dimension 1685x610x930mm, mass 95kg	NRFMTTI, Hisar, Haryana	1023/2370/2019 9 October 2019	Oct-26	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	BCS GRATIA-80B 3.85kW	petrol engine, high speed 3800rpm, low speed 1600rpm, max torque 2500rpm, bore/stroke 70/55mm, capacity 212cc, overall dimension 1560x880x950mm, mass 76.3kg	NRFMTTI, Hisar, Haryana	118/2676/2021 February 2021	Feb-26	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	BCS GRATIA-100BH 3.85kW	petrol engine, high speed 3800rpm, low speed 1600rpm, max torque 2500rpm, bore/stroke 68/54mm, capacity 196cc, overall dimension 1525x900x1140mm, mass 71kg	NRFMTTI, Hisar, Haryana	115/2673/2021 February 2021	Feb-26	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	BCS GRATIA-100B 3.85kW	petrol engine, high speed 3800rpm, low speed 1600rpm, max torque 2500rpm, bore/stroke 70/55mm, capacity 212cc, overall dimension 1550x915x1070mm, mass 86.2kg	NRFMTTI, Hisar, Haryana	116/2674/2021 February 2021	Feb-26	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	BCS GRATIA-105B 3.85kW	petrol engine, high speed 3800rpm, low speed 1600rpm, max torque 2500rpm, bore/stroke 70/55mm, capacity 212cc, overall dimension 1840x1230x1120mm, mass 111.1kg	NRFMTTI, Hisar, Haryana	114/2672/2021 February 2021	Feb-26	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	BCS GRATIA-80H 2.84kW	petrol engine, high speed 3800rpm, low speed 1600rpm, max torque 2500rpm, bore/stroke 68/45mm, capacity 163cc, overall dimension 1564x860x940mm, mass 77.5kg	NRFMTTI, Hisar, Haryana	117/2675/2021 February 2021	Feb-26	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	BCS MC-730P 4.93kW	petrol engine, high speed 3850rpm, low speed 1400rpm, max torque 2500rpm, bore/stroke 77/58mm, capacity 1270cc, overall dimension 1750x670x980mm, mass 130kg	NRFMTTI, Hisar, Haryana	1009/2351/2019 9 September 2019	Sep-26	पंजीकरण हेतु चिन्हित किया गया है।
5	Benson Agro Engineering, Satpur, Nashik	Power Weeder above 2 bhp	BENSON MT 900P 3.4kW	Single cylinder, 3.4 kw, 3000 rpm, overall dimension-1380*1100*1160mm, Air cooled, 4 stroke, capacity-208cc, capacity of fuel tank-3.5L	SRFMTTI, Anantpur, AP	420/1363 April 2022	Mar-27	पंजीकरण हेतु चिन्हित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / मॉडल	यंत्र का स्वीसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की तैयारी तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
		Power Weeder above 5 bhp	BENSON MT 900D 4.4kW	Single cylinder, 4.4 kw, 3200 rpm, overall dimension-1830*967*1290mm, Air cooled, 4 stroke, capacity-296cc, capacity of fuel tank-3.5L	SRFMTTI, Anantpur, AP	416/1355 March 2022	Feb-27	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder above 5 bhp	BENSON MT 1350D 6.2kW	Single cylinder, 6.2 kw, 3250 rpm, overall dimension-1860*1220*1150mm, Air cooled, 4 stroke, capacity-418cc, capacity of fuel tank-5.5L	SRFMTTI, Anantpur, AP	427/1265 April 2021	Mar-26	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder above 5 bhp	BENSON MT 1350D-RT 5.9kW	Single cylinder, 5.9 kw, 3350 rpm, overall dimension-1710*925*1360mm, Air cooled, 4 stroke, capacity-418cc, capacity of fuel tank-5.5L	SRFMTTI, Anantpur, AP	436/1274 July 2021	Jun-26	पंजीकरण हेतु चिन्हित किया गया है।
		manually operated cono weeder	manually operated cono weeder	overall dimension 1320x505x1110mm, weight 9.86kg, cylindrical hollow pipe for handle, dia of handle pipe 22.50mm	FMTTC, DFMP, CAET, DBSKKV, Dapoli	FMTTC/2016/103, CAET/FMP/FMTIC/297/2017 March 2017		पंजीकरण हेतु चिन्हित किया गया है।
6	Chakrathar Chemicals Pvt. Ltd, E-3, UPSIDC Industrial Area Begraipur, Muzaffarnagar, Uttar Pradesh	Power Weeder	SAARTHI ICE 400D 6.7kW	Size of Machine-1388mm, high idle speed-3250+50 rpm, low idle speed-1400+200 rpm, Maximum torque-2800+200 rpm, power 6.7kw	SRFMTTI Anantpur Andhra Pradesh	354/1173 June 2020	Jun-25	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	SAARTHI ICE 300D 4kW	Working Width-800 to 10500mm, high idle speed-3250+50 rpm, low idle speed-1400+200 rpm, Maximum torque-2800+200 rpm, power 4kw	SRFMTTI Anantpur Andhra Pradesh	353/1172 June 2020	Jun-25	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	SAARTHI ICM 200P 4.2kW	Working Width-1010 mm, high idle speed-3500+100 rpm, low idle speed-1400+200 rpm, Maximum torque-2600+200 rpm, power 4.2kw	SRFMTTI Anantpur Andhra Pradesh	352/1171 June 2020	31-05-2025	पंजीकरण हेतु चिन्हित किया गया है।
		Power weeder	Falcon FRTC-2010 H 3.69kW	high speed 3700rpm, low speed 1250rpm, max torque 2500rpm, bore/stroke 68/54mm, capacity 196cc, capacity 3.7L, overall dimension 1695x680x870mm, mass 71kg	Tested by NRFMTTI, Hisar	123/2750/2021 September 2021	Sep-26	पंजीकरण हेतु चिन्हित किया गया है।
7	Falcon Garden Tools Pvt. Ltd, Malerkotla Road, Alamgir, Ludhiana	Power weeder attachments	Falcon FRTC-2015 H 3.7kW	high speed 3700rpm, low speed 1250rpm, max torque 2500rpm, bore/stroke 68/54mm, capacity 196cc, capacity 3.7L, overall dimension 1510x645x1210mm, mass 71kg	Tested by NRFMTTI, Hisar	122/2749/2021 September 2021	Sep-26	पंजीकरण हेतु चिन्हित किया गया है।

(Handwritten signature and initials)

(Handwritten mark)

(Handwritten mark)

क्र० श्री	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	श्रेक / माइल	यंत्र का स्थापिकरण	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
8	GEORGE MAIJO INDUSTRIES PVT.LIMITED	Power Weeder	WM 1100C-6DLX, 3.56kw	4 Stroke, Single cylinder, vertical, air cooled, direct injection, compression ignition engine, high idle speed-3800+100 rpm, low idle speed-1400+200 rpm	NERFMTTI Assam	85/456 February 2023	29-02-2023	पंजीकरण हेतु विहित किया गया है।
		Power weeder	MAIJO WM 990 Weima 3.9kW	4 Stroke, Single cylinder, vertical, air cooled, compression ignition engine, high idle speed-3700+100 rpm, low idle speed-1150+100 rpm,max.power-4.8kw, bore/stroke-78/62mm, power 3.9kw	NERFMTTI Assam	84/455 February 2023	29-02-2023	पंजीकरण हेतु विहित किया गया है।
9	RATNAGIRI IMPEX PVT. LTD, Mysore roadm, Bangalore	Power Weeder	AM-RT-5P, 3.4 kw 4.6 hp	4 stroke, single cylinder,Air cooled, vertical, com pression ignition engine, Max. speed - 3800+100, Low idle speed- 1500, Max. power observed kw-3.4(4.6)@ 3600 rpm, Bore/Stroke, mm (apa)- 70/55,	SRFMTTI ANANTPUR	356/1176/June 2020	31.05.2025	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	OM-MH 180 RK, 3.4 kw, 4.6 hp	4stroke, single cylinder,Air cooled, vertical, com pression ignition engine, Max. speed - 3800+100, Low idle speed- 1500, Max. power observed kw-3.4(4.6)@ 3600 rpm, Bore/Stroke, mm (apa)- 70/55,	SRFMTTI ANANTPUR	355/1175/June 2020	31.05.2025	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	AM-RTD-5D, 3.1 kw	4 stroke, single cylinder, vertical, air cooled, direct injection, Diesel engine, Max. speed-3700+100, Low idle speed-1200+50, Max. power observed-3.1 kW@3600 rm, Bore/stroke (mm)-73/59	SRFMTTI ANANTPUR	259/934/November 2018	31.10.2023	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	AM-RT-212, 3.1 kw, 4.2 hp	Single cylinder, inclined, air cooled, spark ignition engine, Max. speed-3800+100, Low idle speed-1500+50, Max. power observed kw-4.1@3500 rpm,	SRFMTTI ANANTPUR	258/933/November 2018	31.10.2023	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	AM-MPTC-6600-6D, 4.5 kw, 6.1 hp	4 stroke, single cylinder,Air cooled, vertical, com pression ignition engine, Max. speed - 1800+100, Low idle speed- 1200, Max. power observed kw-4.4(6.0)@ 1700 rpm, Bore/Stroke, mm (apa)- 78/62,	SRFMTTI ANANTPUR	407/1338, JANUARY-2022	31/12/2026	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	AM-MPT-1100-9D, 9 hp	4 stroke, single cylinder, vertical, air cooled, direct injection, Diesel engine, Max. speed-3700+50, Low idle speed-1150+50, Max. power observed-6.6 kW@3600 rpm, Bore/stroke (mm)-86/72	SRFMTTI ANANTPUR	257/932 November 2018	31.10.2023	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	Agrimate AM-MPT-1100-6D, 6 hp	Agrimate AM-MPT-1100-6D, Self propelled, Walk Behind, Size of Machine-900mm, Capacity-247 CC, Bore/stroke-78/62 mm, Fuel Tank- Mild Steel, Colling System-forced air Cooling, startin system-Manual, recoil Startin System	SRFMTTI Anantpur, AP	284/1027 June 2019	Feb-26	पंजीकरण हेतु विहित किया गया है।
10	Farmworld Agrotech PVT LTD, SF 08, Shreemad Bhavan, Opp Kanta Stree vikas gruh, Dhebar road, Rajkot Gujarat	Power weeder	farm World/ FWM7210P 5.2HP	Self propelled walk behind, 5.2HP, single cylinder, 4 stroke, gasoline engine, power 3.8kw	SRFMTTI Anantpur AP	426/1264 march 2021	Feb-26	पंजीकरण हेतु विहित किया गया है।
		Power weeder	farm World/ FWM7420DE 8.7HP	Self propelled walk behind, 8.7HP, single cylinder, 4 stroke,air cooled,diesel engine, power 6.4kw	SRFMTTI Anantpur AP	422/1256 march 2021	Feb-26	पंजीकरण हेतु विहित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक/माडल	यंत्र का स्पेसिफिकेशन	दरिस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
11	Farm & Garden Technologies Pvt. Ltd., 544-P, Pace City 2, Sector-37, Gurgaon, Haryana	Power weeder	Texas Alligator- 5DP 4.8HP	4.8hp air cooled DIESEL eng. 4 stroke with wheel set	SRFMTTI Anantpur AP	371/1195 August 2020	Aug-25	पंजीकरण हेतु विहित किया गया है।
		Power weeder	Texas Lilli 632TG 4.6HP	4.6hp air cooled petrol eng. 4 stroke with wheel set	SRFMTTI Anantpur AP	370/1194 August 2020	Aug-25	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	Texas TX 610TG 4.6hp	4.6hp air cooled petrol eng. 4 stroke with wheel set	SRFMTTI Anantpur AP	369/1193 August 2020	Aug-25	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	Texas Alligator 9 DPE 8.7hp	8.7hp, Air cooled 4 stroke diesel engine, no. of flanges-6, rotor blades-24, single cylinder, average capacity- 0.095-0.099 ha/hr	SRFMTTI Anantpur AP	248/901 September 2018	Sep-23	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	Texas Lilli 832 TG 6.5hp	6.5hp, Air cooled 4 stroke diesel engine, no. of flanges-6, rotor blades-24, single cylinder, average capacity- 0.095-0.099 ha/hr	SRFMTTI Anantpur AP	250/903 September 2018	Sep-23	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	Texas TX 701 TG 6hp	6hp, Air cooled 4 stroke diesel engine, no. of flanges-6, rotor blades-24, single cylinder, average capacity- 0.095-0.099 ha/hr	SRFMTTI Anantpur AP	249/902 September 2018	Sep-23	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	Texas Vario 8.7hp	8.7hp air cooled 4 stroke diesel eng. With back rotary	SRFMTTI Anantpur AP	417/1356 March 2022	Feb-27	पंजीकरण हेतु विहित किया गया है।
12	Husqvarna (India) Products Pvt. Ltd. First Floor, Swees House No. 5, Mylapore, Chennai, Tamilnadu	Power Weeder	HUSQVARNA TF-120P 1.4kW 1.9HP	Self propelled, 4 stroke, air cooled, 3100 rpm	SRFMTTI, Anantpur, AP	420/1253 February 2021	Jan-26	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	HUSQVARNA TF-545 DE+ 5.7kw	Self propelled, 4 stroke, single cylinder, air cooled, vertical, 3000 rpm, power 5.7kw	NRFMTTI Hisar Haryana	170/3008/2023 April-2023	April 2028	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	HUSQVARNA TF-545 D+ 5.7kw	Self propelled, 4 stroke, vertical, single cylinder, air cooled, 3500 rpm, power 5.7kw	NRFMTTI Hisar Haryana	168/3006/2023 April-2023	April 2028	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	HUSQVARNA TF-544+ 5.7kw	Self propelled, 4 stroke, vertical, single cylinder, air cooled, 3600 rpm, power 5.7kw	NRFMTTI Hisar Haryana	169/3007/2023 April-2023	April 2028	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	HUSQVARNA TF-545P 5.3kw	Self propelled, 4 stroke, single cylinder, air cooled, 3500 rpm, power 5.3kw	SRFMTTI, Anantpur, AP	335/1134 March 2020	Feb-25	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	HUSQVARNA TF-330 3.3kw	Self propelled, 4 stroke, single cylinder, air cooled, 3600 rpm, power 3.3kw(4.5hp)	SRFMTTI, Anantpur, AP	396/1224 November 2020	Nov-25	पंजीकरण हेतु विहित किया गया है।
		Husqvarna Power Weeder	TF 338P	Single Cylinder, 4 stroke, air cooled, vertical, direct injection, compression ignition engine, High idle speed-3800 rpm, low idle speed-1400 rpm, bore stork 70/55 mm, capacity-212cc	FMTC DFME kummulur TN	FMTC/KLR/TR/084-2023 MARCH 2023	12-Apr-30	पंजीकरण हेतु विहित किया गया है।
13	Singla Enterprises, Ludhiana, Punjab	Power Weeder	Seedo, G-710 7.1HP	7.1hp, High idle speed 3850RPM, Low idle speed 1440RPM, Rated Speed-3600 RPM, Cylinder-1, Disposition-Inclined, Sheet Metal, Capacity 5.0 ltr, Rated engine speed 2800 rpm, forced air cooled,	NRFMTTI Hisar Haryana	151/2849/2022 May-2022	May 2027	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	Seedo, G-550 5.5HP	5.5hp, High idle speed 3850RPM, Low idle speed 1450RPM, Rated Speed-3600 RPM, Cylinder-1, Disposition-Inclined, Sheet Metal, Capacity 3.0 ltr, Rated engine speed 2800 rpm, forced air cooled,	NRFMTTI Hisar Haryana	150/2847/2022 April-2022	April 2027	पंजीकरण हेतु विहित किया गया है।

क्र० नं०	मूल निर्माता फर्म का नाम	यंत्र का नाम	मैक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
14	vjay and company, haridwar road, jaksar	power weeder	kisan shakti KS-10211 4.2KW	4 stroke, single cylinder, air cooled, petrol engine, power 4.20kW, rated 3600rpm, bore/stroke 73/55mm, capacity 198cc	DFMPECT GBP/UPAT pantnagar	CTE/FMP test report/2023-235 July 2023	August 2028	पंजीकरण हेतु चिन्हित किया गया है।
		power weeder	kisan shakti KS-10211H 4.5KW	4 stroke, single cylinder, air cooled, petrol engine, power 4.50kW, rated 3600rpm, bore/stroke 73/56mm, capacity 198cc	DFMPECT GBP/UPAT pantnagar	CTE/FMP test report/2023-232 July 2023	August 2028	पंजीकरण हेतु चिन्हित किया गया है।
15	Krishitek industries PVT LTD, Gandhinagar Gujarat	Power Weeder	Powertek 5.5 Wp 3.48kW	4 stroke, single cylinder, air cooled, high speed 3700-4000rpm, low speed 1350-1800rpm, rated speed 3600rpm, power 3.48kW, bore/stroke 68/54mm, capacity 196cc	NERFMTTI BISWANATH Assam	machine 52/417 Febuary 2022	28-02-2027	पंजीकरण हेतु चिन्हित किया गया है।
16	Kirloskar Engines Ltd., 498-143 KA, Near IT College Chauraha, SBI Building, Faizabad Road, Lucknow	Power operated weeder	Kirloskar KMW-MINT-T-5 P 4.62HP	4 Stroke, single cylinder, air cooled, diesel engine, 4.62 hp.no. of flanges-8, rotor blades- 32, overall dimension- 1700*760*1080mm, Average capacity- 0.092-0.097 ha/hr	Tested by SRFMTTI, Anantpur, AP	450/1425 September 2022	31-08-2027	पंजीकरण हेतु चिन्हित किया गया है।
		Power operated weeder	Kirloskar KMW-MINT-8 DLX 7.75HP	4 Stroke, single cylinder, air cooled, diesel engine, 7.75 hp, no. of flanges-10, rotor blades- 38, overall dimension- 1930*1360* 1080mm, Average capacity- 0.125-0.132 ha/hr	Tested by SRFMTTI, Anantpur, AP	365/1186 July 2020	30-06-2025	पंजीकरण हेतु चिन्हित किया गया है।
		Power operated weeder	Kirloskar KMW-MINT-8 4.62HP	4 Stroke, single cylinder, air cooled, diesel engine, 4.62 hp.no. of flanges-8, rotor blades- 32, overall dimension- 1700*760* 1080mm, Average capacity- 0.092-0.097 ha/hr	Tested by SRFMTTI, Anantpur, AP	445/1417 September 2023	01-09-2027	पंजीकरण हेतु चिन्हित किया गया है।
		power weeder attachments						पंजीकरण हेतु चिन्हित किया गया है।
		Power operated weeder	Kirloskar MINT-2 1.8KW 2.4HP	engineer 90cc, power 1.8kW, fuel 1500ml, blade diameter 5inch, dry weight 40kg, tilling width 450mm, depth 800mm	Tested by FMTTC, KCAET, KAU, Tavanur, Kerala	PEC/2022/57 October 2022		पंजीकरण हेतु चिन्हित किया गया है।
17	Kisan Kraft limited, General & Allied Industries, G.T. Road, By Pass, Karnal, Haryana	Power Weeder	KISAN KRAFT KK-1C-300D 4.3kW (5.76HP)	4 stroke, single cylinder, air cooled, diesel engine, 3000 rpm	SRFMTTI, Anantpur, AP	471/1464 January 2023	31-12-2027	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	KISAN KRAFT KK-1C-400D 5.2kW, 7HP	Self propelled, 4 stroke, single cylinder, air cooled, 3000 rpm, capacity-5L speed high-3800rpm , low-1400 rpm	NRFMTTI Hisar Haryana	162/2949/2022 December-2022	31-12-2027	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	KISAN KRAFT KK-1C-200P 5.10HP(3.8kW)	Self propelled, 4 stroke, single cylinder, air cooled, petrol engine, 3200 rpm	NRFMTTI, Hisar, Haryana	161/2941/2022 November 2022	Nov-27	पंजीकरण हेतु चिन्हित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक/माडल	यंत्र का स्विफिकेशन	देस्टिंग संस्था	देस्ट रिपोर्ट की तिथि	देस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
		Power Weeder	KISAN KRAFT KK-IC-250D 3.6kW(4.8HP)	Self propelled, 4 stroke, single cylinder, vertical, air cooled, 3600 rpm	NERFMNTTI BISWANATH Assam	machine 59/427 March 2022	31-03-2027	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	KISAN KRAFT KK-IC-350D 5.76HP(4.3kW)	Self propelled, 4 stroke, single cylinder, vertical, air cooled, 1800 rpm	SRFMNTTI, Anantpur, AP	444/1412 August 2022	31-07-2027	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	KISAN KRAFT KK-IC-406D 5.5kW(7.5HP)	Self propelled, 4 stroke, single cylinder, vertical, air cooled, 3600 rpm	SRFMNTTI, Anantpur, AP	374/1200 September 2020	31-08-2025	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	KISAN KRAFT KK-IC-256D 4kW	Self propelled, 4 stroke, single cylinder, vertical, air cooled, 3600 rpm	NERFMNTTI BISWANATH Assam	machine 60/428 March 2022	31-03-2027	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	KISAN KRAFT KK-IC-210P 5.10HP(3.8kW)	Self propelled, 4 stroke, single cylinder, air cooled, 3600 rpm	NRFMTTI, Hisar, Haryana	156/2897/2022 September 2022	Sep-27	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	KISAN KRAFT KK-IC-205P 5.10HP(3.8kW)	Self propelled, 4 stroke, single cylinder, air cooled, 3600 rpm	NRFMTTI, Hisar, Haryana	163/2967/2023 January 2023	Jan-28	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	KISAN KRAFT KK-IC-208P 5.2HP(3.8kW)	Self propelled, 4 stroke, single cylinder, air cooled, 3600 rpm	SRFMNTTI, Anantpur, AP	373/1199 September 2020	Aug-25	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	KISAN KRAFT KK-SRT-910DE 6.3kW	4 stroke, single cylinder, air cooled, diesel engine	NRFMTTI, Hisar, Haryana	99/2511/2020 September 2020	Sep-25	पंजीकरण हेतु विहित किया गया है।
		Power weeder attachment	Paddy wheel, iron wheel, plough					पंजीकरण हेतु विहित किया गया है।
18	Maacan Agromart Pvt. Ltd, Plot No-31, Sector-82, Mohali Punjab	Power Weeder	CW 1060D 6hp	High Idle Speed-3750rpm, Low idle speed-1250 rpm, Rated speed-3600rpm, Bore/Stroke-78/62mm, Air Cooled, 4 Stroke, Single Cylinder, Diesel Engine, Capacity-296cc, Compression ratio-20:1	NRFMTTI, Hisar, Haryana	No-160/2920/2022 Sept 2022	Sep-27	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	CW 1190D 9hp	High Idle Speed-3750rpm, Low idle speed-1250 rpm, Rated speed-3600rpm, Bore/Stroke-86/72mm, Air Cooled, 4 Stroke, Single Cylinder, Diesel Engine, Capacity-418cc, Compression ratio-19:1	NRFMTTI, Hisar, Haryana	No-159/2919/2022 Sept 2022	Sep-27	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	CW-750P 7hp	7hp, High Idle Speed-3600rpm, Low idle speed-1450+50 rpm, Rated speed-3300rpm, Bore/Stroke-77/56mm, Air Cooled, 4 Stroke, Single Cylinder, Petrol Engine, Capacity-215cc, Compression ratio-8.5:1	NRFMTTI, Hisar, Haryana	No-153/2886/2022/August 2022	Aug-27	पंजीकरण हेतु विहित किया गया है।
19	Nipha India Limited 48, ganga Jamuna, 28/1, Shakespeare saraani, Kolkata	Power Weeder	Nipha 135D 6.7kW	single cylinder, 4 stroke, air cooled,max speed 3600 rpm, Low speed 1500 rpm, max power 6.7kW, fuel 3.5L	SRFMNTTI, Anantpur, AP	422/1366 April 2022	Mar-27	पंजीकरण हेतु विहित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	ग्रंथ का नाम	मॉक / माडल	ग्रंथ का स्थापिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की तैयारी तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
		Power Weeder	Nipha 100GG 3.4kW	single cylinder, 4 stroke, air cooled,max speed 3575 rpm, low speed 1500 rpm, max power 3.4kW, fuel 3.5L	SRFMTTL, Anantpur, AP	427/1372 April 2023	Apr-27	पंजीकरण हेतु विस्तृत किया गया है।
		Power Weeder	Nipha 105D 4.1kW	single cylinder, 4 stroke, air cooled,max speed 3600 rpm, low speed 1500 rpm, max power 4.1kW, fuel 5.0L	SRFMTTL, Anantpur, AP	425/1369 April 2024	May-27	पंजीकरण हेतु विस्तृत किया गया है।
20	Mhaswadkar Autolines PVT LTD, Satara, MS	Power Weeder	Mhaswadkar BAM 55 4.2kw	high speed 3600rpm, low speed 1400rpm, size of machine 950mm, power 4.2kW, capacity fuel 3.5L, 212cc	SRFMTTL, Anantpur, AP	344/1160 May 2020	Apr-25	पंजीकरण हेतु विस्तृत किया गया है।
		Power Weeder	Mhaswadkar BAM 732 6.7kw	high speed 3250rpm, low speed 1800rpm, power 6.7kW, capacity fuel 5.0 L, 418cc	SRFMTTL, Anantpur, AP	349/1165 June 2020	May-25	पंजीकरण हेतु विस्तृत किया गया है।
		Power Weeder	Mhaswadkar BAM 135 5.4kw	high speed 3250rpm, low speed 1800rpm, size of machine 1450mm, power 5.4kW, capacity fuel 4.5L, 418cc	SRFMTTL, Anantpur, AP	347/1163 May 2020	Apr-25	पंजीकरण हेतु विस्तृत किया गया है।
		Power Weeder	Mhaswadkar BAM 105 4.3kw	high speed 3250rpm, low speed 1800rpm, size of machine 1050mm, power 4.3kW, capacity fuel 3.5L, 296cc	SRFMTTL, Anantpur, AP	346/1162 May 2020	Apr-25	पंजीकरण हेतु विस्तृत किया गया है।
		Power Weeder	Mhaswadkar BAM 95 4.1kw	high speed 3600rpm, low speed 1400rpm, size of machine 950mm, power 4.1kW, capacity fuel 3.5L, 212cc	SRFMTTL, Anantpur, AP	345/1161 May 2020	Apr-25	पंजीकरण हेतु विस्तृत किया गया है।
21	Stanish power, Panchavati, Nashik, Maharashtra	Power Weeder	Stanish power SP-800P 4.3 kW	4.3kW, size of machine 820mm, 4 stroke, single cylinder, air cooled, high speed 3250rpm, low speed 1400rpm, power, bore/stroke 70/55mm, capacity 212cc, overall dimension 1400x870x1200mm, mass 72kg	SRFMTTL, Anantpur, AP	262/951 January 2019	31.12.2023	पंजीकरण हेतु विस्तृत किया गया है।
		Power Weeder	Stanish power SP-1050D 4.5 kW	size of machine 1200mm, 4 stroke, single cylinder, air cooled, high speed 3250rpm, low speed 1400rpm, power 4.5 kW, bore/stroke 78/62mm, capacity 296cc, overall dimension 1870x1130x1220mm, mass 116kg	SRFMTTL, Anantpur, AP	263/952 January 2019	31.12.2023	पंजीकरण हेतु विस्तृत किया गया है।
		Power Weeder	Stanish power SP-1150E 5.9 kW	size of machine 1500mm, 4 stroke, single cylinder, air cooled, high speed 3250rpm, low speed 1400rpm, power 5.9 kW, bore/stroke 86/72mm, capacity 418cc, overall dimension 1630x1600x1240mm, mass 152kg	SRFMTTL, Anantpur, AP	264/953 January 2019	31.12.2023	पंजीकरण हेतु विस्तृत किया गया है।
		Power Weeder	Stanish power SP-1200D/E 6.3 kW	size of machine 620mm, 4 stroke, single cylinder, air cooled, high speed 3450rpm, low speed 1400rpm, power 6.3 kW, bore/stroke 86/72mm, capacity 418cc, overall dimension 1910x880x1200mm, mass 182kg	SRFMTTL, Anantpur, AP	265/954 January 2019	31.12.2023	पंजीकरण हेतु विस्तृत किया गया है।

क्र० सं०	मूल विनिर्माता कर्म का नाम	यंत्र का नाम	मैक /माइल	यंत्र का स्पेसिफिकेशन	टैस्टिंग संस्था	टैस्ट रिपोर्ट की तिथि	टैस्ट की तैयारी तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
22	Neptune Packaging Pvt. Ltd., 19/1, New Agrawal Nagar, Indore, MP	Power Weeder Power Weeder Power Weeder Power Weeder	NEPTUNE NWP-170F 5HP NEPTUNE NWD-186F 9HP NEPTUNE NWD-178F 5HP NC 52.1.35kW	Self propelled, 4 stroke, single cylinder, air cooled, 3600 rpm Diesel engine, 9HP, 406cc, tilling width 135cm, depth 10cm, weight 125kg petrol engine, 5HP, 212cc, tilling width 80cm, depth 10cm, weight 80kg power 1.35kw, high speed 9000rpm, low speed 3000rpm, capacity 42.7cc, capacity fuel 1.25L,	SRFMTTL, Anantpur, AP SRFMTTL, Anantpur, AP SRFMTTL, Anantpur, AP AMU CIAE bhopal	294/1049 August 2019 296/1051 August 2019 295/1050 August 2019 16/2015 March 2017	Aug-24 Aug-24 Aug-24	पंजीकरण हेतु चिन्हित किया गया है। पंजीकरण हेतु चिन्हित किया गया है। पंजीकरण हेतु चिन्हित किया गया है। पंजीकरण हेतु चिन्हित किया गया है।
24	Ralli Agrotech Limited, Valsad, Gujarat	Power weeder Power weeder	Ralli RRT-100P 5.3HP Ralli RRT-135D 8.4HP	Width 1185mm, high speed 3450rpm, low 1400rpm, power 3.9kw, capacity 212cc, fuel capacity 3.5l, overall dimension 1380x1195x1150mm size of machine 1440mm, high speed 3250rpm, low 1400rpm, power 6.2kW, capacity 418cc, fuel capacity 5.5l, overall dimension 1780x1455x1155mm	SRFMTTL, Anantpur, AP SRFMTTL, Anantpur, AP	431/1269 June 2021 399/1324 December 2021	May-26 Nov-26	पंजीकरण हेतु चिन्हित किया गया है। पंजीकरण हेतु चिन्हित किया गया है।
25	Pubert India Pvt. Ltd. 303, Manomaya Residency Double, Kallere Road, NRI Layout, Rammurthi Nagar, Bangalore	Power Weeder Power Weeder Power Weeder Power Weeder	PUBERT ARO PRO- 55 PC3 4.5kW PUBERT MAESTRO 55 P 4.3kW PUBERT MAESTRO PRO 65LD 5.2kW PUBERT MAESTRO PRO 7P 4.5kW	H.P.-5.5 Engine Model Puber R210BH, Engine Type Single, 4 Stroke Petrol Air Cooled Engine, walk behind, power 4.45kw(5.5hp) 4 stroke, single cylinder, air cooled, high speed 3450rpm, low speed 1400rpm, power 4.3kW, bore/stroke 70/55mm, capacity 212cc, overall dimension 1570x1010x740mm, weight 81.5kg, power 4.3kw(5.8hp) 4 stroke, single cylinder, air cooled, high speed 3750rpm, low speed 1700rpm, power 5.2kW, bore/stroke 78/73mm, capacity 349cc, overall dimension 1520x1180x1400mm, weight 125kg, power 5.2kw(7.1hp)	SRFMTTL, Anantpur, AP SRFMTTL, Anantpur, AP SRFMTTL, Anantpur, AP SRFMTTL, Anantpur, AP	246/899 September 2018 304/1059 September 2019 430/1268 June 2021	Sep-23 Aug-24 May-26	पंजीकरण हेतु चिन्हित किया गया है। पंजीकरण हेतु चिन्हित किया गया है। पंजीकरण हेतु चिन्हित किया गया है। पंजीकरण हेतु चिन्हित किया गया है।
26	Ramsoms Impex, IP- 17, Raipur Sakhari Udhogic Shetra, Vill- Raipur, Bhagwanpur, Roorkee, Haridwar	Power Weeder Rotary Weeder/Power Weeder Rotary Weeder/Power Weeder	RAMSONS IMPEX RI- 740D 6.3kW RICO ITALY-RI 500 4.6kW RICO ITALY-RI 500 4.6kW RICO ITALY-RI 500 4.6kW	4 stroke, air cooled, diesel engine, 6.3kw, 3600 rpm, field capacity-0.159 to 0.189 ha/hr 4 stroke, diesel engine, air cooled, 3600 rpm, maa- 164kg, dimension 1990x1200x1120mm 4 stroke, diesel engine, air cooled, 3600 rpm, mass- 85kg, dimension 1400x1060x1310mm	NRFMTTL, Hisar, Haryana NRFMTTL, Hisar, Haryana NRFMTTL, Hisar, Haryana	774/1815/2016 January 2016 155/2888/2022 August 2022 121/2701/2021 May 2021	Jan-21 Oct-27 May-26	पंजीकरण हेतु चिन्हित किया गया है। पंजीकरण हेतु चिन्हित किया गया है। पंजीकरण हेतु चिन्हित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक / मॉडल	यंत्र का स्पेसिफिकेशन	ट्रेडिंग संस्था	ट्रेड रिपोर्ट की तिथि	ट्रेड की तैयारी तिथि	अव्ययक्ति
1	2	3	5	6	7	8	9	10
		Power Weeder	RICO ITALY RI 740 4.6kW	tilting depth- 0-7inch, gear 3forward, 2 reverse, fully adjustable handle bar	FIMTTTC, Bikaner, Rajasthan	13/336 December 2015		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	RICO ITALY RI-720 4.6kW	tilting depth- 0-7inch, gear 3forward, 2 reverse, fully adjustable handle bar	FIMTTTC, Bikaner, Rajasthan	13/279 September 2013	Sep-18	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	RICO ITALY-RI-720D 4.6HP	Power source- 4.6 hp, tilling depth- 0-7inch, gear 3forward, 2 reverse, fully adjustable handle bar	FIMTTTC, Bikaner, Rajasthan	13/335 May 2014	May-19	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	RICO ITALY-RI-500H 3.9kW	3.9kW, 4 stroke, self propelled, single cylinder, air cooled, petrol engine, 3600 rpm, dimension 1625x865x1287mm	GBPUAT, Pantnagar, Uttarakhand	2022/186 April 2022		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	RICO ITALY-RI-500X 3.9kW	3.9kW, 4 stroke, self propelled, single cylinder, air cooled, petrol engine, 3500 rpm, dimension 1615x688x1024mm	GBPUAT, Pantnagar, Uttarakhand	2023/217 April 2023	May-30	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	RICO ITALY-RI-500 7HP	7HP, 4 stroke, air cooled, diesel engine, 6.3kw, 3800 rpm,	NRFMTTI, Hisar, Haryana	121/2701/2021 May 2021	May-26	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	RICO ITALY RI 500+ 4.6HP	4.6hp, 4 stroke, self propelled, single cylinder, air cooled, petrol engine, 3600 rpm	GBPUAT, Pantnagar, Uttarakhand	2021/133 February 2021	Feb-26	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	RICO ITALY RI 500 J+ 4.6HP	4.6hp, 4 stroke, single cylinder, air cooled, petrol engine, 3600 rpm	GBPUAT, Pantnagar, Uttarakhand	2022/185 April 2022		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	RICO ITALY RI 500 A 4.6HP	4.6hp, 4 stroke, single cylinder, air cooled, petrol engine, 3600 rpm	GBPUAT, Pantnagar, Uttarakhand	2021/134 February 2021		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	RICO ITALY RI 300 G 2.5HP	2.5hp, 4 stroke, self propelled, single cylinder, air cooled, petrol engine, 3600 rpm	GBPUAT, Pantnagar, Uttarakhand	2021/135 February 2021	Feb-26	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	ALPHA ITALY AI 900 4.6HP	4 stroke, self propelled, single cylinder, air cooled, petrol engine, 3600 rpm, mass 86kg, dimension 1520x815x1270mm	GBPUAT, Pantnagar, Uttarakhand	2021/166 October 2021		पंजीकरण हेतु विहित किया गया है।
27	Sukoon Solutions PVT LTD Ghaziabad	Electrical Power Weeder	KRISHIRAJ PRO 1200W/48V	Electrical machine, BLDC motor, 1200W/48V, IP54, speed 3000rpm max, battery lithium ion, power on/off switch havells, charger 10A 54 V	NRFMTTI, Hisar, Haryana	154/2887/2022 August 2022	Aug-27	पंजीकरण हेतु विहित किया गया है।
28	Varsha Agro mach engg pvt Ltd, colimbatore	Power Weeder	Varsha SW 9 DEL 5.5KW	high speed 3250rpm, low speed 1400rpm, max torque 2800rpm, power 5.5KW, bore/stroke 86/70mm, capacity 406cc, overall dimension 1670x930x795mm, mass 166kg, power 7.5hp	SRFMTTI Anantpur Andhra Pradesh	376/1202 September 2020	31-08-2025	पंजीकरण हेतु विहित किया गया है।

क्र० सि०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	टैस्टिंग संस्था	टैस्ट रिपोर्ट की तिथि	टैस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
		Power Weeder	Varsha SW 940 DE 5.7kW	high speed 3250rpm, low speed 1300rpm, max torque 2800rpm, power 5.7kW, bore/stroke 86/70mm, capacity 406cc, overall dimension 1680x1540x1280mm, mass 166kg, power 7.7hp	SRFMTTI Anantpur Andhra Pradesh	377/1203 September 2020	31-08-2025	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	Varsha FALCON 4.1kW	high speed 3800rpm, low speed 1400rpm, max torque 2800rpm, power 4.1kW, bore/stroke 70/55mm, capacity 212cc, overall dimension 1360x710x1100mm, mass 76kg, power 5.6hp	SRFMTTI Anantpur Andhra Pradesh	481/1484 March 2023	28-02-2028	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	Varsha CHAMPION 3.8kW	high speed 3600rpm, low speed 1400rpm, max torque 2800rpm, power 3.8kW, bore/stroke 70/54mm, capacity 208cc, overall dimension 1495x935x1250mm, mass 65kg, power 5.2hp	SRFMTTI Anantpur Andhra Pradesh	433/1271 June 2021	31-05-2026	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	Varsha SW9DEL+ 8.2kW	high speed 3250rpm, low speed 1400rpm, max torque 2800rpm, power 8.2kW, bore/stroke 88/75mm, capacity 456cc, overall dimension 1950x810x1200mm, mass 208kg, power 11.10hp	SRFMTTI Anantpur Andhra Pradesh	480/1483 March 2023	28-02-2028	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	Varsha SW 524 PE 3.4kW(4.6hp)	high speed 3700rpm, low speed 1400rpm, max torque 2800rpm, power 3.4kW, bore/stroke 70/55mm, capacity 223cc, overall dimension 1600x1130x985mm, mass 63kg	SRFMTTI Anantpur Andhra Pradesh	385/1213 October 2020	30-09-2025	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	Varsha SW 5GD PE 3.4kW(4.6hp)	high speed 3700rpm, low speed 1400rpm, max torque 2800rpm, power 3.4kW, bore/stroke 70/54mm, capacity 208cc, overall dimension 1535x1160x1120mm, mass 75kg	SRFMTTI Anantpur Andhra Pradesh	379/1205 September 2020	31-08-2025	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	Varsha HW 524 DE 3.6kW(4.9hp)	high speed 3250rpm, low speed 1300rpm, max torque 2800rpm, power 3.6kW, bore/stroke 73/59mm, capacity 247cc, overall dimension 1465x1190x1150mm, mass 101kg	SRFMTTI Anantpur Andhra Pradesh	378/1204 September 2020	31-08-2025	पंजीकरण हेतु चिन्हित किया गया है।
		Power Weeder	Varsha HECTOR 3.8kW	high speed 3600rpm, low speed 1400rpm, max torque 2800rpm, power 3.8kW, bore/stroke 70/54mm, capacity 208cc, overall dimension 1475x880x1290mm, mass 112kg	SRFMTTI Anantpur Andhra Pradesh	432/1270 June 2021	31-05-2026	पंजीकरण हेतु चिन्हित किया गया है।
29	Simpsons & co. Ltd. Anna Salai, Chennai TN	Power Weeder Commercial	SIMPSON ISAM 800 8.5HP	Air cooled, 4 stroke, single cylinder, petrol engine, high speed 3700 to 4000rpm, low speed 1250 to 1600rpm, bore/stroke 77/78mm, capacity 270cc	NRFMTTI, Hisar, Haryana	165/2984/2023 April 2023	30-04-2028	पंजीकरण हेतु चिन्हित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक / मॉडल	यंत्र का स्पेसिफिकेशन	टैरिफिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
		Power Weeder Commercial	SIMPSON ISAM 550 8.5HP	Air cooled, 4 stroke, single cylinder, petrol engine, high speed 3700 to 4000rpm, low speed 1250 to 1600rpm, bore/stroke 68/54mm, capacity 196cc	NRFMTTL, Hisar, Haryana	164/2983/2023 April 2023	30-04-2028	पंजीकरण हेतु विहित किया गया है।
30	VSM International Pvt. Ltd., 65 Red Square Market, Hisar, Haryana	Power Weeder	XTRAPOWER XPW- 1050D 3.86kW	4 stroke, air cooled, single cylinder, diesel engine, 3600 rpm	NRFMTTL, Hisar, Haryana	128/2773/2022 January 2022	31-01-2027	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	XPW 750H PLUS Xtra Power 3.69kW	4 Stroke single cylinder diesel engine, 4.2 kw, Gear spur combination 3, n.o. of flanges-6, rotor blades-32, Average capacity-0.19-0.22 ha/hr	NRFMTTL, Hisar, Haryana	952/2230/2018 November 2018	30-11-2025	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	XTRRA POWER XPW- 750T(E) 3.85kW	4 stroke, air cooled, single cylinder, petrol engine, 3600 rpm	NRFMTTL, Hisar, Haryana	131/2776/2022 January 2022	Jan-27	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	XTRRA POWER XPW- 750T PTO 3.4kW	4 stroke, air cooled, single cylinder, petrol engine, 2500 rpm	NRFMTTL, Hisar, Haryana	107/2637/2021 January 2021	Jan-26	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	XTRRA POWER XPW- 1150P 4.87kW	4 stroke, air cooled, single cylinder, petrol engine, 2500 rpm	NRFMTTL, Hisar, Haryana	108/2638/2021 January 2021	Jan-26	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	XTRRA POWER 1160 D 6.79kW	4 stroke, air cooled, single cylinder, petrol engine, 3700 rpm	NRFMTTL, Hisar, Haryana	130/2775/2022 January 2022	Jan-26	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	XTRRA POWER XPW- 1150 D BR 6.73kW	4 stroke, air cooled, single cylinder, diesel engine, 3700 rpm	NRFMTTL, Hisar, Haryana	129/2774/2022 January 2022	Jan-27	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	XTRRA POWER XPW- 1150 D PLUS 6.16kW	4 stroke, air cooled, single cylinder, diesel engine, 2800 rpm	NRFMTTL, Hisar, Haryana	101/2540/2020 October 2020	Oct-25	पंजीकरण हेतु विहित किया गया है।
31	V.S.T. Tillers Tractors Ltd., Plot No-1, Dyavasandra Indl. Layout, Whitefield Road, Mahadevapura Post, Bangalore, Karnataka	Power Weeder	VST Shakti VST Josh RT 70 3.9kW	Self propelled, air cooled, 4 stroke, power 3.9kw	SRFMTTL, Anantpur Andhra Pradesh	390/1218 October 2020	Oct-25	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	VST PG 50 4.4kW	Self propelled, power 4.4kW, 3600 rpm, bore/stroke 68/54mm, capacity 196cc, power 4.4kw	SRFMTTL, Anantpur, AP	386/1306 October 2021	Sep-26	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	VST FT 50GE 4kW	Self propelled, power 4kW, 3600 rpm, bore/stroke 70/55mm, capacity 212cc, power 4kw	SRFMTTL, Anantpur, AP	384/1304 October 2021	Sep-26	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	VST Shakti VST Josh FT 50 2.9kW	Self propelled, 2.9hp, 3600 rpm, power 2.9kw	SRFMTTL, Anantpur, AP	391/1219 October 2020	Oct-25	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	VST FT 35 GE 3.5Hp(2.7kW)	vertical, single cylinder, 4 stroke, spark ignition, bore/stroke 68/48mm, displacement 174cc, 3.5Hp(2.7kW) petrol engine weight 29kg	FMTC KCAET KAU Tavanur kerala	PEC/2022/61 January 2023	Jan-25	पंजीकरण हेतु विहित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक/माडल	यंत्र का स्वीसिफिकेशन	ट्रेडिंग संस्था	ट्रेस्ट रिपोर्ट की तिथि	ट्रेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
		Power Weeder	VST FT 80	vertical single cylinder, 4 stroke, bore/stroke 86/72mm, displacement 418cc, 6.1HP(8.1kW) petrol engine, weight 171kg(test report under process)				ट्रेस्ट रिपोर्ट प्राप्त होने पर पंजीकरण माना जायेगा
31	Competent Agriculture Machinery, Near C.O. Office, Delhi-Saharanpur Road, Baraut, Bagpat, U.P.	Power Weeder	CAM 1G-4.1A SHP	High idel speed-3850+50] Low idle speed-1400+100, Bore/Stroke, mm(apa)-68/54, Capacity, cc (apa)-196, Capacity of fuel tank, 1-3.5	NRFMTTI, Hisar, Haryana	158/2914/2022	Sep-27	पंजीकरण हेतु विहित किया गया है।
32	CAM Agrotech Pvt. Ltd. Baraut, Baghpat, UP	Power Weeder	CAM 1D-105	Specification-425x368x382, Weight-15.50 kg, Max net torque(apa)- 12.5 NM@2600rpm, Engine oil capacity- 0.95 liter, Fuel tank capacity-4.50 liter	GBPUAT Pantnagar Utarakhand	CTE/FMP/2023-209	Mar-30	पंजीकरण हेतु विहित किया गया है।
		Power Weeder (walk behind)	Blue Bell BB-788	power 3.70kW, 4 stroke, single cylinder, air cooled, petrol engine, rated speed 3600rpm, bore/stroke 73/56mm, capacity 198cc, overall dimension 1552x684x1022mm,	GBPUAT, Pantnagar, Utarakhand	CTE/FMP/2023-234 July 2023	Aug-28	पंजीकरण हेतु विहित किया गया है।
		Power Weeder above 5 HP	BB-100(Petrol)	power 5.2kW(7HP), 4 stroke, single cylinder, air cooled, diesel engine, rated speed 3000rpm, bore/stroke 86/72mm, overall dimension 1575x688x1028mm, mass 80kg	GBPUAT, Pantnagar, Utarakhand	CTE/FMP/2023-209	Jun-30	ट्रेस्ट रिपोर्ट प्राप्त होने पर पंजीकरण माना जायेगा
33	Perfect House Pvt. Ltd. (Maharashtra)	Power Weeder	PA-PW-6:0 GB Big Bull 4.4kW	Rate Power-4.4kw (6.0HP) Displacement-212 CC, Engine Speed-800 RPM, Rota Speed-800 RPM, No of Gears-2 forward and 1 revers, Cultivation width-114-125cm, Cultivation depth-6.5 engine full petrol, Fuel Consumption-0.9 ltr	CCS HAU HISSAR Haryana	140/2828/2022	March 2027	पंजीकरण हेतु विहित किया गया है।
34	Bonhoeffer machines private limited, faridabad	Power Weeder	PA-PW-6:0 GG, 4.4 kw	Rate Power-4.4kw (6.0HP) Displacement-212 CC, Engine Speed-800 RPM, Rota Speed-800 RPM, No of Gears-2 forward and 1 revers, Cultivation width-114-125cm, Cultivation depth-6.5 engine full petrol, Fuel Consumption-0.9 ltr	SRFMTTI Anantapur AP	380/1300/oct 2021	30-09-2026	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	BON-CT-950T 4.1kW	air cooled, stroke 4, single cylinder, petrol engine, high speed 3780rpm, low speed 1650rpm, max power 4.1kW, bore/stroke 70/54mm, capacity 208cc	NRFMTTI, Hisar, Haryana	176/3029/2023 May 2023	May-28	पंजीकरण हेतु विहित किया गया है।

(Handwritten signature)

(Handwritten mark)

(Handwritten mark)

(Handwritten mark)

(Handwritten mark)

क्र. सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	श्रेक /माडल	यंत्र का स्पेसिफिकेशन	टेंडरिंग संस्था	टेंडर रिपोर्ट की तिथि	टेंडर की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
36	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharashtra	Power Weeder	e-AGRO CARE D-105	Single Cylinder, Vertical, Air Cooled, Direct Injection, Compression ignition engine, High idle speed-3200+100 rpm, low idle speed-1000+200 rpm, Bore/stroke-78/62mm	SRFMTTI, Anantpur, AP	233/862 May 2018	May-23	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	e-AGRO CARE G-105FQSD-A	Single Cylinder, Vertical, Air Cooled, Direct Injection, Compression ignition engine, High idle speed-3250+50 rpm, low idle speed-1400+100 rpm, Bore/stroke-70/54mm	SRFMTTI, Anantpur, AP	207/814 December 2017	Dec-22	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	e-AGRO CARE G-500-1A	4 Stroke Single Cylinder, Vertical, Air Cooled, petrol engine, High idle speed-3250+50 rpm, low idle speed-1400+100 rpm, Bore/stroke-70/54mm	SRFMTTI, Anantpur, AP	208/815 December 2017	Dec-22	पंजीकरण हेतु विहित किया गया है।
		Power Weeder	e-AGRO CARE D-531	Single Cylinder, Vertical, Air Cooled, Direct Injection, Diesel Engine, High idle speed-3200+100 rpm, low idle speed-1000+200 rpm, Bore/stroke-86/70 mm	SRFMTTI, Anantpur, AP	234/863 May 2018	May-23	पंजीकरण हेतु विहित किया गया है।
37	Saraswati Krishi Udyog, Assandh, Karnal HR	PTO Operated Weeder	SARASWATI	Tractor Horse Power-35 Hp & above, No of plate-6, Length-780X470mm, Thickness-8.00, Type of blade-hatch L-shape, Ms Plate, Thickness-12.0mm, Size of plate-600X65mm	CAET-Hisar	HAU/FMPE/19-20/WEED-03	29-09-2026	पंजीकरण हेतु विहित किया गया है।
38	Perfect House Pvt. Ltd. Mumbai	Power Weeder	PA-PW-6.0GB, 4.4 kW	Rate Power-4.4kw (6.0HP) Displacement-212 CC, Engine Speed-800 RPM, Rota Speed-800 RPM, No of Gears-2 forward and 1 reverse, Cultivation width-114-125cm, Cultivation depth-6.5 engine fule petrol, Fuel Consumption-0.9 ltr	NRFMTTI	140/2828/2022/ March 2022		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	PA-PW-6.0 GG, 4.4 kW	Rate Power-4.4kw (6.0HP) Displacement-212 CC, Engine Speed-800 RPM, Rota Speed-800 RPM, No of Gears-2 forward and 1 reverse, Cultivation width-114-125cm, Cultivation depth-6.5 engine fule petrol, Fuel Consumption-0.9 ltr	SRFMTTI	380/1300/oct 2021		पंजीकरण हेतु विहित किया गया है।
		Power Weeder	SC-135	Make-Riga Italy, 4 stroke single cylinder, air cooled petrol engine, Specification-420X380X410, Weight-19kg, Displacement-215cc, Pto shaft-clock wise	GBPUAT, Pantnagar, Utarakhand	Report-2021-141 March 2021		पंजीकरण हेतु विहित किया गया है।
39	Bansal Traders, Vikasnagar, Dehradun.	Power Weeder	SC 1000	Make-Riga Italy, 4 stroke single cylinder, air cooled petrol engine, Specification-405X365X390, Weight-15kg, Displacement-212cc, Pto shaft-clock wise	GBPUAT, Pantnagar, Utarakhand	Report-2020-112 July 2020		पंजीकरण हेतु विहित किया गया है।
		power weeder and tiller attachments	Paddy Cage Wheel Petrol	Paddy Cage Wheel Diesel				पंजीकरण हेतु विहित किया गया है।
40	VSM International Pvt. Ltd, 65 Red Square Market, Hissar, Haryana							

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	श्रेक / माडल	यंत्र का स्पेसिफिकेशन	देस्टिंग संख्या	देस्ट रिपोर्ट की तिथि	देस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
			Mini Paddy Cage Wheel Petrol 14"					
			Mini Paddy Cage Wheel Petrol 10"					
			Iron Wheel Small Petrol 12"					
			Iron Wheel Big Petrol 16"					
			Special Iron Wheel 18"					
			Ridger(Ditcher)adius table					
			Single side plough					
			Potato Digger					
			Leveler Standard					
			Deep tilling Rotatry Shaft Petrol					
			Deep tilling Rotatry Shaft Diesel					
			DoI(MED) Maker Petrol					
			DoI(MED) Maker Diesel					
			Square Edge Bed Maker					
			Round bed maker					
			2 tyne cultivator					
			Adjustable 3 tyne cultivator Standard					
			Fix cultivator					
			Simple adjustable cultivator					
			3 tyne cultivator adjustable					
			Special 3 tyne cultivator					

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक /माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संख्या	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति	
1	2	3	5	6	7	8	9	10	
41	Shona Agri Solutions, Jind, Haryana	power weeder attachments	3 tye cultivator(Standard)						अभ्युक्ति
			Sub soiler(single tye)						
			3 tye cultivator adjustable(standard)						
			5 tye cultivator adjustable(standard)						
			Blade Harrow(with tye)						
			5 tye cultivator(with tye)						
			seat(with tye)						
			Standard reversible plough						
			Simple reversible plough						
			Ridger cum reversible plough						
			Seed drill (3 row) trolley standard						
			trolley						
			Standing Seat						
			Seat						
Handle bar ridger									
Spiral ridger(diesel cum petrol)									
Handle bar 3 tye cultivator									
Paddy Cage Wheel Petrol									
Paddy Cage Wheel Diesel									
परीक्षण हेतु चिन्हित किया गया है।									

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक /माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
			Mini Paddy Cage Wheel Petrol 14"					
			Power tiller trolley					
			Mini Paddy Cage Wheel Diesel 14"					
			Paddy Adjuster					
			Iron Wheel Small Petrol 12"					
			Iron Wheel Big Petrol 16"					
			Iron Wheel diesel 16"					
			Iron Wheel Petrol 20"					
			Iron Wheel diesel 12"					
			Ridger (Ditcher) adjustable					
			Mini Ridger					
			Dol(med) Maker petrol					
			Dol(med) Maker Diesel					
			Standard Dol(med) Maker					
			adjustable cultivator Standard					
			Fix cultivator					
			Simple Adjustable cultivator					
			Mud mixer Iron wheel petrol					
			Mud mixer Iron wheel diesel					
			Backrod					
			Hitch petrol					
			Hitch diesel					
			Side disc petrol					

(Handwritten signatures and marks)

(Handwritten mark)

(Handwritten marks)

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
			Side disc diesel Single side plough					
			Potato Digger Hitch For Back rotary Power weeder					
			Back rod holder Deep tilling rotary shaft petrol(without blades)					
			Deep tilling rotary shaft diesel(without blades)					
			Deep tilling rotary shaft petrol					
			Deep tilling rotary shaft diesel					
			Ditching blade shaft petrol(without blades)					
			Ditching blade shaft diesel(without blades)					
			rotary shaft petrol(without blades)					
			rotary shaft diesel(without blades)					
			Power weeder rotavator petrol					
			Power weeder rotavator diesel					
			Rotary Shaft (without plate)					
			Leveler Standard Leveler					

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संख्या	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
			Sub soiler(single tyre)					
			Dry land blade					
			wet land blade					
			deep tilling blade					
			power weeder tyre(4.00-8)					
			power weeder tyre(3.50-6)					
			power weeder tube(4.00-8)					
			power weeder tube(3.50-6)					
			power weeder RIM 4.00-8					
			power weeder tyre, tube with rim 4.00-8					
			tyre holder petrol					
			tyre holder diesel					
			power weeder bumfur petrol & diesel					
			power weeder bumfur stand					
			Special Iron Wheel petrol 16"					
			Special Iron Wheel diesel 16"					
			Special Iron Wheel petrol 14"					
			Premium iron wheel petrol 12"					
			Premium iron wheel diesel 12"					
			Paddy Weeding wheel petrol					
			Paddy Weeding wheel diesel					
			Power weeder front wheel					
			Double plough					

(Handwritten mark)

(Handwritten mark)

(Handwritten mark)

(Handwritten mark)

(Handwritten mark)

(Handwritten mark)

(Handwritten mark)

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संख्या	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
			Spiral ridger petrol					
			Spiral ridger diesel					
			cutting rotor petrol 12"					
			cutting rotor Diesel 12"					
			cutting rotor petrol 18"					
			cutting rotor Diesel 18"					
			Racking machine for poultry farm(petrol)					
			Racking machine for poultry farm(diesel)					
			Chaff cutter					
			Adjustable ridger(honda FJ300/FJ500)					
			Adjustable ridger(honda FJ300)					
			Adjustable ridger					
			Ridger with lower link					
			wide ridge making ridger					
			Special Adjustable ridger					
			ridger with top link					
			2 tyne adjustable ridger					
			ridger with upside level					
			ridger cum reversible plough square edge bed maker					

(Handwritten mark)

(Handwritten mark)

(Handwritten mark)

(Handwritten mark)

(Handwritten mark)

(Handwritten mark)

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संख्या	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
			3 tyne cultivator with guntaka					
			Round bed maker					
			5 tyne cultivator					
			5 tyne cultivator with top link					
			Special 3 tyne cultivator					
			Cultivator with lower link					
			Deep single plough					
			3 tyne cultivator with top link					
			Guntaka					
			Premium potato digger					
			Premium plough					
			Premium ridger					
			Disc type dol maker					
			Deep dry land reversible					
			Special seed drill					
			Seat					
			Standing seat					
			Rotavator seat					
			Trolley					
			Trolley with spray pump attachment					
			Power weeder reaper					
			petrol(neutral gear)					
			Power weeder reaper					
			diesel(neutral gear)					
			water pump					
			Anti vibration blade					
			Spray pump stand					

[Handwritten mark]

[Handwritten mark]

[Handwritten mark]

[Handwritten mark]

[Handwritten mark]

[Handwritten mark]

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक /माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
			Extension shaft petrol					
			Extension shaft Diesel					
			Potato planter					
			Paddy gaurd					
			Seat with leveller					
			Honda back rod					
			Fix 5 tyne cultivator					
			Seat with guntaka					
			Easy turning petrol					
			Easy turning Diesel					

उप कृषि निदेशक,
तकनीकी सम्मक्षण,
कृषि निदेशालय

अपर कृषि निदेशक,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन,
कृषि निदेशालय

विल निबंधक,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

कृषि निदेशक,
उत्तराखण्ड।

प्रतिनिधि,
विभागध्यक्ष (कर्म मशीनरी),
गो0व0प0वि0वि0, पंलनगर

पत्र संख्या-8216, दिनांक 29 मार्च 2023 के द्वारा जारी कृषि रक्षा यंत्रों स्पेयर के विज्ञापन से प्राप्त कृषि यंत्रों हेतु अनुमोदित / स्वीकृत पंजीकृत फर्मों / अधिकृत विक्रेता, विवरण

क्र० सं०	फर्म का नाम व पूरा पता	मशीन / यंत्र का प्रकार	मेक / मॉडल	स्यूसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
1	Aspee Agro Equipment Pvt. Ltd., Mumbai	Hand operated Knapsack Sprayer	Aspee V-2007	16L, Piston type, Accessories (Mask, gloves are provided)	NRFMTTI Hisar	376/2266/2019 month January 2019	2024	पंजीकरण हेतु विहित नहीं किया गया।
		Manually operated Knapsack Sprayer	ASPEE blue magic ABM16	size 510x358x145mm, capacity 16L, overall dimension 358x145x510mm.	FMTATC CSIR-CMERI MGA, durgapur, west bengal	CSIR/CMERI/FMTTTC/202 2/006 July 2022	31-06-2027	पंजीकरण हेतु विहित नहीं किया गया।
		Dual type Knapsack sprayer	NAVYUG ASPEE V-2007 DUO 12Ahr	Dual type (Battery/hand operated), 16L, 12V, 12Ah. Lead acid rechargeable battery	FMTATC CSIR-CMERI MGA, durgapur, west bengal	CSIR/CMERI/FMTTTC/202 2/005 May 2022	May-27	पंजीकरण हेतु विहित किया गया।
		Engine Operated Knapsack Sprayer	ASPEE JONATHAN KP 35/2S	power 1.1kw, capacity 34.64cc, single cylinder, 2 stroke, air cooled, petrol engine	NRFMTTI Hisar	437/2532/2020 September 2020	30-09-2027	पंजीकरण हेतु विहित किया गया।
		Engine Operated Knapsack Sprayer	ASPEE JONATHAN UMT/4S	power 0.85 kw, capacity 35.8 cc, single cylinder, 4 stroke, air cooled, petrol engine	NRFMTTI Hisar	444/2561/2020 October 2020	31-10-2027	पंजीकरण हेतु विहित किया गया।
		Engine Operated Knapsack Sprayer	ASPEE JONATHAN KP 35/2S	power 0.85 kw, capacity 35.8 cc, single cylinder, 4 stroke, air cooled, petrol engine	NRFMTTI Hisar	441/2558/2020 October 2020	31-10-2027	पंजीकरण हेतु विहित किया गया।
		Engine Operated Knapsack Sprayer	Aspee HTP PS-16	4 stroke, air cooled, petrol operated, 2600 rpm, horizontal shaft, single cylinder, overhead valve, fuel tank capacity-4.5L	NRFMTTI Hisar	314/2071/2017 month November 2017	2022	पंजीकरण हेतु विहित किया गया।
		Engine Operated Knapsack Sprayer	Aspee HTP PS-50	4 stroke, air cooled, diesel operated, horizontal shaft, single cylinder, overhead valve, fuel tank capacity-4.5L	NRFMTTI Hisar	315/2072/2017 month November 2017	2022	पंजीकरण हेतु विहित किया गया।
		Portable Power sprayer	SG-230	Self propelled, Engine Operated, Single cylinder, 2 stroke, air cooled, petrol engine, Piston pump, Plunger Type,	BAU Ranchi	BAU/DAE/71/119 date May 2019	2024	पंजीकरण हेतु विहित नहीं किया गया।
		Power operated cum duster		two Stroke, Single cylinder, Air cooled, Petrol engine, carburetor, all position diaphragm. 13L tank capacity	NRFMTTI, Hisar tested	79/1356 July 2011	2016	पंजीकरण हेतु विहित किया गया।
2	Andreas STIHL Pvt Lrd, STIHL chakan facility, Chakan Industrial Area, Village Khharabwadi, Pune	Power operated Mist blower cum Duster	STIHL-SR-5600	13L, two stroke, Single cylinder, Air cooled, Petrol engine, 2800rpm, cylindrical pipe	NRFMTTI, Hisar tested	120/1613 May 2014	2019	पंजीकरण हेतु विहित किया गया।

क्र० सं०	क. गी नाम व पूरा पता	मशीन/यंत्र का प्रकार	मॉक/माडल	स्वीडिशिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
3	Chakradhar Chemicals pvt Ltd E- 3, UPSIDC Industrial Area, Begraipur, Muzaffarnagar, UP- 251203	Power Knapsack Sprayer	Sprayer 804 (4 Stroke)	Alloy pump, 3 Nozzle steel lance, Tank 25L, weight 10.5Kg, Engine 4 stroke, Fuel tank 600ml Petrol, air cooled, Chemical Tank 20L	NRFM-TTI - Hissar	PS-369/2253/2018 December, 2018	2025	पंजीकरण हेतु विहित किया गया।
		Power Operated Sprayer	Sprayer 768 (2 Stroke)	Engine (2 Stroke), Fuel petrol, Fuel Tank 600ml, air cooled	NRFM-TTI - Hissar	PS-367/2251/2018	2025	पंजीकरण हेतु विहित किया गया।
		Battery cum Hand operated Knapsack Sprayer	BALWAN	20L, 12V, 12Ah, DC motor, chemical Tank plastic,	NRFM-TTI - Hissar	PS-346/2174/2018 June 2018	2023	पंजीकरण हेतु विहित किया गया।
			GANGA	18L, 12V, 8Ah, DC motor, chemical Tank plastic, accessories not provided	NRFM-TTI - Hissar	PS-347/2175/2018 June 2018	2023	पंजीकरण हेतु विहित किया गया।
		Battery operated Knapsack Sprayer	GODAVARI	16L, 12V, 8Ah, DC motor, chemical Tank plastic, RPM 3800, only goggles provided	NRFM-TTI - Hissar	PS-345/2173/2018 June 2018	2023	पंजीकरण हेतु विहित किया गया।
			MEGHA	16L, 12V, 12Ah, DC motor, chemical Tank plastic, RPM 3800, accessories goggles, hand gloves mak provided	NRFM-TTI - Hissar	PS-344/2172/2018 June 2018	2023	पंजीकरण हेतु विहित किया गया।
		Battery Operated Knapsack Sprayer	RSR HY-805	Battery operated, capacity of sprayer-16ltr, diaphragm pump, plastic spray lance, PVC hose & gasket, discharge rate-1230ml/min, weight- 4.6kg	JAU, Junagadh	TTCFM/D/170/994 18- 05-2021	17-05-2026	पंजीकरण हेतु विहित किया गया।
		Dual type Battery cum Hand Operated Knapsack Sprayer	RSR HY-807	Dual type battery & hand operated, capacity of sprayer-16 ltr, diaphragm pump, plastic tank & spray lance, PVC piston, hose & gasket, discharge rate-1200 ml/min, weight-5.570 kg	JAU, Junagadh	TTCFM/D/169/993 18- 05-2021	17-05-2026	पंजीकरण हेतु विहित किया गया।
		Solar Battery operated Knapsack Sprayer	RSR HY-910	Battery operated solar charged, capacity of sprayer-16 ltr, plastic tank & spray lance, diaphragm pump, PVC hose & gasket, discharge rate- 1210 ml/min, weight-6.680 kg	JAU, Junagadh	TTCFM/D/174/1007 24- 05-2021	23-05-2026	पंजीकरण हेतु विहित किया गया।
		Solar Dual Type Battery cum Hand Operated Knapsack Sprayer	RSR HY-930	Dual type, capacity of sprayer-16 ltr, diaphragm pump, plastic tank & spray lance, PVC piston, hose & gasket, discharge rate-1200 ml/min, weight-7.530 kg	JAU, Junagadh	TTCFM/D/175/1008 24- 05-2021	23-05-2026	पंजीकरण हेतु विहित किया गया।
		Power Operated Sprayer	RSR HY-11/15	4 stroke, petrol engine, 3 hp, 3600 rpm, plunger type pump, steel spray gun, PVC hose, weight-37.2 kg	/CIAE, Bhopal tested	60/2015 March 2017	March 2022	पंजीकरण हेतु विहित किया गया।
		Engine Powered Knapsack Sprayer	RSR HY-804d	2 stroke, forced air cool, petrol engine, 6500 rpm, double acting plunger pump, PVC hose, stainless steel piston & spray gun, suction volume-7.5 ltr, weight-10 kg	/CIAE, Bhopal teste	70/2015 February 2017	February 2022	पंजीकरण हेतु विहित किया गया।
Engine Powered Portable Power Sprayer	RSR HY-804/4S	4 stroke, forced air cool, petrol engine, 6500 rpm, double acting plunger pump, PVC hose, stainless steel piston & straight spray gun, suction volume-8.0 ltr, weight-10.5 kg	/CIAE, Bhopal tested	59/2015 February 2017	February 2022	पंजीकरण हेतु विहित किया गया।		
Engine Powered Knapsack Sprayer	HYNEXT HY-803	2 stroke, forced air cool, petrol engine, 6500 rpm, double acting plunger pump, 20 ltr HDPE tank, PVC hose, stainless steel piston, straight spray gun, suction volume-7.5 ltr, weight-10 kg	/CIAE, Bhopal tested	27/2015 February 2016	February 2022	पंजीकरण हेतु विहित किया गया।		
Engine Powered Knapsack Sprayer	HYNEXT HY-802	4 stroke, forced air cool, petrol engine, 6500 rpm, double acting plunger pump, 25 ltr HDPE tank, PVC hose, stainless steel piston & straight spray gun, suction volume-7.5 ltr, weight-10.5 kg	/CIAE, Bhopal tested	28/2015 February 2016	February 2021	पंजीकरण हेतु विहित किया गया।		
4	RSR Retail Pvt. Ltd., E-27, Sec-6, Noida							

क्र० सं०	फर्म, ठी नाम व पूरा पता	मशीन/यंत्र का प्रकार	मॉडल/माडल	स्वीडिशिकरण	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की शैली/ता तिथि	अभ्युक्ति
1		Dual type Battery cum Hand Operated Knapsack Sprayer	RSR HY-935	Dual type battery & hand operated, capacity of sprayer-16 ltr, diaphragm pump, plastic tank & spray lance, PVC piston, hose & gasket, discharge rate-1200 ml/min, weight-5.570 kg	JAU, Junagadh	TTCFMI/D/173/1006 24-05-2021	23-05-2026	पंजीकरण हेतु विहित किया गया।
		Dual type Battery cum Hand Operated Knapsack Sprayer	RSR HY-807/20	Dual type battery & hand operated, capacity of sprayer-16 ltr, diaphragm pump, plastic tank & spray lance, PVC piston, hose & gasket, discharge rate-1200 ml/min, weight-5.570 kg	JAU, Junagadh	TTCFMI/D/168/974 31-03-2021	30-03-2026	पंजीकरण हेतु विहित किया गया।
		Battery Operated Knapsack Sprayer	HY-805D	Battery Operated knapsack Sprayer. 16 ltr capacity, Voltage-12 V, Rating -8.0 AH, Diaphragm pump, Hymatic-2021, 12V, 2.2 Amp, Flow-3.6 lpm, Pt-100 Psi	CAETI Junagadh Gujraat	TTCFMI/D/171/995 18-05-2021	17-05-2026	पंजीकरण हेतु विहित किया गया।
5	Husqvarna India Product Pvt. Ltd. First floor sweets house, Sir P S sivasamy salai, Mylapore, Chennai TN	Engine operated Power Sprayer	HUSQVARNA 321S15	321S15, Output Capacity 1/min-3.2 to 4.3 apa, Type-single cylinder, 2 stroke, Air Cooled, Spark Ignition, Petrol engine, Cylinder-1, Vertical, Capacity cc-25.4, Compression ratio-7.84:1	NRFMTTI Hisaar	361/2205/2018 August 2018	August 2023	पंजीकरण हेतु विहित नहीं किया गया।
		Portable Sprayer	HUSQVARNA 321 SP	Max. Power speed RPM- 7000, Power output (kW/hp)- 0.7 kW/0.93 HP. Fuel capacity (L)- 0.65, Source of power- 0.7 kW/0.93 HP 2-Stroke Petrol Engine	KCAETKAU Kerala	PEC/2022/59, January-2023	05-01-2025	पंजीकरण हेतु विहित किया गया।
		Hand operated Knapsack Sprayer	KK-16 LTR	16L, Piston type, tank plastic, nozzle cone type	NRFMTTI, Hisar tested	435/2510/2020 month september 2020	30-Sep-25	पंजीकरण हेतु विहित किया गया।
		Engine Operated Knapsack Sprayer	KK-708	Single cylinder, 2 Stroke, air cooled, double acting, Plunger type	NRFMTTI, Hisar tested	131/1651/2014 October 2014	2019	पंजीकरण हेतु विहित किया गया।
		Engine Operated Knapsack Sprayer	KK-KPS-162	no cylinder lining, Hard chrome coating is done, 2 Stroke, doubling Acting plunger type	NRFMTTI, Hisar tested	193/1851/2016 June 2016	2021	पंजीकरण हेतु विहित किया गया।
		Engine Operated Knapsack Sprayer	KK-KPS-204	Single cylinder, 4 Stroke, air cooled, double acting Plunger type, petrol engine	NRFMTTI, Hisar tested	170/1803/2015 December 2015	2019	पंजीकरण हेतु विहित किया गया।
		Battery cum hand operated Knapsack Sprayer	KK-BBS-318	18L, DC motor, 12V, 8Ah, spray nozzle brass, stainless steel,	NRFMTTI, Hisar tested	464/2634/2021 January 2021	31 Jaunary 2026	पंजीकरण हेतु विहित किया गया।
		Engine Operated Knapsack Sprayer	KK-P-768	Single cylinder, 2 Stroke, air cooled, double acting, Plunger type	NRFMTTI, Hisar tested	173/1806/2015 December 2015	2020	पंजीकरण हेतु विहित किया गया।
		Engine Operated Knapsack Sprayer	KK-PPS-P-764	Single cylinder, 4 Stroke, air cooled, double acting Plunger type, petrol engine	NRFMTTI, Hisar tested	382/2286/2019 MARCH 2019	Mar-26	पंजीकरण हेतु विहित किया गया।
		Engine Operated Knapsack Sprayer	KK-P-968	Single cylinder, 4 Stroke, air cooled, double acting Plunger type, petrol engine	NRFMTTI, Hisar tested	176/1824/2016 February, 2016	Feb-23	पंजीकरण हेतु विहित किया गया।
		Tractor operated Power Sprayer	KK-45 A3	500L, Propellar shaft, tractor powered required 3-4 Hp, pump rpm 800-1000	NRFMTTI, Hisar tested	155/1740/2015 June 2015	2020	पंजीकरण हेतु विहित किया गया।
		Electric motor operated Sprayer	KK-30 A3	Single phase, 3 hp electric motor, double acting, plunger type, rpm 800-1000, the power of electric motor is transmitted to double acting plunger type pump through belt and pulley arrangement.	NRFMTTI, Hisar tested	246/1927/2016 August 2016	2021	पंजीकरण हेतु विहित किया गया।

क्र० सं०	उ. का नाम व पूरा पता	मशीन/यंत्र का प्रकार	नक/माडल	स्फटिकिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
		Electric motor operated Sprayer	KK-22 A3	Hydraulic power sprayer, frame mounted, Plunger type, rpm 800-1000, through double V belt & pulley,	NRFMTTL, Hisar tested	203/1865/2016 June 2016	2021	पंजीकरण हेतु विहित किया गया।
		Electric motor operated Sprayer	KK-33 CI3	Hydraulic power sprayer, frame mounted, Plunger type, rpm 800-1000, through double V belt & pulley,	NRFMTTL, Hisar tested	245/1926/2016 August 2016	2021	पंजीकरण हेतु विहित किया गया।
		Battery operated Knapsack Sprayer	KK-BBS-185	18L, 12V DC motor, 2600 rpm	NRFMTTL, Hisar tested	458/2605/2020 December 2020	31-Dec-25	पंजीकरण हेतु विहित किया गया।
		Battery operated Knapsack Sprayer	KK-BBS-199	18L, 12V DC motor, 2600 rpm	NRFMTTL, Hisar tested	459/2606/2020 December 2020	31-Dec-25	पंजीकरण हेतु विहित किया गया।
		Engine operated HTP Sprayer	KK-PSP-22	Over head valve, 4 Stroke, air cooled, Single cylinder, petrol engine, fuel tank 2.8L, the power of electric motor is transmitted to double acting plunger type pump through belt and pulley arrangement.	NRFMTTL, Hisar tested	382/2286/2019 March 2019	31-Mar-26	पंजीकरण हेतु विहित किया गया।
		Engine operated HTP Sprayer	KK-PSP-30	Over head valve, 4 Stroke, air cooled, Single cylinder, petrol engine, fuel tank 2.8L, the power of electric motor is transmitted to double acting plunger type pump through belt and pulley arrangement.	NRFMTTL, Hisar tested	385/2293/2019 March 2019	31-Mar-26	पंजीकरण हेतु विहित किया गया।
		Battery Operated Knapsack Sprayer	CHEETAH	Battery Operated knapsack Sprayer, 16 ltr capacity, Voltage-12 V, Rating -8.0 AH, Diaphragm pump, Hymatic-2021, 12V, 2.2 Amp, Flow-3.6 lpm, Mass-4.74 kg	ICAE, Bhopal tested	31/2020 march 2021	03-03-2026	पंजीकरण हेतु विहित किया गया।
		Battery cum hand operated Knapsack Sprayers	PRIMO	Battery Operated knapsack Sprayer, 16 ltr capacity, Voltage-12 V, Rating -8.0 AH, Diaphragm pump, Hymatic-2021, 12V, 2.2 Amp, Flow-3.6 lpm, Mass-5.76 kg	ICAE, Bhopal tested	30/2020 march 2021	03-03-2026	पंजीकरण हेतु विहित किया गया।
		Battery cum hand operated Knapsack Sprayers	KOHINOOR	Battery Operated knapsack Sprayer, 16 ltr capacity, Voltage-12 V, Rating -8.0 AH, Diaphragm pump, Hymatic-2021, 12V, 2.2 Amp, Flow-3.6 lpm, Mass-6.6 kg	ICAE, Bhopal tested	29/2020 MARCH 2021	03-03-2026	पंजीकरण हेतु विहित किया गया।
		Hand operated Knapsack Sprayers	Masand/RM-2012/ ISI Mark	Tank capacity-16 ltr, discharge rate-740 ml/min, weight-4.6 kg	BIS Bhopal	3205235 3906-1995 20-09-2011	September 2016	पंजीकरण हेतु विहित किया गया।
		Knapsack Sprayer	Piston Type	Hand Operated Knapsack sprayer, Discharge-670ml/min, Shall not be less than 96%, Tank Capacity- 16.5 ltr.	BIS Bhopal	DOS no-LQF-25001/08-02-2012		पंजीकरण हेतु विहित किया गया।
		Knapsack Sprayer	Neptune-21	Size-Height-350, Width-180, Length-360, Capacity L- 16, Max. sustained pressure without Leakage, kg/cm2- 5, Mass kg- 5.74	ICAR-ICAE Bhopal	59/2020 June, 2021	13-06-2026	पंजीकरण हेतु विहित किया गया।
		Knapsack Sprayer	Neptune/Neptune-33	16 Ltr Tank, Inside PVC Pressure Chamber	ISI Marked	8234873	31-03-2024	पंजीकरण हेतु विहित किया गया।
		Back pack mounted Power sprayer (2 Stroke)	Neptune-01	20L, Single cylinder, Forced air cool 2 Stroke engine, 6500 rpm, double acting plunger pump, mass 9kg	ICAE, Bhopal	10/2012 July 2013	30-07-2023	पंजीकरण हेतु विहित किया गया।
		Foot Sprayer	Neptune/ Neptune-88	Foot Sprayer with 8 mtr Hose Pipe, Lance and Tripple Action Nozzle	ISI Marked	8958616	31-04-2024	पंजीकरण हेतु विहित किया गया।

Neptune
Packaging Pvt. Ltd.
19/1 New Agarwal
Nagar, Indore

Masand Agritech,
56, Shastri Market,
Indore, M.P.

क्र. सं.	का नाम व पूरा पता	मशीन/यंत्र का प्रकार	शेक/माडल	स्वसिक्तिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
		Battery operated Knapsack Sprayer	Nuptune- 12	16L, 12V, 12Ah, battery weight 2.2 Kg, Mass 4.7 Kg, Hollow cone, Flat fan, Flower 5 holes	CIAE, Bhopal	68/2019 february 2020	21-02-2025	पंजीकरण हेतु विहित किया गया।
		Battery Operated Sprayer	RICOITALLY RI BT-16	16 ltr tank, polypropylene tank, 19" long spray gun, weight-2.2kg	FIMTTTC, Bikaner	13/285 September 2013	September 2018	पंजीकरण हेतु विहित नहीं किया गया।
		Power Knapsack Sprayer	RICOITALLY RI 708	Source of power- TU26 ENGINE, RICOITALLY, Tank capacity- 20 LTR, Length of the Spray gun, cm- 82, Fuel consumption petrol- 0.48 LTH/H, Max. spray DIA,- 0.8	FIMTTTC, Bikaner	FIMTTTC/MECH/13/284 January, 2014		पंजीकरण हेतु विहित नहीं किया गया।
		Power Sprayer	RICOITALLY RI-708/	5hp, brass pump, steel nozzle, 1 mt long hose, spray gun-82cm, fuel tank capacity-20 ltr, discharge - 0 to 8 ltr/min, field capacity-0.18 h/hr, weight-9kg	FIMTTTC, Bikaner tested	13/287 January 2014	January 2019	पंजीकरण हेतु विहित नहीं किया गया।
		Power Knapsack Sprayer	RICOITALLY RI-708 4S	Power sprayer, telescopic shaft, pump speed-1000 to 1200 rpm, tank capacity-500 lt, spray gun, weight-160kg	FIMTTTC, Bikaner	15/558 November 2015	November 2020	पंजीकरण हेतु विहित नहीं किया गया।
		Tractor Mounted Sprayer	Tractor Mounted Sprayer	Power sprayer, telescopic shaft, pump speed-1000 to 1200 rpm, tank capacity-500 lt, spray gun, weight-160kg	FIMTTTC, Bikaner Tested	15/559 February 2016	February 2021	पंजीकरण हेतु विहित नहीं किया गया।
9	Ramsons Impex,JP-17, Raipur Sahkari Udyogic Kshetra, Bhagwanpur, Rookee	Engine Operated Sprayer (HTP)	RICOITALLY-RI 22	5.0 hp, petrol engine, air cooled, 3 piston pump, fuel-35 lt/min, weight-55 kg	FIMTTTC, Bikaner	15/561 November 2015	November 2020	पंजीकरण हेतु विहित नहीं किया गया।
		Manual Sprayer	RI-16B	Capacity of sprayer- 1- 16, Piston dia, mm- 45, Rated pressure, kg/cm2 (apa) - 1 to 4, Piston stroke, mm- 35, Size (mm) (LxWxH)- 355x185x345, Capacity (l)- 16,	NRFMTTI Hisar, (Harayana)	PS-516/2876/2022 July, 2022	31 July, 2027	पंजीकरण हेतु विहित किया गया।
		Battery & Manual Operated Sprayer	RICOITALLY RI 16BTM	18 ltr- 12volt 8AH Battery, Nozle Hollow cone,	FIMTTTC, Bikaner	15/557 November 2015	November 2020	पंजीकरण हेतु विहित किया गया।
		RICOITALLY Operated HTP Sprayer	GRI-26 (ITALIA)	Type- Inclined, 4 stroke, air cooled, single cylinder, petrol engine, Power rating kW (apa)- 2.9 kW @3660 rpm, Rated speed rpm(apa)- 3600, Speed at max. torque, rpm (apa)- 2500, Bore/Stroke, mm (apa)- 70/54	NRFMTTI Hisar (Harayana)	PS-518/2889/2022 August 2022	31 August 2029	पंजीकरण हेतु विहित किया गया।
		Battery Operated Knapsack Sprayer	Shakti- SBS-500e	Rated speed, rpm- 2700, Overall size, mm(LxWxH)- 370x185x395, Capacity (l)- 16, Overall Dimensions, mm- Height-470, Width- 200, Length- 370	NRFMTTI Hisaar	PS-514/2872/2022 July, 2022	31 July, 2027	पंजीकरण हेतु विहित किया गया।
		Battery Cum Hand Operated Knapsack Sprayer	Shakti- SBS-520e	Motor operating volage- DC, 12V, nom. (9-14.4V), Rated speed, rpm- 2700, Overall size, mm(LxWxH)- 350x185x390, Capacity (l)- 16, Overall Dimensions, mm- Height-600, Width- 185, Length- 430	NRFMTTI Hisaar	PS-509/2857/2022 May, 2022	31 May 2027	पंजीकरण हेतु विहित किया गया।

क्र० सं०	का नाम व पूरा पता	मशीन/यंत्र का प्रकार	मैक/माडल	स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की शैली तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
10	Shakti Agro Industries, Arjun Nagar, Radha Swami Road, Ludhiana PB	Engine Operated Knapsack Sprayer	SPS-767 F	Power rating, kW- 0.75 kW@7500 rpm, Max. torque, - 1.1 Nm@5000rpm, Bore/Stroke- 39/26, Capacity cc- 31.1	NRFMTTI Hisaar	PS-525/2978/2023 April, 2023	30 April 2030	पंजीकरण हेतु विहित किया गया।
		Engine Operated Knapsack Sprayer	SPS-P768 F	Max. torque, Nm- 1.1 Nm@5000rpm, Power rating kW- 0.75 kW@7500 rpm, High idle speed- 8000 rpm, Low idle speed- 3000 rpm, Bore/Stroke, mm- 39/26	NRFMTTI Hisaar	PS-524/2977/2023 April, 2024	30 April 2030	पंजीकरण हेतु विहित किया गया।
		Manual Knapsack Sprayer	SKP-60	Knapsack Sprayer-16 ltr cap, with plastic tank with plastic pressure chamber inside the tank, weight-4.5	BIS	IS 3906:1995, CM/L-9034567	31-12-2020	पंजीकरण हेतु विहित किया गया।
		Foot Sprayer	SFS-300	Foot Sprayer with 10 mtr hose with brass lance NTM, Weight-10.5	BIS	IS 3652:995 CM/L-4817372	31-08-2020	पंजीकरण हेतु विहित किया गया।
11	Competent Agriculture Machinery, Baraut, baghapat, UP	Engine operated knapsack Sprayer	SPS-708	2 Stroke, forced air cool, petrol engine, 6500 rpm, double acting plunger pump, 20 ltr HDPE tank, PVC hose, stainless steel piston, straight spray gun, suction volume-7.5 ltr, weight-9 kg	NRFMTTI Hisaar	PS/253/1938/2016 October 2016	2023	पंजीकरण हेतु विहित किया गया।
		Battery Operated Knapsack Sprayer	Shakti- SBS-500 DM	Size 395X180X370mm, Maximum pressure without-7.5, Battery mountin garrangement-160X105X45mm, Weight of battery-3.4 kg	ICAR,MP	34/2019 October, 2019	25 October 2024	पंजीकरण हेतु विहित किया गया।
		Battery Operated Knapsack Sprayer	CAM-BT 18	Type- DC Motor, Capacity of sprayer, 1-18, Motor operating voltage- DC, 12V, nom.(9-14.4V), Chemical Tank, Overall size, mm (LxWxH)- 390x195x400	NRFMTTI, Hisar tested	PS-521/2913/2022 September 2022	Sep-22	पंजीकरण हेतु विहित किया गया।
12	Gahir Agro Industries Ltd.,Sangrur, Punjab	Tractor Operated Sprayer	G-580	Type- Four wheeled, rear wheel driven, general purpose, agricultural tractor, Recommended tractor power, kW (apal)- 22 and above, Max- PTO power, kW- 30.8, Size mm- Length- 1130, Width- 710, Height- 1080, Capacity l- 500	NRFMTTI, Hisar tested	PS-519/2904/2022 August 2022	31-Aug-27	पंजीकरण हेतु विहित किया गया।
		Battery Operated Knapsack Sprayer "Ralli ECO Urja	Ralli / ECO Urja	Capacity of sprayer, - 16, ltr, Rating- 8.0 AH, Type- Diaphragm Pump, Rallil, 12 V, 3.0 Amp, Flow: 3.8 lpm, Pr. 100 psi	TTCFM Junagadh	TTCFM/D/208/1300 February 2023	06-02-2028	पंजीकरण हेतु विहित किया गया।

क्र० सं०	का नाम व पूरा पता	मशीन/यंत्र का प्रकार	मैक/माडल	स्तिथिकेशन	ट्रेडिंग संस्था	ट्रेड रिपोर्ट की तिथि	ट्रेड की शैला तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
13	Ralli Agrotech Ltd, Nandawala, Valsad, Gujarat	Battery Operated Knapsack Sprayer	Ralli, ECO URJA-DM	Motor operating voltage- 12V, DC Nom. (9-14V), Max. current- 2.5 A, Rated speed, rpm- 3000, Capacity (1)- 20, Overall size- 370x195x355, Output voltage- DC, 12 V	NRFTTI, Haryana	PS-495/2804/2022 February, 2022	28-02-2027	पंजीकरण हेतु विहित किया गया।
		Engine Operated Pneumatic Sprayer Cum Duster	Ralli- MONO	Type- Single cylinder, 2 stroke, air cooled, spark ignition, petrol engine, Power rating, kW- 0.82 kW @ 5600 rpm, Max. torque, NM- 1.40 Nm @5000 rpm, Bore/Stroke, mm- 35/36, Nm@2500 rpm	NRFTTI, Haryana	PS-471/2659/2021 January, 2021	31-01-2028	पंजीकरण हेतु विहित किया गया।
		Engine Operated Portable Sprayer	Ralli RM- 26 2/S	Power rating, kW- 0.75 kW @ 6700 rpm, Max torque, Nm- 1.5 Nm @ 5000 rpm, Bore/Stroke, mm- 30/33, Capacity,cc- 25.6, Capacity of fuel tank, l- 0.700,	NRFTTI, Haryana	412/2334/2019 July, 2019	31-07-2026	पंजीकरण हेतु विहित किया गया।
		Engine Operated Knapsack Sprayer	Ralli, ECO-MAX	Power rating, kW- 0.72 kW @ 7000 rpm, Max torque, Nm- 1.0 @ 5000 rpm, Bore/Stroke, mm- 31/30, Capacity,cc- 25.6, Capacity of fuel tank, l- 0.800	NRFTTI, Haryana	364/2221/2018 September, 2018	30-09-2025	पंजीकरण हेतु विहित किया गया।
		Engine Operated Knapsack Sprayer	Ralli ULTRA MAX	Power rating, kW- 0.72 kW @ 7000 rpm, Max torque, Nm- 1.0 @ 5000 rpm, Bore/Stroke, mm- 35/26, Capacity,cc- 25, Capacity of fuel tank, l- 0.58	NRFTTI, Haryana	PS-365/2234/2018 November, 2018	30-11-2025	पंजीकरण हेतु विहित किया गया।
		Manually Operated Knapsack Sprayer	XPS-901	Extra Power, Output capacity-33 to 46.5 apa, Type- over head valve, 4 stroke, air cooled, single cylinder, spark ignition, petrol engine, Power-3.7 kW@3600 rpm, Max Tarque-10.9 Nm@2500 rpm	CAET Hisaar	HAU/FMPE/13-14 March 2014		पंजीकरण हेतु विहित किया गया।
		Manually Operated Knapsack Sprayer	XPS-902	Extra Power, Capacity of sprayer-16 ltr, HDPE Pipe, Size designation-18 G 5/16, Mild Steel, Handle-steel, Piston-PVC, Pump Cylinder-Engineerin plastic,	CAET Hisaar	HAU/FMPE/13-14 March 2014		पंजीकरण हेतु विहित किया गया।
		Engine Operated Knapsack Sprayer	XPS-800-P	Extra Power, Output capacity-10 apa, Type-Single cylinder, 2 stroke, Air cooled, spark, ignition, Petrol engine, Power rating- 0.7 kw@6500 rpm, Max torque-1.6 Nm@5600 rpm, Size of frame -260X340X220 mm	NRFMTTI Hisaar	PS-451/2568/2020 November 2020	30 November 2027	पंजीकरण हेतु विहित किया गया।

क्र० सं०	उ. का नाम व पूरा पता	मशीन/यंत्र का प्रकार	नं०/माडल	स्वीडिशिकेशन	देस्टिंग संस्था	देस्ट रिपोर्ट की तिथि	देस्ट की वैधता तिथि	अभ्युक्ति
1	V.S.M. International Pvt. Ltd. 65, Red Square Market, Hisar, Hariana	Engine Operated Knapsack Sprayer	XPS-825	Extra Power, Output capacity-10 lpa, Type-Single cylinder, 2 stroke, Air cooled, spark, ignition, Petrol engine, Power rating-0.72 kw@7000 rpm, Max torque-1.02 Nm@5000 rpm, Size of frame -300X400X275 mm	NRFEMTTI Hisaar	PS-450/2567/2020 November 2020	30 November 2027	पंजीकरण हेतु विहित किया गया।
14	V.S.M. International Pvt. Ltd. 65, Red Square Market, Hisar, Hariana	Engine Operated Knapsack Sprayer	XPS-600	Extra Power, Output capacity-20 lpa, Type-Single cylinder, 2 stroke, Air cooled, spark, ignition, Petrol engine, Power rating-0.72 kw@6500 rpm, Max torque-1.02 Nm@5000 rpm, Size of frame -300X400X275 mm	NRFEMTTI Hisaar	PS-209/1871/2016 June 2016		पंजीकरण हेतु विहित किया गया।
		Engine Operated Knapsack Sprayer	XPS-201	Extra Power, Output capacity-10 lpa, Type-Single cylinder, 4 stroke, Air cooled, spark, ignition, Petrol engine, Power rating-1.2 kw@5500 rpm, Max torque-1.8 Nm@5500 rpm, Size of frame -320X335X1.5mm	NRFEMTTI Hisaar	PS-447/2564/2020 November 2020	30 November 2027	पंजीकरण हेतु विहित किया गया।
		Engine Operated Knapsack Sprayer	XPS-204	Extra Power, Output capacity-8 lpa, Type-Single cylinder, 2 stroke, Air cooled, spark, ignition, Petrol engine, Power rating-0.75 kw@6500 rpm, Max torque-0.95 Nm@5000 rpm, Size of frame -310X220X1.5mm	NRFEMTTI Hisaar	PS-449/2566/2020 November 2020	30 November 2027	पंजीकरण हेतु विहित किया गया।
15	Mohit Agritech 276, 1A Near Ghadge Lawns Nashik	Engine Operated Knapsack Sprayer	XPS-25 HTP	Extra Power, Output capacity-8 lpa, Type-Single cylinder, 4 stroke, Air cooled, spark, ignition, Petrol engine, Power rating-3.7 kw@3600 rpm, Max torque-10.9 Nm@2500 rpm, Size of frame -260250X2.5mm	NRFEMTTI Hisaar	PS-402/2324/2019 June 2019	30 June 2026	पंजीकरण हेतु विहित किया गया।
		Power Knapsack Sprayer	SP-18-12	Report underprocessing	DFMPCAEITKV Ratanagiri			पंजीकरण हेतु विहित नहीं किया गया।
		Power Knapsack Sprayer	SP-18-8	Report underprocessing	DFMPCAEITKV Ratanagiri			पंजीकरण हेतु विहित नहीं किया गया।
16	Bhoomi Agro Industries, Rajkot, Gujarat	DUAL Type Knapsack Sprayer	Bhoomi-BH-16C	Capacity of sprayer- 16 lit, Battery make/Type/Voltage/Rating 6-DFM-8 Sealed (VRLA/Lead acid Rechargeable/ Maintenance Free) Battery, (12 V/8.0 AH), For battery operated, pump type/make/specification- Diaphragm pump, Crop Jet-ODS-05F,	TTCFM Gujarat Junagadh	TTCFM/D/133/622, June-2018		पंजीकरण हेतु विहित किया गया।
		Battery Operated Knapsack Sprayer	Bhoomi-B-16C	Capacity of sprayer- 16 lit, Voltage- 12 V, Rating- 8.0 AH, Maintenance feature- Rechargeable (Charging after 6-8 hours of use), Type- Diaphragm pump, Crop Jet-ODS-05F, 12 V, 2.0 Amp, Flow 3.1 Imp, Pr. 80 psi	TTCFM Gujarat Junagadh	TTCFM/D/132/621, June-2018		पंजीकरण हेतु विहित किया गया।
17	Modern Sprayers Pvt. Ltd., Ludhiana, Punjab	Battery Operated Knapsack Sprayer	BS-16S	Output capacity- Reter Parag, 7, Tank Size HxWxL- 315x150x340, Capacity, l- 16 l, Size of pump (length x diameter), mm- 45x45, Battery voltage- 12V	ICAR-CIAE Bhopal	78/2019, June-2020	29 June 2025	पंजीकरण हेतु विहित किया गया।

क्र० सं०	नाम व पूरा पता	मशीन/यंत्र का प्रकार	मेक/माडल	स्वसिक्तिकेशन	टैरिग संस्था	टैस्ट रिपोर्ट की तिथि	टैस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
18	Saraswati Krishi Udyog, Assandh, Karnal	Tractor Operated Sprayer	Saraswati Spray Samrat	500L, Four wheeled, rear wheel driven, general purpose, agricultural sector	NRFMTTI, Hisar	PS-374/2264/2018	31-12-2025	पंजीकरण हेतु विहित किया गया।

उप कृषि निदेशक,
तकनीकी सम्मेलन,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

प्रतिनिधि,
विभागाध्यक्ष (कार्म मशीनरी),
गा0व040वि0वि0, पंतनगर

अपर कृषि निदेशक,
कृषि निदेशालय

वित्त नियंत्रक,
कृषि निदेशालय

कृषि निदेशक,
उत्तराखण्ड।

पत्र संख्या-8216, दिनांक 29 मार्च, 2023 के द्वारा जारी विज्ञापन से प्राप्त पावर वीडर / पावर टिलर हेतु अनुमोदित / स्वीकृत पंजीकृत फर्मों / अधिकृत विक्रेता, मेक / मॉडल का विवरण

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	टैरिफिंग संस्था	टैरिफ रिपोर्ट की तिथि	टैरिफ की वैधता तिथि	अभ्युक्ति
1	BTL EPC Ltd., sharaachi Tower, 7th Floor, Anandpur, EM Bypass Kolkata	Power Tiller	SHRACHI VIRAT-13 HP	VST 130DI, 4 Stroke, Water-cooled Horizontal, Single Cylinder, Diesel Injection Engine 13 hp@2400rpm, capacity-11.0L.	SRFMTTI, Anantpur, AP	144/1254 February 2021	Jan-24	पंजीकरण हेतु चिह्नित किया गया
2	Kirloskar Engines Ltd., 498-143 KA, Near IT College Chauraha, SBI Building, Faizabad Road, Lucknow	POWER TILLER	KMW MEGA T12 LV-S 9.6kW	Single cylinder, water cooled, horizontal, Direct Injection and compression ignition engine. Max. speed at no load- 2650+25, Low idle speed- 1100+100, Rated speed- 2400, Speed at max. torque- 1400-100, Bore/stroke, (mm)- 96/96	SRFMTTI ANANTAPUR	154/1359, MARCH-2022	Feb-25	पंजीकरण हेतु चिह्नित किया गया
3	V.S.T. Tillers Tractors Ltd., Plot No-1, Dyavasandra Indl. Layout, Whitefield Road, Mahadevapapura Post, Bangalore, Karnataka	Power Plus Power Tiller Power Plus Power Tiller Power Tiller	VST Shakti 135 DI ultra 8.0kW VST Shakti 165 DI S 11.4kW VST 95 DI IGNITO 5.9kW VST Shakti 130DI 8.4kW	4 stroke, water cooled, single cylinder, speed 2660rpm, bore/stroke 95/95mm, capacity 673.4cc Four stroke, single cylinder, water cooled, speed 2600rpm, bore/stroke 102/105mm capacity 857cc Single cylinder, water cooled, speed 3800rpm, bore/stroke 86/72mm, capacity 418cc 4 stroke, water cooled, single cylinder, speed 2660rpm, bore/stroke 95/95mm, capacity 673.4cc	SRFMTTI Anantpur AP SRFMTTI Anantpur AP SRFMTTI, Anantpur, AP SRFMTTI, Anantpur, AP	151/1344 February 2022 141/1207 September 2020 155/1361 March 2022 117/923 November 2018	Jan-27 Sep-25 Feb-25 Nov-23	पंजीकरण हेतु चिह्नित किया गया पंजीकरण हेतु चिह्नित किया गया पंजीकरण हेतु चिह्नित किया गया पंजीकरण हेतु चिह्नित किया गया

उप कृषि निदेशक,
लकनौकी सम्प्रदाय,
कृषि निदेशालय

अपर कृषि निदेशक,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन,
कृषि निदेशालय

विक्रम नियंत्रक,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

कृषि निदेशक,
उत्तराखण्ड।

प्रतिनिधि,
विभागाध्यक्ष (फार्म मशीनरी),
गोवागोविंदो, पतनगर

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक/मॉडल	यंत्र का स्वीकृतिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
1	Avtar singh & sons Sangrur PB	multicrop thresher	Avtar	main crop wheat, power 35hp, size 2470x1040x940mm, Ms rod material, range of clearance 20-25mm front, 15-20mm rear	FIMTTTC-Bikaner	FIMTTTC/THR/19/121 2 January 2022	Jan-29	पंजीकरण हेतु चिन्हित किया गया
2	Avon Agriculture Industries, Gadarpur, US Nagar	multicrop thresher	Avon	Test report not Attached				टेस्ट रिपोर्ट न होने के कारण पंजीकरण हेतु चिन्हित नहीं किया गया
3	Benson agro engineering, saipur, Nashik	Power Operated Paddy Thresher (with 3hp single phase electric motor) Pedal operated Paddy Thresher	PTHW-EL Benson	Power 2.4kW, electric motor single phase, overall dimensions 1990x990x1215mm, mass 75kg (with motor) overall dimension 760x670x772mm, mass 43kg, pedal frame tubular, circular end discs,	FMTTTC, DFMP, CAET, DBSKKV, Dapoli	FMTTTC/2022/222, CAET/FMP/FMTTTC/23 1/2022 April 2022		पंजीकरण हेतु चिन्हित किया गया
4	Hindustan Agro Industries copration, Hoshiarpur	Multi crop Thresher Power Thresher	Kisan HT-40 Kisan Charikha	Size of Thresher-810x520mm, Main Crop-Wheat, Type of prime-mover-PTO Driver, Powe-35hp and above, Material-MS Angle & channel, Overall Dimension the machine-4900x1670x2040mm Capacity-2Qnt/hours, Power-3hp	FIMTTTC-Bikaner BIS	FIMTTTC/Thr/22/1909 / September 2022 2322537/29-01-2022	Sep-29 Jan-24	पंजीकरण हेतु चिन्हित किया गया
5	Dasmesh Mechanical Works, Nabha- Malerkotla Road, Amargarth Punjab	PADDY THRESHER Multi crop Thresher	LFTH 1203 MCT-4900	Power source above 35hp, Dia of drum-685mm, No. of thrower-4, flywheel-2, overall dimension- 4220*2720*2140mm, weight- 1395kg, Output Capacity-7.42-9.35 qt/hr Power source above 40-55 hp, Main frame-No & size -124X62X6X2720-nons, No % size of angle iron- 65X65X5.0X1060-1nos mm, Size of MS Box- 52.5X52.5X950mm-1nos, Type-PTO drive shaft with universal joints	Ludhiana tested NRFMTTI- Hisaar	FMPB/TC/COMM/202 2/1365 December 2022 Th-29/2352/2019 September 2019	Dec-29 Sep-26	पंजीकरण हेतु चिन्हित किया गया
6	Bansal Treders Vikasnagar, Dehradun	Wheat Thresher	Motor Driven	size of box-62x62x4.5mm, Belt size-B-55, dia. Of pully-152mm, recommended power-5hp, speed- 1440rpm, size of cylinder-268x463mm, concave clearance-27, overall dimensions- 1182x1020x1255m, Total mass-220kg	GBPUAT Panthagar Utarakhland	CTE/FMP/2022-181, MARCH-2022		पंजीकरण हेतु चिन्हित किया गया
7	Jai Gurudev Industries, C-19/20, Industrial Area, Kichha, Bye Pass Road, Rudrapur, U.S. Nagar.	Maize Thresher Thresher	GI-MT Millet Thresher	Power-35 & above, Type-Rectangular, Size- 3320X1092mm, Material-MS, Hoper-manual, conveyor, mild steel Drum Dia 8inch, Drum length 9inch, height 25inch, fan 5 inch 1/2inch, fan pully 2inch, drum pully 3 inch/4 inch, roto drum patra rtype round sheet	SLFMTTI Lucknow	2011/221 February 2020	Feb-27	पंजीकरण हेतु चिन्हित किया गया

क्र० सं०	पूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक/माडल	यंत्र का सैफिकेशन	रजिस्ट्र संस्था	रेस्ट रिपोर्ट की तिथि	रेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
		Tractor Operated Paddy Thresher	Akhitar Agro King	Size of Thresher-1829X15mm. Power source-35 hp -55hp, Main Crop-Paddy, Type of prime-General purpose agricultural tractor Mahindra 475 D1,42hp, Material- MS Rod, Type- Cylindrical drum made up of MS Sheet with Flats	AITC-Rajpur	Report no-052 date October 2019	Oct-26	पंजीकरण हेतु विहित किया गया
8	Madho Agro Industry, Plot No. B-3, Focal Point, Moga Punjab	Tractor Operated Wheat Thresher	Akhitar Agro King	Size of Thresher-690X860mm, Power source-45 hp, Main Crop-Wheat, Type of prime-General purpose agricultural tractor, Type of Driver-Through propeller shaft,	DFMPE-GAET-CSSHAU Hisar	HAU/FMPE/22-23/W-Thresh-12 July 2022	Jul-29	पंजीकरण हेतु विहित किया गया
		Multi Crop Planter Tractor Operated	PAMMI	power source-35hp & above, size of thresher-1542/1829x915, power -31.04kw, frame size-3285x1060x1120mm, nominal speed-540+10 rpm, size of cylinder-1200x70mm, overall dimensions-4420x1067x2133mm, weight of machine-1750 kg	FIMTTC-BIKANER	FIMTTC/THR/17/819 March 2019	Mar-26	पंजीकरण हेतु विहित किया गया
9	Bir Singh & Sons, Samrala, Ludhiana, Punjab	Multi Crop Thresher Tractor Operated	PAMMI	power source-30-45 hp, overall dimensions-4500x1025x2425mm, Dia. Of drum-900mm, Concave clearance-25 mm adjustable,	FIMTTC-BIKANER	FIMTTC/THR/13/255, AUGUST-2015		पंजीकरण हेतु विहित किया गया
		Paddy Thresher	Sunfarm SA-MTE1	power 3hp electric motor, single phase, electric AC induction motor, speed 1440rpm, voltage 230V, weight with motor 68.640kg without motor 45.60kg, overall dimension 1225x842x1005mm	SLAITC DAE IGKV campus, Raipur Chhatisgarh	2022-23/28 January 2023	Jan-30	पंजीकरण हेतु विहित किया गया
10	Sun Agro, supela, bhilai	Tractor Operated Multi crop Thresher	Hardev	size thresher 770x860mm, main crop wheat, power 35hp, overall dimension 4600x1560x2190mm, weight 1327kg	FIMTTC-Bikaner RAU	FIMTTC/Thr/19/1145 / August 2021	Aug-28	पंजीकरण हेतु विहित किया गया
		Tractor Operated Wheat Thresher	HATDEV WT-32	size thresher 760x830mm, main crop wheat, power 35hp, overall dimension 5110x1530x2110mm, weight 1260kg	FMTc samastipur bihar	14/FMTc/FMPE/GAE/2022 14 march 2022	Mar-29	पंजीकरण हेतु विहित किया गया
11	Joginder Singh Narang Singh Ahmedgarh, Sangrur PB	Multi crop Thresher	"YODHA" SAT HRMT	Power-35hp and above, Main Crop-wheat, Other corp-Soyabean, Maize,castor, Thresher evaluated -wheat & gram, overall dimension-4970x1820x2120mm, mass-1400kg	FIMTTC-Bikaner	FIMTTC/THR/20/138 2 April 2023	Apr-30	पंजीकरण हेतु विहित किया गया
		Maize Dehusker	"YODHA"	Power-35hp and above, Main Crop-wheat, Other corp-Soyabean, Maize,castor, Thresher evaluated -wheat & gram, overall dimension-4370x1880x2305mm, mass-1200kg	FIMTTC-Bikaner	FIMTTC/THR/15/552 March 2017		पंजीकरण हेतु विहित किया गया
12	Saeco Strips PVT LTD, G.T.Road, opp. Dhandari railway station, Ludhiana PB	Paddy Thresher	"YODHA" SAT PTHR	Power-35 hp and above, Main Crop-wheat, max PTO 31.9kW, overall dimension 5086x2330x2210mm, mass-1550kg	FMTc KERALA	IMP-110/134/2022, MARCH-2022	Mar-29	पंजीकरण हेतु विहित किया गया
		Multi crop thresher	YODHA SAT-MCTS	power 35hp and above, max PTO power 31.62kW, type of feeding system hopper fed, overall dimension 4656x2978x2607mm, mass 2000kg	FMTc KERALA	IMP-91/114/2021, November 2021	Nov-28	पंजीकरण हेतु विहित किया गया

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन / यंत्र का प्रकार	मैक / मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अन्यविवृत
1	2	3	4	5	6	7	8	9
13	Ransoms Impex, Bhagwanpur, Roorkee, Haridwar	Maize Dehusker Paddy Thresher Maize Thresher	RICO RI 2413 RICOtaly RI PT 50	Electric Motor, Power-3hp and above, Main Crop-wheat, Other corp-Gram, Soyabean, Pulses, Thresher evaluated -wheat & gram, Size-1065x900X705 mm length of hanger 190mm, overall dimension 1180x1000x1260mm, mass 65kg. Test report not available	FIMTTG-Bikaner DFMDECT GBPUAT Pantnagar USNagar	FIMTTG/THR/20/140 March 2021 CTE/FMP/TEST REPORT 2022-204 DECEMBER 2022	Feb-28 Dec-29	परीक्षण हेतु चिन्हित किया गया परीक्षण हेतु चिन्हित किया गया
14	K.S. Powertech, Punjab	Paddy Thresher Multicrop Thresher	(KSP-XL) (KSP TRACTOR OPERATED)	Maximum PTO power, kW (hp)- 38.5 hp, Rated engine speed (rpm)- 1900, No load engine speed during field test (rpm)- 1250-1500, Number and size of tyre= Two, 6.0x16,8 PR, Two, 12.4x28, 12 PR, Total operational mass (kg)- 2060 Size of thresher (mm)- 182.0x915, Horse power- 44.00, Cubic capacity- 2940, Wheel Base- 1970, Un laden Weight- 1850, Gross Vehicle weight- 2690, Number & size of type= Two, 6.00x16,8 PR, Two, 13.6x28, 12 PR In process	FMTG HYDERABAD BHUBANESWAR	Th-64/138, JULY-2017 IMP-386/2019, JANUARY-2019		परीक्षण हेतु चिन्हित किया गया परीक्षण हेतु चिन्हित किया गया
15	Kartar Agricultural Implements, station road, kashipur, US NAGAR	multicrop Wheat Thresher multicrop thresher	LUCKY LUCKY	test report already submitted test report already submitted	DFMDECT GBPUAT Pantnagar USNagar FIMTTG-Bikaner	FIMTTG/THR/21/161 5 July 2021	Jul-28	परीक्षण हेतु चिन्हित किया गया
16	Dasmesh Agro Industries, Pohir, Ludhiana, Ahmedgarh Punjab	Wheat Thresher paddy thresher	LUCKY LUCKY	test report already submitted test report already submitted	FIMTTG-Bikaner FIMTTG-Bikaner	FIMTTG/THR/21/162 2 July 2022 FIMTTG/THR/20/138 0 June 2020	Jul-28 Jul-27	परीक्षण हेतु चिन्हित किया गया परीक्षण हेतु चिन्हित किया गया
17	Zandu Steel Works 1085, Milap Nagar, Near Manav Chowk, Ambala City	Tractor operated Thresher(trailed type)	JP Zandu & co	size of thresher 900x890mm, power source 35 & above, main crop wheat, blade material chaff cutter blade, overall dimension 4945x1680x2125mm, mass 1200kg	FIMTTG-Bikaner	FIMTTG/THR/23/217 MAY 2023	May-30	परीक्षण हेतु चिन्हित किया गया

उप कृषि निदेशक,
तकनीकी समीक्षण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

प्रतिनिधि,
विभागाध्यक्ष (फार्म मशीन)
मोवाचोविभागी, फल

अपर कृषि निदेशक,
कृषि निदेशालय

वित्त/नियंत्रक,
कृषि निदेशालय

कृषि निदेशक,
उत्तराखण्ड।