

कृषि निदेशालय उत्तराखण्ड, नन्दा की चौकी, प्रेमनगर, देहरादून।

(दूरभाष संख्या-0135-2772677, फ़ैक्स-0135-2771881, ई मेल-dir.agri.Uttarakhand@gmail.com)

पत्रांक- 3279 /SMAM/पंजी.-कृषि यंत्र/2023-24 देहरादून दिनांक-2 सितम्बर, 2023

1. समस्त मुख्य कृषि अधिकारी, उत्तराखण्ड।
2. समस्त कृषि एवं भूमि संरक्षण अधिकारी, उत्तराखण्ड।

विषय- कृषि यंत्रों/उपकरणों हेतु पंजीकृत फर्म तथा माडल विषयक।

निदेशालय के पत्र संख्या-कृ.नि./8216/पंजी/कृषि यंत्र/2023-24, दिनांक 29 मार्च, 2023 के द्वारा विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध करने हेतु विज्ञापन जारी किया गया था। उक्त के क्रम में उत्तराखण्ड अधिप्राप्त नियम 2017, विभिन्न योजनाओं के अन्तर्गत कृषि यंत्रों/उपकरणों पर अनुदान उपलब्ध कराने जाने हेतु कृषि मशीनों तथा यंत्रों/उपकरणों के मूल विनिर्माता फर्मों से प्राप्त पंजीकृत प्रपत्रों का गठित पंजीकरण समिति द्वारा परीक्षण करने के उपरान्त विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध/पंजीकरण हेतु उपयुक्त पाया गया। सूचीबद्ध/पंजीकरण हेतु चिन्हित किए गए यंत्रों/उपकरणों का विवरण निम्नानुसार है।

क्र. सं.	फर्म का नाम	सूचीबद्ध/पंजीकरण होने वाले कृषि मशीनों/यंत्रों/उपकरणों का विवरण
1.	Malkit Agro Tech PVT LTD, Nabha, Patiala	Super seeder/Reaper
2.	LOTAY ENGG WORKS, SANGRUR PB	Super seeder
3.	Saraswati Krishi Udyog, Assandh, Dist Karnal HR	Super seeder
4.	Bhagwan singh Engineering Works, Malerkotla, Sangrur, PB	Super seeder/Baler
5.	Dasmesh Agricultural Industries Pvt. Ltd., Sangroor Punjab	Super seeder/Reaper
6.	GSA Industries, Patiala, Punjab	Super seeder
7.	Jaswant Agriculture Works, Sunam Sangroor, Punjabn	Super seeder
8.	National Agro Industries, Link Road, Ludhiana, Punjab	Super seeder
9.	Saeco Strips Pvt. Ltd, Tehsil Payal, Ludhiana Punjab	Super seeder/Reaper
10.	Saron Mechanical Works Distt.-Sangrur, Punjab	Super seeder/Reaper/Mulcher/Combine Harvester
11.	Agrogear Industries Pvt. Ltd., Shahbad Road, Rampur, UP	Super seeder
12.	vinod kumar virendra kumar, Dhanaura, Dist Amroha UP	Super seeder
13.	Dhanjal Agriculture Industires, Ludhiana Road, Rajkot, Punjab	Super seeder/Reaper
14.	Standard Combines Pvt. Ltd, Standard Chowk, Barnala, Punjab	Super seeder/Combine Harvester
15.	Rattan Agro Tech, Bhadson Road, Nabha, Punjab	Super seeder
16.	Nipha India (P) Ltd., Chandannagore, Hogly, West bengal	Super seeder
17.	Gahir Agro Industries Ltd., Vill. Kular khurd, Sangrur, Punjab	Super seeder/Combine Harvester/Reaper
18.	Ramsons Impex, Bhagwanpur, Haridwar	Super seeder/ Reaper
19.	Steel Boy Pvt. Ltd. Mohali Punjab	Super seeder
20.	Ghuman Motors, Bhatti Road, Punjab	Super seeder
21.	Mahindra & Mahindra Ltd. F.E.S Swaraj Division, Mohali, Punjab	Super seeder
22.	Aspee agro equipments pvt ltd malad mumbai	Reaper
23.	BTL EPC limited, No.2 Jessore Road, Dum dum, Kolkata, WB	Reaper

24.	Benson Agro Engineering, Satpur, Nashik	Reaper
25.	BCS India Pvt. Ltd. P.O-Kohara, Distt-Ludhiana, Punjab	Reaper
26.	Jagatjit Agri India PVT LTD, ludhiana, PB	Reaper
27.	LOTAY ENGG WORKS, SANGRUR PB	Reaper
28.	Simpsons & co. Ltd. Anna Salai, Chennai TN	Reaper
29.	Kubota Agricultural Machinery india PVT LTD, Chennai	Reaper/ Combine Harvester
30.	V.S.T. Tillers Tractors Ltd., C-14, Lohia Nagar, Ghaziabad	Reaper
31.	KS Agricultural Industries Pvt. Ltd, Malerkotla, Sangrur, Punjab	Reaper/Combine Harvester
32.	K.S. AGROTECH PVT. LTD, malerkotla, Punjab	Reaper/Combine Harvester
33.	KISANKRAFT LIMITED, Hebbal, Bangalore	Reaper
34.	Perfect House Pvt. Ltd. Satara, Maharashtra	Reaper
35.	SONALIKA INDUSTRIES, Hoshiarpur, Punjab	Reaper
36.	SHREE RAM ELECTRIC CO., Jamnagar Gujarat	Reaper
37.	Sandhu Agro Industries, Khatima, US Nagar	Reaper
38.	VSM INTERNATIONAL PVT. LTD., Hisar, Haryana	Reaper
39.	Jaswant Agriculture Works, Sunam, Punjab	Reaper
40.	Hira Combines Pvt. Ltd., Patiala, Punjab	Reaper
41.	OSAW Udyog Pvt. Ltd., Ambala, Haryana	Reaper
42.	TRACTORSANDFARM EQUIPMENT LIMITED, Chennai, Tamil Nadu	Reaper/Baler
43.	Jai Guru Dev Industries, Kichha Bypass Road, Rudrapur, UK	Reaper/Paddy Stubble Shaver/ Mulcher/Baler
44.	BERI UDYOG Pvt. Ltd. Karnal (Haryana)	Mulcher/Combine Harvester/Baler
45.	Dashmesh Mechanical Works Malerkotla, Sangroor, Punjab	Combine Harvester
46.	Sonalika Industries, AMB, Distt. Una, Himachal pradesh	Combine Harvester/Mulcher/Baler
47.	Agriona Industries Pvt. Ltd., sahenewal road, Ludhiana, Punjab	Mulcher
48.	OSAW Udyog Pvt. Ltd., Khudda kalan, Ambala, punjab	Combine Harvester
49.	Yanmar Agriculture Equipment Co Ltd Jiangsu Province, PR Of China	Combine Harvester
50.	Tirth Agro technology Pvt Ltd, gondal, Rajkot	Mulcher
51.	CNH industrial(India) PVT LTD, taluka khed, pune	Combine Harvester
52.	Jaysan Agri Industrial, kodumudi tamil nadu	Baler
53.	J.S.Agro, Pattanam, Coimbatore, Tamil Nadu	Baler
54.	CNH Industries (india) PVT LTD, Gautam Budhnagar, UP	Baler

सलंगन सूची के अनुसार कृषक द्वारा सूचीबद्ध/पंजीकृत विनिर्माता फर्म/फर्मों के अधिकृत डीलर से सलंगन सूची में अंकित माडल को क्रय करने पर ही अनुदान देय होगा। अनुदान देते समय निम्न बिन्दुओं को ध्यान में रखा जाए।

1. उपरोक्त पंजीकरण पत्र जारी होने वाले दिनांक से दो वर्ष तक वैध रहेगा।
2. कृषकों को कृषि यंत्रों/उपकरणों पर अनुदान **Submission on Agricultural Mechanization (SMAM)** की गाईडलाइन के अनुसार होगा। पैरा 6.4.2 अथवा संबंधित योजना की गाईडलाइन में इंगित व्यवस्था के अनुसार अनुपालन सुनिश्चित किया जाये। साथ ही यह ध्यान रखा जायेगा कि अनुसूचित जाति, अनुसूचित जनजाति, महिला तथा लघु सीमांत कृषकों को प्राथमिकता मिले।
3. कृषि यंत्रों/उपकरणों पर अनुदान भारत सरकार/राज्य सरकार द्वारा निर्धारित/अनुमन्य अधिप्राप्त सीमा तक ही देय होगा।
4. सूचीबद्ध/पंजीकृत फर्म को बिल स्वयं अथवा विनिर्माता की संस्तुती पर नियमानुसार अधिकृत विक्रेता भी बिल जारी कर सकेगा बिल/कैश मैमो पर पूर्ण स्पेसिफिकेशन के साथ कृषि यंत्र का माडल/ब्राण्ड/गारंटी/क्रम संख्या/चेचिस संख्या, वारंटी अवधि का अनिवार्य रूप से अंकन करेगा।

5. अनुदान कृषक/मूल विनिर्माता द्वारा अधिकृत विक्रेता से कृषक द्वारा क्रयित कृषि यंत्रों /उपकरणों के सूचीबद्ध माडल/मेक पर ही देय होगा। फर्म/अधिकृत विक्रेता नियमानुसार टेक्स का अंकन करते हुए टैक्स जमा करना होगा।
6. निदेशालय स्तर पर सूचीबद्ध/पंजीकृत फर्म/माडल/मेक agrimachinery.nic.in पर अपलोड करनी होगी, जो कम से कम एक वर्ष तक नहीं बदली जा सकेगी।
7. सूचीबद्ध/पंजीकृत फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों की वर्तमान दरें भारत सरकार की Agrimachinery.nic.in पर DBT Agriculture Machinazation पर अंकित करनी होगी, जो एक वर्ष तक बदली नहीं जा सकेगी।
8. कृषक द्वारा ऑनलाईन डी.बी.टी. पोर्टल पर डीलर से क्रय किए गए यंत्रों के बिल को डीलर पोर्टल पर अपलोड करेगा।
9. जनपद के कृषि एवं भूमि संरक्षण अधिकारी द्वारा गठित सत्यापन टीम द्वारा भौतिक सत्यापन सुनिश्चित कर लिये जाने के उपरांत **Submission on Agricultural Mechanization** (SMAM) की गाईडलाइन एवं राज्य सरकार द्वारा निर्धारित अनुदान की अधिकतम सीमा के अनुसार कार्यवाही करें।
10. सत्यापन के दौरान कृषक द्वारा क्रयित कृषि यंत्र/उपकरण विभाग द्वारा सूचीबद्ध/पंजीकृत किए गए कृषि यंत्रों/उपकरणों के अनुसार ही हो।
11. कृषकों को उपलब्ध कराये जा रहे कृषि यंत्रों/उपकरणों के मूल्य पोर्टल पर दर्शायी दरों से अधिक न हो, यदि दरें अधिक पायी जाती हैं तो संबंधित जनपद के मुख्य कृषि अधिकारी कार्यवाही करेंगे। कृषक जब मेक/माडल, गुणवत्ता एवं मोल भाव कर दर से पूर्णतया संतुष्ट हो जाने के बाद कृषि यंत्रों/उपकरणों को क्रय करें।
12. मुख्य कृषि अधिकारी/कृषि एवं भूमि संरक्षण अधिकारी अनुदानित यंत्रों की सूचना निदेशालय को उपलब्ध करायेंगे।

क्र०सं०	यंत्र का नाम/मेक एवं माडल	यंत्र आपूर्ति कहां से हुई/डीलर का नाम	संख्या	कुल कीमत	कुल वितरित अनुदान
1	2	3	4	5	6

13. फर्म को अपने फर्म का सर्विस सेंटर खोलना होगा। फर्म द्वारा अपने ग्राहकों को Maintenance का प्रशिक्षण देना होगा।
14. विभागीय उच्चाधिकारियों द्वारा कृषक को आपूर्तित कृषि यंत्रों/उपकरणों का निरीक्षण करने पर कृषि यंत्रों/उपकरणों को निर्धारित गुणवत्ता के अनुरूप न पाए जाने पर संबंधित विनिर्माता फर्म का पंजीकरण निरस्त कर दिया जायेगा। साथ ही ऐसी फर्म/अधिकृत विक्रेता को विभाग द्वारा काली सूची में डालने की कार्यवाही की जा सकती है।
15. सूचीबद्ध/पंजीकृत विनिर्माता फर्म/अधिकृत विक्रेता को कृषक द्वारा क्रयित कृषि यंत्रों /उपकरणों पर अनुदानित वर्ष एवं विभाग का नाम अनिवार्य रूप से अंकित करना होगा।
16. विनिर्माता सूचीबद्ध/पंजीकृत फर्म/अधिकृत विक्रेता को समय-समय पर विभाग द्वारा वांछित जानकारी उपलब्ध करानी होगी। ऐसा न करने पर संबंधित को पंजीकरण सूची से विलोपित किया जा सकता है।
17. सरकार द्वारा समय-समय पर जारी दिशा-निर्देशों के अनुसार उपरोक्त शर्तों/नियमों एवं इससे संबंधित प्रक्रिया में आवश्यकतानुसार संशोधित/परिवर्तन किया जा सकेगा।
18. सूचीबद्ध/पंजीकृत फर्म के अधिकृत विक्रेता द्वारा विभाग को उपलब्ध कराई गई किसी भी जानकारी के असत्य पाये जाने की दशा में संबंधित फर्म का पंजीकरण तत्काल प्रभाव से निरस्त कर दिया जायेगा।

19. प्रदायकों को मुख्य कृषि अधिकारी के आदेश एवं दिशा निर्देश के अनुसार कृषक/कृषकों को जनपद/विकासखण्ड स्तर/न्याय पंचायत तक यंत्र उपलब्ध कराने होंगे। इस हेतु प्रदायकों को जिला स्तर पर अपना नेटवर्क स्थापित करना होगा। प्रदायक द्वारा जिले में नियुक्त अधिकृत विक्रेता के पास जी0एस0टी0 पंजीकरण तथा विक्रय उपरान्त सेवा की सुविधा उपलब्ध करायी जानी आवश्यक होगी। प्रदायकों की यह जिम्मेदारी होगी कि वे उनके द्वारा विक्रय की गयी सामग्री के लिये उचित मूल्य पर पुर्ज तथा विक्रय उपरान्त सेवा की सुविधा कृषकों को उपलब्ध करावें। लाभार्थियों को इसके लिये प्राप्त अनुरोध पत्र से 15 दिनों के अन्दर यदि यह व्यवस्था नहीं की जाती है, तो यथा आवश्यक कार्यवाही की जायेगी।

20. भारत सरकार उपायुक्त (M&T) कृषि एवं किसान कल्याण मंत्रालय भारत सरकार M&T अनुभाग कृषि भवन नयी दिल्ली ने पत्र संख्या- F.No.13-30/2023-M&T(I&P) दिनांक 27 जुलाई, 2023 के द्वारा अवगत कराया गया है कि ऐसे कृषि मशीन एवं यंत्र जिन पर अनुदान दिया जा रहा है केंद्रीयकृत कोडिंग सिस्टम लागू किया गया है फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों पर भारत सरकार द्वारा दिये गये उक्त निर्देशों का पालन किया जाए।


संलग्न –यथोपरि।


कृषि निदेशक
उत्तराखण्ड।

पत्रांक- _____ / एस.एम.ए.एम / पंजीकरण-कृषि यंत्र / 2023-24 / दिनांकित।

प्रतिलिपि-: निम्नांकित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. अपर कृषि निदेशक, गढ़वाल मण्डल, पौड़ी।
2. संयुक्त कृषि निदेशक, कुमाऊँ मण्डल, हल्द्वानी (नैनीताल)।
3. संबंधित मूल विनिर्माता फर्म को विभागीय बेवसाईट के माध्यम से।
4. अध्यक्ष, जिला यंत्रीकरण समिति।
5. विभागीय पोर्टल।


कृषि निदेशक
उत्तराखण्ड।

प्रत संख्या-8216, दिनांक 29 मार्च, 2023 को द्वारा जारी विज्ञापन से प्राप्त स्टा रीपर हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की तैयारी तिथि	अभ्युक्ति
1	Aspee agro equipments pvt ltd malad munbai	power operated ASPEE crop harvester	Side pack CHS35/2S	two stroke, single cylinder, air cooled, petrol engine, rated speed 6000rpm, mass 9.85kg, overall dimension 1990x665x515mm	FMTTC DEPAM DPPDKV akola MS	POCH-01/224 March 2022	31-03-2029	पंजीकरण हेतु विहित किया गया।
2	BTL EPC limited, No.2 Jessore Road, Dum dun, Kolkata, WB	Paddy Reaper	SHRACHI SPR-1200	self propelled, walk behind, 4 stroke, air cooled, single cylinder, Inclined, diesel engine, lubrication splash type, drive chain & sprocket, chain link & roller, tyres two, Pneumatic Traction, Double handle without steering clutch 25 no. blades, serrated, knife head is fixed to cutter bar with 10 no. of rivets	SRFMTTL, Anantapur(AP)	332/1130 March 2020	28-02-2025	पंजीकरण हेतु विहित किया गया।
		Power reaper	Shrachi 4R-P	self propelled, walk behind, 4 stroke, air cooled, single cylinder, petrol engine, tyres two, 1850-2000rpm speed, power 3.5kW, Chain n sprocket, dimension 2390x1470x1250mm, weight 137.5kg	SRFMTTL, Anantapur(AP)	414/1352 March 2022	28-02-2027	पंजीकरण हेतु विहित किया गया।
3	Benson Agro Engineering, Satpur, Nashik	Reaper Harvester	BAE 4GL-120	single cylinder, 4 stroke, air cooled, power 4.3KW, speed 3200rpm, capacity 296cc, overall dimension- 2050x1580x1050mm	SRFMTTL, Anantapur(AP)	216/825 February 2018		पंजीकरण हेतु विहित किया गया।
		Reaper Cum BINDER	BCS 622 RB	self propelled, 4 stroke, air cooled, single cylinder, diesel engine, no. of tyres-4, working width- 1360mm, knife stroke- 75mm, no of divider- 4, avg. capacity- 0.41 ha/hr	Tested by NRFMTTL, Hissar	Reaper B- 08/2705/2021 June 2021	Jun-26	पंजीकरण हेतु विहित किया गया।
		Reaper Cum BINDER	BCS 290 IS	self propelled ride on wheat, air cooled, single cylinder, diesel engine, tank 5L, Exhaust type muffler, starting type 12V, DC electrical, hydraulic tank 2L, 17 knife blade serrated, knife clips 6	Tested by NRFMTTL, Hissar	B-07/2378/2019 December 2019	Jan-27	पंजीकरण हेतु विहित किया गया।
4	BCS India Pvt. Ltd. Vill- Mangarh, P.O-Kohara, Distt- Ludhiana, Punjab	Reaper Cum BINDER	BCS 211 RB	self propelled ride on wheat, air cooled, single cylinder, diesel engine, tank 5L, Exhaust type muffler, starting type 12V, DC electrical, hydraulic tank 2L, 12 knife blade serrated, knife clips 6	Tested by NRFMTTL, Hissar	B-09/2706/2021 June 2021	Jun-26	पंजीकरण हेतु विहित किया गया।
		Reaper Cum BINDER (front mounted tractor operated vertical conveyor)	BCS AVANT-T22	Tractor operated reaper cum binder, air cooled, single cylinder, diesel engine, tank nominal size 2440mm, power 39kW, no. N type of knife blades 31 n serrated edge	Tested by NRFMTTL, Hissar	Reaper- 15/2858/2022 June 2022	Jun-29	पंजीकरण हेतु विहित किया गया।
5	Dasmesh Agricultural Industries Pvt. Ltd., Rajkot Road, Malerkotla, Sangroor Punjab	Tractor Operated Straw Reaper	Land Force LFSR 56	45 PTO hp and above, Telescopic with universal joints and splined hub at both ends, circular shaft with one universal joint, nos of spines 10 at both ends, V-belt & pulley through cutter bar auger, knife guard double point without ledger plate, 14 Nos of knife guard, 28 Nos of blades, drive V-belt & pulley, mass 2100kg	Tested by NRFMTTL, Hissar	Comp- 145/2427/2020 January 2020	31-01-2027	पंजीकरण हेतु विहित किया गया।

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मॉक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
6	Malkit Agro Tech Pvt. Ltd. Punjab	Straw Reaper	MSR-2018	Type-Tractor PTO poweres straw reaper combine, 4 wheeled, 2 wheel-drive, general purpose agricultural tractor, Max PTO-36.4 kw, Lengthe of shaft-1030X1350mm, Provision for locking-spring loaded pin provided at both hub	NRFMTTI-Hissar	IMP-937/2212/2018/September 2018		पंजीकरण हेतु विहित किया गया।
7	Jagatjit Agri India PVT LTD, Ludhiana, PB	Reaper Cum BINDER	Jagatjit/RBFTA (7 feet)	Power-17.6hp, knife strokes 74.85mm, size 2200mm, weight 440kg, power 40hp, overall dimension 1430x2440x720mm	FMTTI, RAU Bikaner	FIMTTC/MECH/21/1705 January 2023	Jan-30	पंजीकरण हेतु विहित किया गया।
8	LOTAY ENGG WORKS, SANGRUR PB	Straw Reaper Combine	PARWINDERA & JS	power source above 40hp, material mild steel, tyre pressure 4.9kgf/cm2, overall dimension 3560x2580x2055mm, mass 1875kg	Tested by NRFMTTI, Hissar	938/2214/2018 September 2018	Sep-25	पंजीकरण हेतु विहित किया गया।
9	Simpsons & co. Ltd. Anna Salai, Chennai TN	Harvesting Reaper (walk Behind)	SIMPSONS 15 RSP	\$ stroke, air cooled, single cylinder, high speed 3900rpm, low speed 1400rpm, max torque 2500gpa, bore/stroke 68/45, capacity 163cc	NRFMTTI Hissar	IMP-16/2990/2023 April 2023	30-04-2028	पंजीकरण हेतु विहित किया गया।
10	Kubota Agricultural Machinery india PVT LTD, Chennai	Self propelled paddy combine harvester	DC 68G Harvesting2	four stroke, liquid cooled, turbo charged, diesel engine, speed 2950rpm, bore/stroke 87/102.4mm, capacity 2434cc, overall dimension 502x243x286mm, mass 4295kg	NRFMTTI Hissar	230/2663/2021 February 2021	29-02-2028	पंजीकरण हेतु विहित किया गया।
11	V.S.T. Tillers Tractors Ltd., C-14, Lohia Nagar, Ghaziabad	Self Propelled Reaper	VST SHAKTI 5PR-HW	size of reaper 1170mm, main crop paddy, high speed 3900rpm, low speed 1400rpm, power 2.9kW, bore/stroke 68/45mm, capacity 163cc	MAFW DAFW NERFMTTI BISWANATH ASSAM	Machine 63/434 July 2022	31-07-2027	पंजीकरण हेतु विहित किया गया।
		Self Propelled Reaper	55 DLX-HW VST	size of reaper 1180mm, main crop paddy, high speed 1950rpm, low speed 700rpm, power 3.3kW, bore/stroke 68/45mm, capacity 163cc	MAFW DAFW NERFMTTI BISWANATH ASSAM	Machine 64/435 August 2022	31-08-2027	पंजीकरण हेतु विहित किया गया।
		Power Reaper	VST SHAKTI 5PR-WSC	VST shakti 5 PR, Waling Type Reaper, Single Sylinder Air Cooled Pertol engine, 4 Stroke, fuel tank 3L, carburetor, Butterfly valve, exhaust up draft rectangular, drive chain and sprocket, steering double handles with clutches fabricated from GI pipe	SRFMTTI Anantpur Andhra Pradesh	402/1231 December 2020	Jan-26	पंजीकरण हेतु विहित किया गया।
12	Dasmesh Agricultural Industries Pvt. Ltd., Rajkot Road, Materkolla, Sangroor Punjab	Tractor Operated Straw Reaper combine	DASMESH-517	Tractor opetated straw reaper combine, Pneumatic ribbed, Telescopic with universal joints, reel drive V-belt and pulley through cutter bar auger, knife guard double point without ledger plate, 30 blade serrated, 16 scoops, mass 2030 kg	Tested by NRFMTTI, Hissar	Comb-146/2512/2020 september 2020	30-09-2027	पंजीकरण हेतु विहित किया गया।
13	KS Agricultural Industries Pvt. Ltd, Rajkot Road, Materkolla, District Sangrur, Punjab	Straw Reaper	SWARAJ KS 756 DB	Pneumatic ribbed wheel, Telescopic shaft and universal joints, t and pulley, 408 strokes to 1700rpm of engine, screw auger on both ends with scoops	SLFMTT, Lucknow	2011/217 december 2017	2022	पंजीकरण हेतु विहित किया गया।
		Straw Reaper	KS-9300	4 stroke, direct injection, turbo charged liquid cooled, compression ignition diesel engine Rated speed-2200+50rpm, Cylinder no-6, Disposition-Vertical inline, Bore/stroke-5.760mm	NRFMTTI-Hissar	COMB-211/2478/2020/Jun e 2020	30-Jun-27	पंजीकरण हेतु विहित किया गया।

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मोक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
		STRAW REAPER	KSA 756 XH	Power-45hp and above,, Tractor PTO Powered straw reaper	FIMTTI LUKNOW	IMP-2011/241		पंजीकरण हेतु विहित किया गया।
14	K.S. AGROTECH PVT. LTD, malerkotda, Punjab	STRAW REAPER	KSA 7562	Recommended power source- 33.1 kW, Max. PTO power kW- 33.1, Oil capacity, 1-2.5, Chassis-62, No. of blower-3, Weight- 2215 KW (App), Chopping capacity 2-3 Trolley Per Hour, effective width -2560mm	NRFMTTI Hisar	COMB-151/2861/2022, June-2022	30-06-2029	पंजीकरण हेतु विहित किया गया।
15	KISANKRAFT LIMITED, Hebbal, Bangalore	HARVESTING REAPER	KK-SPR-1201P	4 stroke,air cooled, single cylinder, engine high speed-3800rpm, low speed-1600to 1900 rpm, Rated speed-3600, Max. speed-2800, Bore/stroke-70/55, capacity-212cc, capacity of fuel tank-3.6l	NRFMTTI HISAR	REAPER-10/2785/2022, FEB-2022	28-02-2027	पंजीकरण हेतु विहित किया गया।
16	Perfect House Pvt. Ltd. Satara, Maharashtra	Self Propelled Reaper	PA-R210-NC	4 stroke, Air Cooled, Single Cylinder, Spark ignition engine, High idle speed-3800+100rpm, Low idle Speed-1750+100rpm, Max Speed-3600mm, Bore/stroke-77/58, Capacity-2700cc	NRFMTTI-Hisar	Reaper-12/2792/2022/February 2022	28-Feb-27	पंजीकरण हेतु विहित किया गया।
		Straw Reaper	Yodha SAT SR 0056	Power of Tractor-45 hp and above, Four wheel, two wheel drive general purpose agricultural tractor, Max PTO-33.5 kw, no and size-two-7.00-19, 10PR, Track width - 2210mm,	FIMTTTC Bikaner	FIMTTTC/MECH/15/553 February 2018		पंजीकरण हेतु विहित किया गया।
17	Saeco Strips Pvt. Ltd, Rampura Road Daroha, Tehsil Payal, Ludhiana Punjab	Reaper	SAT-FR-007 7Feet	Power of Tractor-40 hp and above, Four wheel, two wheel drive general purpose agricultural tractor, Max PTO-33.5 kw, no and size-two-7.00-19, 10PR, Track width - 2210mm,	FIMTTTC RAU-Bikaner	FIMTTTC/MECH/21/1604 January 2022	Jan-29	पंजीकरण हेतु विहित किया गया।
18	SONALIKA INDUSTRIES, Hoshiarpur, Punjab	Straw Reaper	SLPCCSR, PADDY CHOPPER	Tractor- PTO powered, trailed Paddy Chopper Cum Straw Reaper Combine, Working width, mm-2050, Engine No.-4100YL43D414929FN, No. and size-Two, 7.00-19, 10 PR,	NRFMTTI HISAR	148/2703/2021, JUNE-2021	30/06/2028	पंजीकरण हेतु विहित किया गया।
		REAPER CUM BINDER	MDS 42 TFM	NOMINAL SIZE-2220MM, POWER SOURCE -25HP AND ABOVE, WORKING WIDTH-2330MM, CUTTER BAR WIDTH-2280MM, KNIFE STROKE-75MM, SHOE TYPE, AT BOTH THE ENDS OF THE CUTTER BAR	JUNAGADH University, SAURASHTRA	TTCFMJ/E/136/998, MAY-2021	17/05/2028	पंजीकरण हेतु विहित किया गया।
19	SHREE RAM ELECTRIC CO, Jamnagar Gujarat	REAPER CUM BINDER	MDS 38	NOMINAL SIZE-1310MM, POWER SOURCE -35HP AND ABOVE, WORKING WIDTH-1400MM CUTTER BAR WIDTH-1310MM KNIFE STROKE-65MM SHOE TYPE, AT BOTH THE ENDS OF THE CUTTER BAR	JUNAGADH University, SAURASHTRA	TTCFMJ/E/96/590, FEBRUARY-2018		पंजीकरण हेतु विहित किया गया।
		Self Propelled Reaper Cum Binder	MDS 39 FWD	REPS and the bind the various agriculture crops	NRFMTTI Hisar (Hanvana)	IMP-1024/2371/2019	30-Nov-26	पंजीकरण हेतु विहित किया गया।
20	Saron Mechanical Works Mansa Road, Cheema Mandi, Distt.-Sangrur, Punjab-148029	Straw Reaper	straw reaper-57	45 and above hp, 4 wheel, 2 wheel drive general purpose agriculture tractor, max pto power-51 hp, No and size-2 MRF 7-19 10 PLY, track width-2010 mm, Pieces- 3 circular	FIMTTTC Bikaner	FIMTTTC/MECH/21/1715 August 2020	08-08-2027	पंजीकरण हेतु विहित किया गया।

क्र. सं.	प्रतिनिर्माता कर्म का नाम	यंत्र का नाम	मॉडल / माइल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अव्युक्ति
1	2	3	5	6	7	8	9	10
21	Dhanjal Agriculture Industries, Ludhiana Punjab	Wheat Straw Reaper	DELUXE	Max. PTO Power, kW= 36.1, Engine Speed for field- 1700, Track width (mm)-1720, Size of blade (mm)- 80.0 (Height), 75.0 (base), 32.0 (top width)	FMPE Hau Hisar Haryana	17-18/SR-21 September 2017	08-09-2024	पंजीकरण हेतु विहित किया गया।
22	Sandhu Agro Industries, Khatima, US Nagar	Straw Reaper	HE MAN	Max. PTO Power, kW- 33.0 kW a. No and size- Two 7.00-19, 10 PR, Recommended tyre pressure-4.9 (483), Recommended power source- Above 45 hp tractor, Length of shaft, mm- closed-985, Extended- 1275	GBPUAT Pantnagar	CTE/FMP/2019-102, October 2019	2026	पंजीकरण हेतु विहित किया गया।
23	VSM INTERNATIONAL PVT. LTD., Hisar, Haryana	Self propelled Crop Reaper	XPR-120P	4 stroke, air cooled, single cylinder, spark ignition engine, Engine speed- High idle speed- 3780, Low idle speed- 1500, Rated speed- 3600, Speed at max. torque- 2500, Bore/stroke- 68/54, Capacity, cc-196	NRFMTTI Hisar, Haryana	IMP-1008/2349/2019 September, 2019	30-Sep-26	पंजीकरण हेतु विहित किया गया।
24	Jaswant Agriculture Works, Sunam, Punjab	Wheat Straw Reaper Combine	Jaswant	Max. PTO Power, kW- 37.9, Rated engine speed- 1800, Track width (mm)- 2000, Length and size of hollow rectangular shaft- 500x55x55, Length and size of inserted solid rectangular shaft- 410x40x40, Oil capacity (lit.)- 3.0 (CL-140)	CAETCSHAU Hisar	HAU/FMPE/19-20/SR-29, SEPTEMBER-2019	29-09-2026	पंजीकरण हेतु विहित किया गया।
25	Gahr Agro Industries Ltd., sangrur, punjab	Straw Reaper Tractor operated	R-50	Type- Four wheeled, two wheel-drive, general purpose agricultural tractor, Max. PTO power kW/hp- 37.51 (5.03), SFC g/k Wh (g/hph)- 251.7 (187.5), Track width, mm- 1965, Oil capacity, l- 5.0, Recommended power source (apa)- 37.5 kW	NRFMTTI Hisar, Haryana	SR Comb-147/2513/2020 September, 2020	30-Sep-27	पंजीकरण हेतु विहित किया गया।
26	Ramsons Impex, bhagwanpur, haridwar	Self Propelled Reaper	R12000	Type- 4 stroke, air cooled, single cylinder, spark ignition engine, High idle speed- 3700 to 4000, Low idle speed- 1400 to 1800, Rated speed- 3600, Bore/stroke- 68/54, Capacity cc- 196	GBPUAT Pantnagar	CTE/FMP/2022-193, July 2022		पंजीकरण हेतु विहित किया गया।
27	Hira Combines Pvt. Ltd., Patiala, Punjab	Straw Reaper Combine	HIRA-567 A	Recom. Power source, kW(apa)-45 hp and above, Max. PTO power kW/hp- 38.6/52.6, SFC g/k Wh/g/hph- 245/180.2, No. and size- Two, 7.00-19, 10 PR, Track width, mm- 2025, Oil capacity, l- 3.5	NRFMTTI Hisar, Haryana	Comb-149/2707/2021 June, 2021	30-Jun-28	पंजीकरण हेतु विहित किया गया।
28	OSAW Udyog Pvt. Ltd., Ambala, Haryana	Straw Reaper	GSR561	Recommended power of tractor- Above 50 hp (apa), Max. PTO Power- 30.1, Rated engine speed for field operation recommended by applicant- 1600, Track width- 2035, Oil capacity l- 4 (CL-140)	FMPE Hisar	HAU/FMPE/22-23/SR-44, June-2022	19-06-2029	पंजीकरण हेतु विहित किया गया।
29	Saron Mechanical Works, Sangrur, Punjab	Paddy Straw Reaper	Paddy Straw Chopper 57	Report under pressing	SLFMITI Lucknow	IMP-2011/171	Jan-26	टेस्ट रिपोर्ट प्राप्त होने पर पंजीकरण माना जायेगा
30	BCS India Pvt. Ltd., Kohara, Ludhiana, Punjab	Reaper Binder	622- RB	Engine speed (recommended setting), HXLX-3240+100x1100+100x3000, Speed at max, torque- 1800 to 2200, Bore/stroke mm- 85/90, Capacity cc- 511, Capacity of fuel tank l- 5.0	NRFMTTI Haryana	08/2705/2021, June-2021	30-06-2026	पंजीकरण हेतु विहित किया गया।

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	ट्रेडिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
31	TRACTORS AND FARM EQUIPMENT LIMITED, Chennai, Tamil Nadu	SQUARE BALER(TRACTOR DRAWN, PTO POWERED)	MASSEY FERGUSON MF 1840	Recommended power source-50 PTO Hp & above, PTO speed-540rpm, Avrg. Weight of Bale-21.4to24.0 kg, working width-1930mm, recommended speed-3mph, MAX. PTO power-40.9kw, overall dimensions-5000x2600x1800mm, mass-1730kg	SRFMTTI ANANTPUR	270/973, FEBRUARY-2019	31/01/2026	पंजीकरण हेतु विहित किया गया।
32	Jai Guru Dev Industries, Kichha Bypass Road, Rudrapur, UK	Round Straw Reaper	JGI-1008	Tractor PTO powered straw reaper combine, Working width-2230mm, Power-45 hp, Max PTO-33.0 kw Tyre pressure-4.9 kgf	GBPUAT Pantnagar	2020-116 August 2020	Aug-27	पंजीकरण हेतु विहित किया गया।
33	Perfect House Pvt. Ltd., Mumbai, Maharashtra	Self Propelled Reaper	PA-R210-NC	4 stroke, Air Cooled, Single Cylinder, Spark ignition engine, High idle speed-3800+100rpm, Low idle Speed-1750+100rpm, Max Speed-3600mm, Bore/stroke-77/58, Capacity-270cc	NRFMTTI-Hisaar	Reaper-12/2792/2022/February 2022	28-Feb-27	पंजीकरण हेतु विहित किया गया।

उप कृषि निदेशक,
तकनीकी समीक्षण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन,
कृषि निदेशालय

अपर कृषि निदेशक,
कृषि निदेशालय

विलत नियंत्रक,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्यान,
उद्यान निदेशालय

कृषि निदेशक,
उत्तराखण्ड।

प्रतिनिधि,
विभागाध्यक्ष (कार्म मशीनरी),
श्री05070वि0वि0, पतनगर

पत्र संख्या-8216, दिनांक 29 मार्च, 2023 के द्वारा जारी विज्ञापन से बेतर यंत्र हेतु अनुमोदित/स्वीकृत पंजीकृत फर्म/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मॉडल	यंत्र का स्पेसिफिकेशन	ट्रेडिंग संस्था	ट्रेड रिपोर्ट की तिथि	ट्रेड की शैला तिथि	अभ्युक्ति
1	BHAGWAN ENGG. WORKS, Malerkotla, Punjab	SQUARE BALER	BEW 165 SB	Tractor hp 45& above, working width-1650mm, weight of Bale-18.16, 18.93 kg, Max. PTO power-33.5/45.0 kw, PTO speed-540 rpm, size of Bales-1455x40x7.0mm, no of times-22No of stroke / minute-93, length of stroke-760mm	FMTTI LUCKNOW	IMP-2011/337, SEPTEMBER-2021		पंजीकरण हेतु विहित किया गया है।
2	Jaysan Agri Industrial, kodumudi tamil nadu	Round Baler	JRB-312	Recommended power source-+35 PTO HP, PTO speed for operation, rpm- 540, Max. PTO power kW- 37.5, Oil capacity, (l)- 4.0, Oil change period- First change every 300 hours of operations and subsequently change every 500 hours of operation.	SRFMTTI Anantapur	171/736 February, 2017		पंजीकरण हेतु विहित किया गया है।
3	Sonalika Industries punjab	Square Baler	SLSQB-1.91	Recommended power source, - 55 & above, PTO speed for operation, mm- 540, Average observed weight of bale (kg(paddy))-18.21 to 22.73	NRFMTTI HISAR, Haryana	29/2656/2021 January, 2021	31-Jan-28	पंजीकरण हेतु विहित किया गया है।
4	J.S.Agro, Pattanam, Coimbatore, Tamil Nadu	Baler	9060	Power source- Tractor PTO operated, PTO speed- 540 rpm, Oil capacity- 1.0 lit, Thickness- 5, Required power- 35 hp tractor and above	AECRI Tamilnadu	FMTC/KLR/TR/076-2022, September-2022	2029	पंजीकरण हेतु विहित किया गया है।
5	Beri Udyog Pvt.Ltd., 235-240, Sec-3, HSIDC, Karnal, Haryana- 132001	Straw Baler	FKSB-511	Max. PTO power kW- 32.0, Rated engine speed- 1900, Baler size, mm- 620x460x370, Working width of machine, m- 1850, Oil capacity, l- 3	FMPECAET Hisar	HAU/FMPE/17-18/SB-01, January-2018		पंजीकरण हेतु विहित किया गया है।
6	Jai Guru Dev Industries, Kichha Bypass Road, Rudrapur, UK	Tractor operated Round straw Baler	JGI RSB	power 30hp, PTO speed 540rpm, bale 110x66cm, avg weight of bale 16-25kg, overall dimension 1322x1802x1452mm, mass 615kg	GBPUAT Panthagar	CTE/FMT/TEST Report- 2023-216 April 2023	01-05-2030	पंजीकरण हेतु विहित किया गया है।
7	TRACTORS AND FARM EQUIPMENT LIMITED, Chennai, Tamil Nadu	SQUARE BALER/TRAC TOR DRAWN, PTO	MASSEY FEGUSON MF 1840	Recommended power source-50 PTO Hp & above, PTO speed-540rpm, Avg. Weight of Bale-21.4to24.0 kg, working width-1930mm, recommended speed-3mph, MAX. PTO power-40.9kw, overall dimensions-5000x2600x1800mm, mass-1730kg	SRFMTTI ANANTPUR	270/973, FEBRUARY-2019	31/01/2026	पंजीकरण हेतु विहित किया गया है।
8	CNH Industries (india) PVT LTD, greater noida, gautam budhnagar, UP	Tractor operated Round straw Baler	New Holland BC5060	power source 37(50) & above, PTO speed 540rpm, overall dimension 6040x2450x1815mm, mass 1614kg	NRFMTTI HISAR, Haryana	19/2557/2020 October 2020	31-Oct-25	पंजीकरण हेतु विहित किया गया है।

उप कृषि निदेशक,
तकनीकी सम्प्रदाय,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

प्रतिनिधि,
विभागाध्यक्ष
(फर्म मशीनरी),
गठरावगठरावगठराव

अपर कृषि निदेशक,
कृषि निदेशालय

वित्त नियंत्रक,
कृषि निदेशालय

कृषि निदेशक,
उत्तराखण्ड।

पत्र संख्या-8216, दिनांक 29 मार्च, 2023 के द्वारा जारी विज्ञापन से प्राप्त कंबाइन हार्वेस्टर/मल्टर यंत्र हेतु अनुमोदित/स्वीकृत पंजीकृत फार्म/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र.सं०	यंत्र निर्माता फर्म का नाम	यंत्र का नाम	मेक/मॉडल	यंत्र का स्थापना/विवरण	डिस्ट्रिक्ट संख्या	डेट ऑफ रिपोर्ट की तिथि	डेट ऑफ वेंचर तिथि	अवधि
1	BERI UDYOG Pvt. Ltd. Plot No. 225 to 240, Sector-03, Karnal (Haryana) Ph. No- 0184-2221572	Tractor Operated Mulcher	FKRMS-1.8	Power at standard PTO speed, kW- 32.0, Rated engine speed, rpm- 2500, Drawbar power: kW- 29.2, Oil capacity, l- 2.0, (SAE-90)	NRFMTTI hisar Haryana	HAU/FMPE/17-18/M-04, January 2018		पंजीकरण हेतु चिह्नित किया गया है।
2	Dashmesh Mechanical Works Malerkotla, Sangroor, Punjab	Tractor Mounted Combine Harvester	912 DLX	Model no FM 175, 5 Hp/3.7 kw, 2600 RPM, Horizontal, Water cooled, 4 stroke, Speed diesel engine	NRFMTTI hisar Haryana	COMB-217/2485/2020/July 2020	31-07-2027	पंजीकरण हेतु चिह्नित किया गया है।
3	Sonalika Industries, AMB, Distt. Ura, Himachal pradesh	Self Propelled Combine Harvester (BS IV)	Dasmesh-91100 Plasma Plus	Bore/Stroke- 104/113, Low idle speed- 600+50, Max. speed at no load, rpm- 2370 (+50), Rated speed- 2200 (+50), Capacity, l- 370	NRFMTTI hisar Haryana	COMB-216/2484/2020, July-2020	31-07-2027	पंजीकरण हेतु चिह्नित किया गया है।
4	Saron Mechanical Works, Mansa Road, Cheema Mandi, Sangrur, Punjab	Combine Harvester (BS III)	9614 Nova	Max. speed at no load, rpm- 2530+50, Rated speed rpm- 2300+50, Engine speed- 1750+50, Low idle speed- 850+50, Bore/Stroke- 104/113	NRFMTTI hisar Haryana	COMB-311/3003/2023 April, 2023	30-04-2030	पंजीकरण हेतु चिह्नित किया गया है।
5	Standard Combines Pvt. Ltd. Banala, Punjab	Combine Harvester	9614 Nova	Max. speed at no load, rpm- 2530+50, Rated speed rpm- 2300+50, Engine speed- 1750+50, Low idle speed- 850+50, Bore/Stroke- 104/114	NRFMTTI hisar Haryana	COMB-311/3003/2023 April, 2023	30-04-2030	पंजीकरण हेतु चिह्नित किया गया है।
		Combine Harvester	9614 Nova	Max. speed at no load, rpm- 2370+50, Rated speed- 2200, Low idle speed- 650, Bore/Stroke- 104x113, Capacity, cm- 5760	NRFMTTI hisar Haryana	COMB-199/2341/2019 July, 2019	31-Jul-26	पंजीकरण हेतु चिह्नित किया गया है।
		MULLCHER	SLLWM-6	Max. PTO power kW-33.5, Engine no -NKM2TBE0064, Size of board, mm-1835x310, Thickness of plate(mm)- 8.5, Oil capacity (l)-2.00, Size of shield, mm-1835x1030 (curved) x5.4	NRFMTTI hisar Haryana	21/2587/2020, NOVEMBER-2020	30/11/2027	पंजीकरण हेतु चिह्नित किया गया है।
		MULLCHER	SLLWM-7	Max. PTO power kW-33.5, Specific fuel consumption g/kWh- 251, Engine no.-NIL C2TBE0164, Size of board mm- 2015x310, Oil capacity (l)-2.00	NRFMTTI hisar Haryana	20/2586/2020, NOVEMBER-2020	30/11/2027	पंजीकरण हेतु चिह्नित किया गया है।
		Mulcher	Mounted Type Jagajiti JRM 7	Power Source-55 hp and above, Max PTO Power 38.6 kW, MS Shet & Mspipe, 2 one on each side, Dimensions LHS- 1096X790.34X8 RHS, 1096X833.86X8 mm RHS	FIMTTC Bikaner Rajasthan	17/855 January 2019	1-07-2026	पंजीकरण हेतु चिह्नित किया गया है।
		Tractor Mounted Combine Harvester	TSC- 513 S	Type- Four wheeled, rear wheel drive, general purpose agriculture tractor, Max. speed at no load, rpm- 2550 to 900, Rated speed, rpm- 2400, Low idle speed, rpm- 800 to 900,	NRFMTTI hisar Haryana	263/2813/2022, March, 2022	31-Mar-27	पंजीकरण हेतु चिह्नित किया गया है।

क्र. सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	शेक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
6	Gahir Agro Industries Ltd., Sangrur- sunam road, vill kular, sangrur, Punjab	Tractor Mounted Combine Harvester	Gahir-800	Type- Four wheeled, Rear wheel drive, general purpose agriculture tractor, Max. speed at no load, rpm- 2550 to 2650, Rated speed, rpm- 2400, Low idle speed, rpm- 800 to 900, Capacity, cm (apa)- 2940, Fuel system- capacity-1-68.5	NRFMTTI hisar Haryana	COMB- 215/2483/2020/J uly 2020	31-Jul-27	परीक्षण हेतु चिन्हित किया गया है।
7	Agriona Industries Pvt. Ltd., sahenewal road, Ludhiana, Punjab	Self Propelled Combine Harvester	Gahir, SPLENZO- 75	Type- Four stroke, direct injection, turbo charged, compression ignition engine, Max. speed at no load, rpm- 2420+50, Rated speed, rpm- 2200, Low idle speed, rpm- 600+50, Bore/Stroke, mm- 104/113, Capacity, cm (apa)- 3839, Fuel tank capacity, l- 210	NRFMTTI hisar Haryana	COMB- 171/2025/2017/J uly 2017		परीक्षण हेतु चिन्हित किया गया है।
		AIPL- Mulcher 6 Feet	AIPLM-6	Power source used- 50 HP & Above, Thickness of plate- 5, Size of frame- 1835x830x358, Method of fixing M.S. Plate- Through welding, RHS (LxWxT)- 718.5x884x10, LHS (LxWxT)- 448.5x884x10	SLFMTTI Lucknow	IMP-2011/187, March 2019	11-03-2026	परीक्षण हेतु चिन्हित किया गया है।
8	K.S. Agriculture Industries PVT LTD, Rajkot road, Malerkotla, Punjab	Self Propelled Combine Harvester	AIPLM-7	Power source used- 50 HP & Above, Thickness of plate- 5, Size of frame- 2035x830x358, Method of fixing M.S. Plate- Through welding, RHS (LxWxT)- 721x884x10, LHS (LxWxT)- 446x884x10	SLFMTTI Lucknow	IMP-2011/188, March 2019	12-03-2026	परीक्षण हेतु चिन्हित किया गया है।
		AIPL- Mulcher 7 Feet	AIPLM-7	Four stroke, direct injection, compression ignition engine, engine speed, max-2370+50 rpm, low speed-450-500 rpm, Rated speed-2200+50rpm, fuel tank size- 1125x830x350mm, capacity-300L, battery capacity- 12v,110Ah,	NRFMTTI hisar Haryana	COMB- 211/2478/2020, JUNE-2020		परीक्षण हेतु चिन्हित किया गया है।
9	K.S. Agrotech Pvt. Ltd., Rajkot road, Malerkotla, Punjab	Tractor Operated Combine Harvester	KSA Greengold	Four stroke, liquid cooled, direct injection, mas. Speed- 2450-2550 rpm, Rated speed- 2300 rpm, Bore/stroke- 87/102.4 mm, capacity-2434 cm3, no of cylinder-4, tank size-450x290x235mm, capacity-67.0L	NRFMTTI hisar Haryana	COMB- 210/2477/2020 June 2020	30-06-2027	परीक्षण हेतु चिन्हित किया गया है।
10	OSAW Udyog Pvt. Ltd., Manglajai, P.O. Khudda kalan, Ambala, punjab	Tractor Operated Combine Harvester	KSA Greengold	Four stroke, liquid cooled, direct injection, max. Speed- 2450-2550 rpm, Rated speed- 2300 rpm, no of cylinder-4, bar working width- 359cm, max. PTO power-35.0kw, Max engine power-35 kw	NRFMTTI hisar Haryana	COMB- 246/2769/2022 Jan 2022		परीक्षण हेतु चिन्हित किया गया है।
		Self Propelled Combine Harvester	GARUD, GCT-60	Max. speed at no load- 3080, Rated speed- 2800, Low idle speed- 1250, Bore/Stroke- 95/100, Fuel tank capacity, l- 105	NRFMTTI hisar Haryana	COMB- 303/2975/2023, April-2023	30-04-2030	परीक्षण हेतु चिन्हित किया गया है।

क्र.सं.	मूल निर्माता फर्म का नाम	यंत्र का नाम	मैक /माडल	यंत्र का स्पेसिफिकेशन	ट्रेडिंग संस्था	टेस्ट रियॉर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
11	Kubota Agricultural Machinery India Pvt. Ltd, MRC nagar, Chennai	Self Propelled paddy Combine Harvester	DC-68G Harvesking2	4 stroke, liquid cooled, turbo charged, direct injection, diesel engine, rated speed 2700rpm, cylinder number 4, bore/stroke 87/102.4mm, capacity 2434cc, overall dimension 502x243x286mm, mass 4295kg	NRFMTTI hisar Haryana	230/2663/2021, February 2021		परीक्षण हेतु विहित किया गया है।
12	Yanmar Agriculture Equipment Co. Ltd., no. 8, Huangshan Road, New Dis, Wuxi, Jiangsu Province, P.R. Of China	Self Propelled Combine Harvester	YANMAR AW70GV	4 stroke, direct injection, turbo charged, compression ignition engine, liquid cooled, diesel engine, rated speed 2500rpm, cylinder 4 no, overall dimension 509x230x298mm, mass 4280kg	NRFMTTI hisar Haryana	175/2076/2017 December 2017		परीक्षण हेतु विहित किया गया है।
13	Jai Guru Dev Industries, Kitchha Bypass Road, Rudrapur, UK	Paddy Stubble Shaver Tractor Operated Mulcher	Paddy Stubble Shaver JGI-M	Dimension of the implement-135X1520X830Mm, side guard-2, type of cutting-3, No of blade-305, Blade length-100mm, Thickness of blade-3mm Blade-Hatchet C-Shaped & Straight Blade, Working Width - 2100 MM, Power Source-Tractor, Size of Frame-2130X505X5.6mm, Size of support in flat-750X485X12.50, MS Sheet	GBPUAT Panthagar	CTE/FMT/TEST Report-33 October 2010		परीक्षण हेतु विहित किया गया है।
14	Tirth Agro technology Pvt Ltd, gondal, Rajkot	Rotary Mulcher(trash shredder/sugarcane leaf chopper)tractor operated Rotary Mulcher(trash shredder/sugarcane leaf chopper)tractor operated	Shaktiman SRM-7 Shaktiman SRM-8	tractor horse power required 60hp & above, type of blade 'Y' type, size of mulcher 2020mm, protection cover type front guard plate, material rotor shaft MS rod, overall dimension 2218x1013x1035mm, mass 591kg tractor horse power required 75hp & above, type of blade 'Y' type, size of mulcher 2205mm, protection cover type front guard plate, material rotor shaft MS rod, overall dimension 2403x1013x1035mm, mass 648kg	FMTTC, DASCFAET, MPKV, Rahuri, Ahmednagar, Maharashtra	FIM/MPKV/IMPL. NO/101/2018 March 2018		परीक्षण हेतु विहित किया गया है।
		Rotary Mulcher(trash shredder/sugarcane leaf chopper)tractor operated	Shaktiman SRM-6	tractor horse power required 55hp & above, type of blade 'Y' type, size of mulcher 2205mm, protection cover type front guard plate, material rotor shaft MS rod, overall dimension 1100x2000x1000mm, mass 630kg	DFMPE CAET, CCSHAU, hisar, haryana	HAU/FMPE/17-18/M-02 July 2017		परीक्षण हेतु विहित किया गया है।
		Tractor operated Rotary Mulchur	SHAKTIMAN SRM-6,	Recommended power- 55hp & above, side plates-2, overall dimension- 2000* 1100*1000mm, avg. field capacity- 0.64 ha/hr	FMTTC Ahmednagar	17-18/M02 July 2017	Jul-24	परीक्षण हेतु विहित किया गया है।
		Tractor operated Rotary Mulchur	SHAKTIMAN SRM-7,	Recommended power- 65 hp & above, side plates-2, no. of guard plates-15, overall dimension- 2200* 1100*1000mm	DFMPE Hissar	101/2018 March 2018	2025	परीक्षण हेतु विहित किया गया है।
		Tractor operated Rotary Mulchur	SHAKTIMAN SRM-8	Recommended power- 75 hp & above, side plates-2, no. of guard plates-22, overall dimension- 176 142*182mm	FMTTC Ahmednagar	102/2018 March 2018	2025	परीक्षण हेतु विहित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक / माडल	यंत्र का स्पेसिफिकेशन	टैरिफिंग संस्था	टैस्ट रिपोर्ट की तिथि	टैस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
15	CNH Industrial(India) PVT LTD, taluka khed, pune	Self Propelled Combine Harvester	New Holland, TC 5.30 RN	4 stroke, direct injection, turbo charged, compression ignition engine, rated speed 2000rpm, cylinder 6 no., overall dimension 870x495x343mm, mass 10990kg	NRFMTTI hisar Haryana	192/2222/2018 October-2018	31-10-2025	परीक्षण हेतु सिद्धित किया गया है।
		Self Propelled Combine Harvester	New Holland, TC 5.30 CAB RN	4 stroke, direct injection, turbo charged, compression ignition engine, rated speed 2000rpm, cylinder 6 no., overall dimension 870x495x366mm, mass 11285kg	NRFMTTI hisar Haryana	196/2297/2019 April 2019	30-04-2026	परीक्षण हेतु सिद्धित किया गया है।

उप कृषि निदेशक,
तकनीकी सम्प्रदाय,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

प्रतिनिधि,
विभागध्यक्ष (कर्म मशीनरी),
गो0ब0ध0वि0वि0, फतनगर

अपर कृषि निदेशक,
कृषि निदेशालय

वित्त नियंत्रक,
कृषि निदेशालय

कृषि निदेशक,
उत्तराखण्ड।

पत्र संख्या-8216, दिनांक 29 मार्च, 2023 के द्वारा जारी विज्ञापन से प्राप्त हैप्पी सीडर / सुपर सीडर हेतु अनुमोदित / स्वीकृत पंजीकृत फार्म / अधिकृत विक्रेता, मेक / मॉडल का विवरण

क्र.सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	Malkit Agro Tech PVT LTD, Nabha, Patiala	Super Seeder 11 tyne	MATSS	power 50hp, overall dimension 2866x1228x1360mm, mass 870kg, type of frame MS Square box, size of square pipe 62mm, size of bolt length 36.23mm, dia 13.50mm	GBPUAT Panthagar Uttarakhnad	CTE/FMP/TEST REPORT/2023-208 January 2023	Feb-30	पंजीकरण हेतु चिह्नित किया गया
2	LOTAY ENGG WORKS, SANGRUR PB	Super seeder	PARWINDERA & JS Super Seeder 11 Times	nominal width 200x1=2200mm, power source 55hp and above, max PTO power 33.1kW, material MS plate, overall dimension 1314x2580x1480mm, mass 950kg	FIMTTC Bikaner	FIMTTC/IMP/19/1264 June 2020	Jun-27	पंजीकरण हेतु चिह्नित किया गया
3	Saraswati Krishi Udyog, Assandh, Dist Karnal HR	Super seeder	SARASWATI- 13 ROW	type of blade L shape, nominal width 2240mm, power source 50hp and above, max PTO 37.9kW, rated engine speed 1700rpm	FIMTTC, Bikaner tested	FIMTTC/MECH/21/1647 June 2021	Jun-28	पंजीकरण हेतु चिह्नित किया गया
4	Bhagwan singh Engineering Works, Raikot Road, Malerkotla, Dist. Sangrur, PB	Super seeder 11R	BEW 11R	"c" Type blade, Rotor blade 54, Furrow opener 11, Hopper Trapezoidal MS sheet with cover	SLFMTTI, Hardoi road, Lucknow	2011/232 June 2020	Jul-05	पंजीकरण हेतु चिह्नित किया गया
		Super seeder 13 Tyne	BEW 13 Tyne	50hp & above, C type hatched blade, max PTO 39.2kW, 1800rpm speed, MS square box, size of box 2425x60x60mm front, 2430x60x60mm rear, MS plate, thickness 10mm	SLFMTTI Lucknow	IMP/2011/313 July 2021		पंजीकरण हेतु चिह्नित किया गया
5	Dasmesh Agricultural Industries Pvt. Ltd., Raikot Road, Malerkotla, Sangroor Punjab	Super seeder 15 R	BEW 15 Row	60hp & above, L type hatched blade, max PTO 36.4kW, 1800rpm speed, MS square box, size of box 2745x60x60mm front, 2830x60x60mm rear, MS plate, thickness 10 & 8mm	SLFMTTI Lucknow	IMP/2011/3014 July 2021		पंजीकरण हेतु चिह्नित किया गया
		Super seeder 12 R	BEW- 12 RD	Tractor operated, 9 rows, horse power 50 & above, 6 blades on 9 flanges, blades 54, Boron steel, Gear chain & sprockets, Furrow 12 openers,	FMTTTC, Bikaner	FIMTTC/MECH/19/1314 June 2020	Jul-05	पंजीकरण हेतु चिह्नित किया गया
6	GSA Industries Village Daulatpur, Rasulpur Jaura Road, Patiala, Punjab	Super Happy seeder (11 Rows)	Dasmesh-711	Power at standard PTO Speed, kW- 37.9, Rated engine speed- 2400, Drawbar power, kW- 32.3, Recommended power of tractor- 50 and above	FMPECAET CCSHAU Hisar	HAU/FMPE/18-19/SHS-01, February-2019	Feb-26	पंजीकरण हेतु चिह्नित किया गया
		Super Seeder	GSA SS 748 Row -7 feet	Speed-3.5 kmph(apa), RPM-1800, Size of box Front-2095X60X60, Rear-2125X60X60mm, Type-MS Plate- Thickness-8 & 10 LHS & RHS, Horse power required-50/37.3 hp (apa)	SLFMTTIR, UP	2011/245 April 2023	Aug-27	पंजीकरण हेतु चिह्नित किया गया

7	Jaswant Agriculture Works, Patiala Road, Sunam Sangroor, Punjab	Super Seeder	GSA SS-754 AGRIZONE (11 ROW)	Speed-3.5 kmph(apa), RPM-1800, Size of box Front-2095X60X60, Rear-2125X60X60mm, Type-MS Plate- Thickness-8 & 10 LHS & RHS, Horse power required-50/37.3 hp (apa)	SLFMTTIR, Lucknow	2011/311 July 2021	Jul-26	परीक्षण हेतु विहित किया गया
		Super seeder	GSA SS-884 AGRIZONE = 12 ROW	Tractor mounted type, horse power 50 and above, Rotor blades 60, L/F type, 12 no. of Furrow opener, hopper unit 100/110 for seed/fertilizer box.	SLFMTT1, Hardoi road, Lucknow	2011/284 MAY 2021	Jul-05	परीक्षण हेतु विहित किया गया
		Super Seeder	GSA-SS-860 AGRIZONE (13 ROW)	Speed-2.5 kmph(apa), RPM-1600-1700, Size of box Front-2345X60X60, Rear-2370X60X60mm, Type-MS Plate- Thickness-8 & 10 LHS & RHS, Horse power required-60/37.3 hp (apa)	SLFMTT1, Hardoi road, Lucknow	2011/312 July 2021	Jul-05	परीक्षण हेतु विहित किया गया
8	National Agro Industries, Link Road, Ludhiana, Punjab	Super Seeder	GSA SS 966	SUPPER SEEDER 9 FEET 15 TYNE	SLFMTT1, Hardoi road, UP	2011/345	28.11.2026	परीक्षण हेतु विहित किया गया
		Super Seeder	GSA SS-684 AGRIZONE (10ROW)	Tractor mounted type, horse power 50 and above, 1845x60x60 front, 1865x60x60 Rear chasis box, Rotor blades 48, L/F type, 10 no. of Furrow opener, hopper unit 80/90 for seed/fertilizer box, Trapezoidal MS sheet with cover	SLFMTT1, Hardoi road, Lucknow	2011/283 May . 2021	20.05.2026	परीक्षण हेतु विहित किया गया
		Super Happy seeder	INDOPRIDE-11	Tractor mounted type, horse power 55 and above, Rotor blades 66, "C" type, 6 blades on 11 flanges, Boron steel, 11 no. of Furrow opener,	CCSHAU Hisar	HAU/FMPE/18-19/SHS-03 March 2019	Mar-26	परीक्षण हेतु विहित किया गया
7	Jaswant Agriculture Works, Patiala Road, Sunam Sangroor, Punjab	Super seeder	JASWANT13 row	Tractor mounted type, horse power 60 and above, Rotor blades 60, "L" type, 6 blades on 9 flanges & 3 blades on 2 flanges, High carbon steel, 13 no. of Furrow opener, Overall mass 990kg	CCSHAU Hisar	HAU/FMPE/20-21/SS-49 June 2020	Jun-27	परीक्षण हेतु विहित किया गया
		Super seeder	JASWANT (15 ROWS)	Tractor mounted type, horse power 60 and above, Rotor blades 72, "L" type, 6 blades on 11 flanges & 3 blades on 2 flanges, High carbon steel, 15 no. of Furrow opener, Overall mass 1180kg	CCSHAU Hisar	HAU/FMPE/20-21/SS-76 March 2021	Mar-28	परीक्षण हेतु विहित किया गया
8	National Agro Industries, Link Road, Ludhiana, Punjab	Super Seeder	Super Seeder (11 Tines)	Nominal Width, (mm)- 220x11 = 2420 (Sowing Device), Power Source as recommended, hp- 50 and above, Max. PTO power, kw (Ps)- 37.9, Rated engine speed- 1700, Size of flanges, mm- 229,10 O, 11.95 (thickness)	FIMTTTC Rajasthan	FIMTTTC/MECH/20 /1356 June, 2020	Jun-27	परीक्षण हेतु विहित किया गया

9	Saeco Strips Pvt. Ltd, Rampura Road Daroha, Tehsil Payal, Ludhiana Punjab	Super Seeder	SAT-SS007 - (11 - TINES)	Recommended power of tractor- However, during test JOHN DEERE - 53104WD tractor bearing Engine and Chassis No. PY 4029D15934 and PY5010S23371 of 55 hp was used, Max. PTO Power kW- 41 kW, Nominal width, mm- 200x11=2200 (Sowing Device)	FIMTTC Rajasthan	FIMTTC/MECH/21 /1671, June-2021	Jun-28	परीक्षण हेतु विहित किया गया
		Super Seeder	SAT-SS008 - (12 - TINES)	Recommended power of tractor- However, during SWARAJ - 855 FE tractor bearing Engine and Chassis No. 52.4001/SFZ09311 and WZCG689519888615 of 52 hp was used, Max. PTO Power kW- 42.9 hp, Nominal width, mm- 200x12=2400 (Sowing Device)	FIMTTC Rajasthan	FIMTTC/MECH/21 /1680, June-2021	Jun-28	परीक्षण हेतु विहित किया गया
10	Saron Mechanical Works Mansa Road, Cheema Mandi, Distt.-Sangrur, Punjab-148029	Super Seeder	Super Seeder-11 Tyne 7 feet	JSS-07, Working Width-2100mm, 55 and above hp, 54 no of blade, type of blade- LIF type, Thickness of blade-7 to 8 mm, Gear Bolt-Multi speed 11:22/13:23, No of tyns-11, Weight-900 kg, overall dimension--1530X2580X1350 mm	SLFMTTIR, Lucknow	IMP-2011/172 January 2019	Jan-25	परीक्षण हेतु विहित किया गया
		Super Seeder	JAGIT- JSS (11 Tines)	tractor operated, mounted type, horse power 45 and above, Rotor blades 48, Boron steel, 6 blades on each lange with left right alternate combination, Propellar shaft with Telescopic having one universal joint on each segment, Hopper box 95/105 kg MS sheet fabricated, Trapezoidal shaped	FIMTTC, Bikaner tested	FIMTTC/MECH/20 /1322 June 2020	6-15-2027	परीक्षण हेतु विहित किया गया
		Super Seeder	Super Seeder-12 Tyne JSS12	tractor operated, mounted type, horse power 55 and above, Rotor blades 54, Boron steel, 10 circular langes, 6 blades on each lange with left right alternate combination, Propellar shaft with Telescopic having one universal joint on each segment, Hopper box 90/110 kg MS sheet fabricated, Trapezoidal shaped	FIMTTC, Bikaner tested	FIMTTC/MECH/20 /1395 June 2020	6-15-2027	परीक्षण हेतु विहित किया गया
		Super Seeder	JAGIT- JSS (13 Tines)	tractor operated, mounted type, horse power 55 and above, Rotor blades 60, Boron steel, 11 circular langes, 6 blades on each lange with left right alternate combination, Furrow opener 13, Propellar shaft with Telescopic having one universal joint on each segment,	FIMTTC, Bikaner tested	FIMTTC/MECH/20 /1321 June 2020	6-15-2027	परीक्षण हेतु विहित किया गया

Handwritten marks and signatures in blue ink are present on the left side of the page, including a large 'A' at the top, a signature in the middle, and another mark at the bottom.

11	Agrogear Industries Pvt. Ltd., Shahbad Road, Rampur, UP	Super seeder 11 Tyne	AGSS-7	Recommended power-50 hp above, Size of square pipe- 61 mm, Tractor PTO rpm corresponding to 1800 rpm of engine on load- 435,	GBPUAT Pantnagar Uttarakhnad	CTE/FMP/2023-206	February 2030	परीक्षण हेतु विहित किया गया
12	vinod kumar virendra kumar, chandpur road nr Reliance Petrol Pump, Dhanaura, Dist Amroha UP	Super Seeder (11 TYNE)	11 TYNE	Mounted type, tractor 50hp above, Rotor blade 48,C-type, 6 blades on each flange, Furrow opener curved disc opener, high carbon steel, seed box Hopper 80kg/ 85kg fertilizer	GBPUAT Pantnagar Uttarakhnad	CTE/FMP/TEST REPORT/2021-122 January 2021	Jul-05	परीक्षण हेतु विहित किया गया
13	Dhanjal Agriculture Industries, Ludhiana Road, Rajkot, Punjab	Happy Seeder Dhanjal	2019 (10 Tine)	Rated engine speed- Max speed at no load=2200-2400, Low idel speed-650-750, Speed at max torque=1100-7300, Drawbar power kW-27.2 Power source as- 50 and above	FIMTTC Bikaner	MECH/16/712 April 2019	Apr-26	परीक्षण हेतु विहित किया गया
14	Standard Combines Pvt. Ltd, Standard Chowk, Barrnala, Punjab	Super Seeder	Standard - 213	Max. PTO power. kW- 38.8, Engine speed corresponding to standard PTO speed (rpm)- 2400 engine rpm at 540 PTO rpm, rated engine speed(rpm)- 2400	FMPE Bikaner	FMPE/TC/2021/1264, JUNE, 2021	Jun-28	परीक्षण हेतु विहित किया गया
15	Rattan Agro Tech, Bhadson Road, Nabha, Punjab	Super Seeder Rattan Tyne	Rattan 8 feet 12 tyne	Power source- 55 hp & above, Max. PTO Power, kW (hp) - 39.8 (54.1), Size of box section, mm- 2337X60X60, Size of board, mm- 2.22, Overall thickness, mm- 6.97	FMTCKCAET Kerala	IMP- 108/132/2022 March, 2022	Mar-29	परीक्षण हेतु विहित किया गया
16	Nipha India (P) Ltd., Chandannagore, Hogly, West bengal	Super Seeder	NSS7F10R	Recommended power-50hp above, Thickness of top plate, mm- Length-2360, Width-500, Size of square pipe-60 mm, Oil capacity, L- 3.5	FMPECT- GBUAT Panthagar	CTE/FMP/2020-108 July 2020	Jul-27	परीक्षण हेतु विहित किया गया
17	Gahir Agro Industries Ltd., Vill. Kular khurd, Sangrur, Punjab	Super Seeder	ATT11	Recommended speed of PTO shaft, (rpm)- 540, Recom. Power of prime mover for rotary tiller, (hp) - 60 hp and above tractor, Max. PTO power, kW(hp)- 53.7 (72), Size of board, (mm)- Length- 2070 (min) and 2120 (max.) Width-270	CAETOUAT, Bhubanswar	Imp- 35/450 July 2022	Mar-28	परीक्षण हेतु विहित किया गया
		Super Seeder	AT-13	Recommended power of tractor (apa)- 55 and above, Max. PTO power, kW (Ps)- 36.8, Rated engine speed-2100, Size of box, mm- 2070x60x60, Drawbar power, kW-30.7	CAET CHAU Hisar	HAU/FMPE/20-21/SS-64 March 2021	Nov-28	परीक्षण हेतु विहित किया गया
		Super Seeder	AT-13	Power source- 55 hp & above, Max. PTO power, kW (hp) - 38.6 (52.5), Size of bolt, mm- Length- 40, Diameter- 13.61, Size of box section 2415x60x60, Thickness of flange- 11.34	KCAET KAU Tavanur (Kerala)	IMP- 92/115/2021 November 2021	Nov-28	परीक्षण हेतु विहित किया गया

	Super Seeder	AT-15	Power source- 60 hp & above, Max. PTO power, kW (hp)- 38.5 (51.6), Size of bolt, mm- Length- 40, Diameter- 13.61, Size of box section 2804x60x60, Thickness of sheet, mm- 2.67	KCAET KAU Tavanur (Kerala)	IMP- 93/116/2021 November 2021	Nov-28	परीक्षण हेतु चिन्हित किया गया
18	Manually Operated Seeder Ramsons Impex, Bhagwanpur, Haridwar	RI SE105	Size of handle, (mm) - length- 1012, Width- 222, Size of handle pipe, (mm) - Outer diameter- 20.5, Inner diameter- 19, Size of box, (mm) - 311x201x201, Thickness, (mm) - 6.5	GBPUAT Pantragar Uttarakhnad	CTE/FMPIE/2023-207	February 2030	परीक्षण हेतु चिन्हित किया गया
19	Steel Boy Pvt. Ltd. Mohali Punjab	SUPER SEEDER-12 ROW	Recommended speed of machine-3.48to3.55 kmph, maxPTO power-33.8kw, engine speed- 1800rpm, size of box-2145x60x60mm(front), 2155x60x60(rear), Rotar blade-54	FMTTI LUCKNOW	IMP-2011/321, AUGUST-2021		परीक्षण हेतु चिन्हित किया गया
20	Chuman Motors, Bhatti Road, Punjab	Tractor Operated Super Seeder (Mounted Type)	force(1kgf)-9.8N, power 1.01 metric hp, pressure 6.895kpa,	FIMTTC Bikaner	FIMTTC/MECH/20/1403 June 2020	Jun-27	परीक्षण हेतु चिन्हित किया गया
21	Mahindra & Mahindra Ltd. F.E.S Swaraj Division, SAS Nagar, Mohali, Punjab	Super Seeder	Overall Dimension, mm- LxWxH- 2870x1793x1413, Oil capacity, l- 0.5, Source of power- By lugged ground wheel, through chain and sprocket, L & J Type Blade with working width 2690 mm	FMTTC, Tavanpur, Kerala	IMP-92/115/2021, November 2021	Nov-28	परीक्षण हेतु चिन्हित किया गया
22	Saraswati Krishi Udyog, Assand, Dist Karnal HR	Super Seeder	Tractor drawn, mounted type, MS plate, LHS-10 & RHS-08, 6 blades on 9 flanges, total no. of blade 54, LJF type, High carbon steel, Furrow 11 openers, Hoppers Trapezoidal MS sheet with cover	CCSHAU Hisar	HAU/FMPIE/19-20/SS-19 March 2020	Mar-27	परीक्षण हेतु चिन्हित किया गया

उप कृषि निदेशक,
तकनीकी समीक्षण,
कृषि निदेशालय

अपर कृषि निदेशक,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

वित्त/नियंत्रक,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

कृषि निदेशक,
उत्तराखण्ड I

प्रतिनिधि,
विभागाध्यक्ष (कर्म मशीनरी),
गो04040वि0वि0, पटनागर