

कृषि निदेशालय उत्तराखण्ड, नन्दा की चौकी, प्रेमनगर, देहरादून।

(दूरभाष संख्या-0135-2772677, फ़ैक्स-0135-2771881, ई मेल-dir.agri.Uttarakhand@gmail.com)

पत्रांक- 3282 /SMAM/पंजी.-कृषि यंत्र/2023-24 देहरादून दिनांक-2 सितम्बर, 2023

1. समस्त मुख्य कृषि अधिकारी, उत्तराखण्ड।
2. समस्त कृषि एवं भूमि संरक्षण अधिकारी, उत्तराखण्ड।

विषय- कृषि यंत्रों/उपकरणों हेतु पंजीकृत फर्म तथा माडल विषयक।

निदेशालय के पत्र संख्या-कृ.नि./8216/पंजी/कृषि यंत्र/2023-24, दिनांक 29 मार्च, 2023 के द्वारा विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध करने हेतु विज्ञापन जारी किया गया था। उक्त के क्रम में उत्तराखण्ड अधिप्राप्त नियम 2017, विभिन्न योजनाओं के अन्तर्गत कृषि यंत्रों/उपकरणों पर अनुदान उपलब्ध कराने हेतु कृषि मशीनों तथा यंत्रों/उपकरणों के मूल विनिर्माता फर्मों से प्राप्त पंजीकृत प्रपत्रों का गठित पंजीकरण समिति द्वारा परीक्षण करने के उपरान्त विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध/पंजीकरण हेतु उपयुक्त पाया गया। सूचीबद्ध/पंजीकरण हेतु चिन्हित किए गए यंत्रों/उपकरणों का विवरण निम्नानुसार है।

क्र. सं.	फर्म का नाम	सूचीबद्ध/पंजीकरण होने वाले कृषि मशीनों/यंत्रों/उपकरणों का विवरण
1	ASPEE Agro equipment PVT LTD, Malad(W), Mumbai	Brush Cutter
2	Andreas STIHL Pvt Ltd, Village Kharabwadi, Pune	Brush Cutter
3	Bonhoeffer Machines Pvt. Ltd., Faridabad, Haryana	Brush Cutter
4	BTL EPC Ltd. 2 Jessore Road, Kolkata- West Bengal	Brush Cutter
5	Bansal Traders, Vikasnagar, Dehradun	Brush Cutter/Chaff Cutter/Harrow/Cultivator
6	Farm & Garden Technologies Pvt. Ltd., Gurgaon, Haryana	Brush Cutter
7	Falcon Garden Tool Pvt. Ltd, Alamgir Malerkotla Road, Ludhiana, Punjab	Brush Cutter
8	Husqvarna (India) Products Pvt. Ltd. Mylapore, Chennai	Brush Cutter
9	Mhaswadkar Autolines PVT LTD, Satara	Brush Cutter
10	Ramsons Impex, Bhagwanpur, haridwar	Brush Cutter/Chaff Cutter/Harrow
11	Shakti Agro Industries, Ludhiana, Punjab	Brush Cutter
12	V.S.T. Tillers Tractors Ltd, Bangalore, Karnataka	Brush Cutter
13	Kisan Kraft Machine Tools Pvt. Ltd. Dasarahalli, Hebbal, Bangalore	Brush Cutter/Chaff Cutter
14	Lalji and Sons, Dehradun Road, Roorkee, Haridwar Uttarakhand	Brush Cutter/Chaff Cutter/Harrow/Cultivator
15	MTD Product India Pvt. Ltd., Pune Nasik Highway, Pune	Brush Cutter
16	Perfect House Pvt. Ltd. Mumbai	Brush Cutter
17	Varsha Agro Mach engg PVT LTD, Coimbatore, Tamil Nadu	Brush Cutter
18	VSM International PVT LTD, Hisar, Haryana	Brush Cutter/ Chaff Cutter
19	Jaggi Agriculture Works, Kabbopur, Distirct- patiala	Harrow
20	Amar Agricultural Impliments Works, Ludhiana, Punjab	Chaff Cutter
21	Darshan Singh & Co., Jalandhar, Punjab	Chaff Cutter
22	Delux Foundry, G.T. Road, Batala, Punjab	Chaff Cutter
23	Shri Balaji Foundry Shāhapura, Punjab	Chaff Cutter
24	Samyak Agro Implements, Muktsar, Punjab	Chaff Cutter
25	Sun Agro, Bhilai	Chaff Cutter
26	Vinod kumar Virendra Kumar, chandpur Road, Dhanaura, Amroha UP	Harrow/Cultivator/M B Plough/Chaff Cutter
27	Avon Agriculture industries, Gadarpur, US Nagar	Harrow/M B Plough

28	Develop Mechanical Works, sangrur, Punjab	Harrow
29	Kartar Sing and Sons, Railway Station Road, Kashipur, USNagar	Harrow/Cultivator
30	Jai hind agriculture industries, muzaffarnagar UP	Harrow
31	Tirth Agro Technology Pvt. Ltd., Bhunava Taluka-gondal, Rajkot, Gujraat	Harrow/M B Plough
32	Sandhu Agro Industries, poliganj, majhola, khatima US Nagar	Harrow
33	Uttaranchal Agro industries, kishanpur, kichha	Harrow/Cultivator
34	Namdhari industries, gadarpur, USNagar	Harrow
35	Dashmesh Agriculture Impliments Industries, Sitarganj, USNagar UK	Harrow
33	Avi Agro Technology Haridwar Road, Dhadhendi Khwajipur, Roorkee	Harrow/Cultivator
34	Rajpoot Agriculture Works Gadarpur U.S. Nagar	Harrow
35	Sidhu Agriculture Implements US Nagar	Harrow
36	Bharat electric welding works, mandsaur MP	Cultivator/M B Plough
37	Krishna Agro Industries, Karnal, Haryana	Cultivator
38	Mahindra and Mahindra Limited Mohali Punjab	Cultivator
39	BERI UDYOG Pvt. Ltd. Plot No. 225 to 240, Sector-03, Karnal (Haryana)	M B Plough
40	GSA Industries, Village Daulatpur, Rasulpur Jaura Road, Patiala, Punjab	M B Plough
41	Saron Mechanical Works, Mansa Road, Cheema Mandi, Sangrur, Punjab	M B Plough
42	Sonalika Industries, Chak Gujram, PO Piplanwala, Hoshiarpur Punjab	M B Plough
43	Bhagwan Engg. Works Raikot Road, Malerkotla	M B Plough
44	OSAW Udyog Private Ltd. Ambala Punjab	M B Plough

सलग्न सूची के अनुसार कृषक द्वारा सूचीबद्ध/पंजीकृत विनिर्माता फर्म/फर्मों के अधिकृत डीलर से सलग्न सूची में अंकित माडल को क्रय करने पर ही अनुदान देय होगा। अनुदान देते समय निम्न बिन्दुओं को ध्यान में रखा जाए।

1. उपरोक्त पंजीकरण पत्र जारी होने वाले दिनांक से दो वर्ष तक वैध रहेगा।
2. कृषकों को कृषि यंत्रों/उपकरणों पर अनुदान **Submission on Agricultural Mechanization (SMAM)** की गाईडलाइन के अनुसार होगा। पैरा 6.4.2 अथवा संबंधित योजना की गाईडलाइन में इंगित व्यवस्था के अनुसार अनुपालन सुनिश्चित किया जाये। साथ ही यह ध्यान रखा जायेगा कि अनुसूचित जाति, अनुसूचित जनजाति, महिला तथा लघु सीमांत कृषकों को प्राथमिकता मिले।
3. कृषि यंत्रों/उपकरणों पर अनुदान भारत सरकार/राज्य सरकार द्वारा निर्धारित/अनुमन्य अधिप्राप्त सीमा तक ही देय होगा।
4. सूचीबद्ध/पंजीकृत फर्म को बिल स्वयं अथवा विनिर्माता की संस्तुती पर नियमानुसार अधिकृत विक्रेता भी बिल जारी कर सकेगा बिल/कैश मैमो पर पूर्ण स्पेसिफिकेशन के साथ कृषि यंत्र का माडल/ब्राण्ड/गारंटी/कम संख्या/चेचिस संख्या, वारन्टी अवधि का अनिवार्य रूप से अंकन करेगा।
5. अनुदान कृषक/मूल विनिर्माता द्वारा अधिकृत विक्रेता से कृषक द्वारा क्रयित कृषि यंत्रों/उपकरणों के सूचीबद्ध माडल/मेक पर ही देय होगा। फर्म/अधिकृत विक्रेता नियमानुसार टैक्स का अंकन करते हुए टैक्स जमा करना होगा।
6. निदेशालय स्तर पर सूचीबद्ध/पंजीकृत फर्म/माडल/मेक agrimachinery.nic.in पर अपलोड करनी होगी, जो कम से कम एक वर्ष तक नहीं बदली जा सकेगी।
7. सूचीबद्ध/पंजीकृत फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों की वर्तमान दरें भारत सरकार की Agrimachinery.nic.in पर DBT Agriculture Machinazation पर अंकित करनी होगी, जो एक वर्ष तक बदली नहीं जा सकेगी।
8. कृषक द्वारा ऑनलाईन डी.बी.टी. पोर्टल पर डीलर से क्रय किए गए यंत्रों के बिल को डीलर पोर्टल पर अपलोड करेगा।
9. जनपद के कृषि एवं भूमि संरक्षण अधिकारी द्वारा गठित सत्यापन टीम द्वारा भौतिक सत्यापन सुनिश्चित कर लिये जाने के उपरांत **Submission on Agricultural Mechanization (SMAM)** की गाईडलाइन एवं राज्य सरकार द्वारा निर्धारित अनुदान की अधिकतम सीमा के अनुसार कार्यवाही करें।
10. सत्यापन के दौरान कृषक द्वारा क्रयित कृषि यंत्र/उपकरण विभाग द्वारा सूचीबद्ध/पंजीकृत किए गए कृषि यंत्रों/उपकरणों के अनुसार ही हो।

11. कृषकों को उपलब्ध कराये जा रहे कृषि यंत्रों/उपकरणों के मूल्य पोर्टल पर दर्शायी दरों से अधिक न हो, यदि दरें अधिक पायी जाती हैं तो संबंधित जनपद के मुख्य कृषि अधिकारी कार्यावाही करेंगे। कृषक जब मेक/माडल, गुणवत्ता एवं मोल भाव कर दर से पूर्णतया संतुष्ट हो जाने के बाद कृषि यंत्रों/उपकरणों को क्रय करें।

12. मुख्य कृषि अधिकारी/कृषि एवं भूमि संरक्षण अधिकारी अनुदानित यंत्रों की सूचना निदेशालय को उपलब्ध करायेंगे।

क्र०सं०	यंत्र का नाम/मेक एवं माडल	यंत्र आपूर्ति कहां से हुई/डीलर का नाम	संख्या	कुल कीमत	कुल वितरित अनुदान
1	2	3	4	5	6

13. फर्म को अपने फर्म का सर्विस सेंटर खोलना होगा। फर्म द्वारा अपने ग्राहकों को Maintenance का प्रशिक्षण देना होगा।

14. विभागीय उच्चाधिकारियों द्वारा कृषक को आपूर्तित कृषि यंत्रों/उपकरणों का निरीक्षण करने पर कृषि यंत्रों/उपकरणों को निर्धारित गुणवत्ता के अनुरूप न पाए जाने पर संबंधित विनिर्माता फर्म का पंजीकरण निरस्त कर दिया जायेगा। साथ ही ऐसी फर्म/अधिकृत विक्रेता को विभाग द्वारा काली सूची में डालने की कार्यवाही की जा सकती है।

15. सूचीबद्ध/पंजीकृत विनिर्माता फर्म/अधिकृत विक्रेता को कृषक द्वारा क्रयित कृषि यंत्रों/उपकरणों पर अनुदानित वर्ष एवं विभाग का नाम अनिवार्य रूप से अंकित करना होगा।

16. विनिर्माता सूचीबद्ध/पंजीकृत फर्म/अधिकृत विक्रेता को समय-समय पर विभाग द्वारा वांछित जानकारी उपलब्ध करानी होगी। ऐसा न करने पर संबंधित को पंजीकरण सूची से विलोपित किया जा सकता है।


17. सरकार द्वारा समय-समय पर जारी दिशा-निर्देशों के अनुसार उपरोक्त शर्तों/नियमों एवं इससे संबंधित प्रक्रिया में आवश्यकतानुसार संशोधित/परिवर्तन किया जा सकेगा।

18. सूचीबद्ध/पंजीकृत फर्म के अधिकृत विक्रेता द्वारा विभाग को उपलब्ध कराई गई किसी भी जानकारी के असत्य पाये जाने की दशा में संबंधित फर्म का पंजीकरण तत्काल प्रभाव से निरस्त कर दिया जायेगा।

19. प्रदायकों को मुख्य कृषि अधिकारी के आदेश एवं दिशा निर्देश के अनुसार कृषक/कृषकों को जनपद/विकासखण्ड स्तर/न्याय पंचायत तक यंत्र उपलब्ध कराने होंगे। इस हेतु प्रदायकों को जिला स्तर पर अपना नेटवर्क स्थापित करना होगा। प्रदायक द्वारा जिले में नियुक्त अधिकृत विक्रेता के पास जी०एस०टी० पंजीकरण तथा विक्रय उपरान्त सेवा की सुविधा उपलब्ध करायी जानी आवश्यक होगी। प्रदायकों की यह जिम्मेदारी होगी कि वे उनके द्वारा विक्रय की गयी सामग्री के लिये उचित मूल्य पर पुर्जे तथा विक्रय उपरान्त सेवा की सुविधा कृषकों को उपलब्ध करावें। लाभार्थियों को इसके लिये प्राप्त अनुरोध पत्र से 15 दिनों के अन्दर यदि यह व्यवस्था नहीं की जाती है, तो यथा आवश्यक कार्यवाही की जायेगी।

20. भारत सरकार उपायुक्त (M&T) कृषि एवं किसान कल्याण मंत्रालय भारत सरकार M&T अनुभाग कृषि भवन नयी दिल्ली ने पत्र संख्या- F.No.13-30/2023-M&T(I&P) दिनांक 27 जुलाई, 2023 के द्वारा अवगत कराया गया है कि ऐसे कृषि मशीन एवं यंत्र जिन पर अनुदान दिया जा रहा है केंद्रीयकृत कोडिंग सिस्टम लागू किया गया है फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों पर भारत सरकार द्वारा दिये गये उक्त निर्देशों का पालन किया जाए।

संलग्न –यथोपरि।


कृषि निदेशक
उत्तराखण्ड।

पत्रांक— /एस.एम.ए.एम/पंजीकरण-कृषि यंत्र/2023-24/दिनांकित।

प्रतिलिपि—: निम्नांकित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. अपर कृषि निदेशक, गढ़वाल मण्डल, पौड़ी।
2. संयुक्त कृषि निदेशक, कुमाऊँ मण्डल, हल्द्वानी (नैनीताल)।
3. संबंधित मूल विनिर्माता फर्म को विभागीय वेबसाईट के माध्यम से।
4. अध्यक्ष, जिला यंत्रीकरण समिति।
5. विभागीय पोर्टल।

कृषि निदेशक
उत्तराखण्ड।

पत्र संख्या-8216, दिनांक 29 मार्च, 2023 के द्वारा जारी विज्ञापन से प्राप्त ब्रश कटर हेतु अनुमोदित/स्वीकृत/पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र0 सं0	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2 American Spring & Pressing Works Pvt.Ltd, P.O Box No-7602, Aspee House, B.I, Patel Road, Malad(W), Mumbai-400064, ASPEE Agro equipment PVT LTD	3 Brush Cutter	5 ASPEE CHS 35/4S	6 Air Cooled, Single Cylinder, 4 stroke spark ignition engine, Powe rating -0.85kw, High idle speed-7500 rpm, low idle speed-3000 rpm, bore/stroke-39/30apa, Capacity-35.8apa	7 NRFMTTI Hisar Haryana	8 MACHINE-34/2696/2021	9 31-05-2026	10 परीक्षण हेतु चिन्हित किया गया
2	Andreas Stihl Pvt. Ltd., Gut No-53/01, Pune-Nashik Highway, Near Vijay Logistics, Behind Lear Company, Kuruli, Tal, Khed, Pune	Brush Cutter	FS-250	Single cylinder, two stroke, air cooled petrol engine, No-1, Idel speed-2800 rpm, fuel tank capacity-0.64 ltr	SRFMTTI-Ananpur	Machine-460/1439 October 2022	Sep-27	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	STIHL FS 230	Single cylinder, two stroke, air cooled petrol engine, No-1, idle speed-11000 rpm, fuel tank capacity-0.85 ltr	SRFMTTI-Ananpur	Machine-438/1276 July 2021	Jun-26	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	STIHL FS 55	single cylinder, two stroke, air cooled, petrol engine, high speed 2800rpm, bore/stroke 34/30mm, capacity 27.2cc	NERFMTTI Assam	Equip,28/266 December 2016		परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	STIHL FR 3001	single cylinder, two stroke, air cooled, petrol engine, high speed 2800rpm, bore/stroke 36/40mm, capacity 30.5cc	NERFMTTI Assam	Machine-459/1438 October 2022	Sep-27	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	STIHL FS 120	Single cylinder, two stroke, air cooled petrol engine, No-1, idle speed-10500 rpm, fuel tank capacity-0.64 ltr	SRFMTTI-Ananpur	Machine-459/1438 October 2022	Sep-27	परीक्षण हेतु चिन्हित किया गया
3	Bonhoeffer Machines Pvt. Ltd., Faridabad, HR	Brush Cutter	BON-P- BC45	Max. power kW(apa)- 1.6, Recom. High idle speed, rpm- 10000, Recom. Low idle speed, rpm- 2700, Recom. Rated speed for field- 7500, Speed at max. torque, rpm- 3300, Bore/Stroke, mm(apa)- 44/34, Capacity, cc (apa)- 44.8 cc	NRFMTTI Hisar Haryana	50/2993/2023 April, 2023	Apr-28	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	BON-P-BP-BC45	Max. Power kW (apa)-1.6 kW, Recom. High idle speed, rpm- 10000, Recom. Low idle speed, rpm- 2700, Recom. Rated speed for field operation, rpm- 7500, Speed at max. torque, rpm- 3300, Bore/Stroke, mm- 41/34	NRFMTTI Hisar Haryana	49/2992/2023 April, 2023	Apr-28	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	BON-P-BC36	Max. Power kW (apa)-1.2, Recom. High idle speed, rpm- 10000, Recom. Low idle speed, rpm- 2700, Recom. Rated speed for field operation, rpm- 7500, Speed at max. torque, rpm- 3300, Bore/Stroke, mm- 37.5/32, Capacity cc- 35.3	NRFMTTI Hisar Haryana	48/2991/2023 April, 2023	Apr-28	परीक्षण हेतु चिन्हित किया गया
4	BTL EPC Ltd. 2 Jessore Road, Kolkata- West Bengal	Brush Cutter	Shrachh SR-BCCG435	High idle speed-8000+100 rpm, Low idle Speed-3000+200 rpm, Rated Power-0.53 rpm, Single cylinder, air cooled, vertical, 4 stroke	FMTTI-Assam	36/379 March 2021	31-03-2026	परीक्षण हेतु चिन्हित किया गया

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन / यंत्र का प्रकार	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	स्टेटिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
		Brush Cutter	SRBCCG520-HB	High idle speed-9000+100 rpm, Low idle Speed-3000+200 rpm, Rated Power-0.53 rpm, Single cylinder, air cooled, vertical, 2 stroke	FMTTI-Asam	35/378 March 2021	31-03-2026	परीक्षण हेतु चिन्हित किया गया
5	Bansal Traders, Vikasnagar, dehradun, UK	Brush Cutter	ENGINE OPERATED BRUSH CUTTER	source of power-2.1 hp, single cylinder, 2 stroke petrol engine, Max. speed-7000 rpm, low idle speed-2500+200 rpm, rated speed-6500 rpm, max. power-1.65kw, Bore/stroke-44/34mm, capacity-51.7cc, capacity of fuel tank-1.2L	GBPUAT PANTNAGAR	CTE/FMP/2020-111, JULY-2020		परीक्षण हेतु चिन्हित किया गया
6	Farm & Garden Technologies Pvt. Ltd., 544 P, Pace City-II, Sec-37, Gurgaon, Haryana-122001	Brush Cutter	TX1437B	1.7hp, Air cooled, 2 stroke, single cylinder, 7000-rpm, petrol engine, no. of wire-2, overall dimension-1880*680*425mm, Field capacity-0.35ha/hr	SRFMTTI-AP	Machine-395/1223 November 2020	Oct-25	परीक्षण हेतु चिन्हित किया गया
7	Falcon Garden Tools Pvt.Ltd., Malerkotla Road, Alangiri, Ludhiana, Punjab	Brush Cutter	Falcon FBC-41	2hp, single cylinder 2 stroke S.I. Engine, RPM-6500, no. of teeth on circular disc- 79, dia of disc-235mm, overall dimension- 1870* 620* 460mm, rate of work- 0.026-0.036ha/hr	FMTTC Hyderabad	17/85 April 2016	Apr-23	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	Zenoah FBC-42/4350D/	2 HP, single cylinder 2 stroke S.I. Engine, RPM-7000, no. of teeth on circular disc- 79, dia of disc- 237mm, overall dimension- 1870* 620* 140mm, rate of work- 0.022-0.026ha/hr	NRFMTTI Hisar Haryana	794/1913/2016 August 2016	Aug-23	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	Zenoah FBC-52/5050DDW	3.1 HP, single cylinder 2 stroke S.I. Engine, RPM-10000, no. of teeth on circular disc- 79, dia of disc- 237mm, overall dimension- 1885*620*170mm, rate of work- 0.028-0.031ha/hr	NRFMTTI Hisar Haryana	795/1914/2016 August 2016	Aug-23	परीक्षण हेतु चिन्हित किया गया
8	Husqvarna (India) Products Pvt. Ltd. First Floor, Swees House No. 5, Mylapore, Chennai	Brush Cutter	Husqvarna-541 RS	For cutting bushes, weeds, grass and tree branches, Single Cylinder, Air cooled, bertical, 2 stroke, spark ignition engine, High idle speed-8500+200 rpm, Low idle Speed-2500 rpm	SRFMTTI AP	411/1243 December 2020	Nov-25	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	Husqvarna-531 RS	For cutting bushes, weeds, grass and tree branches, Single Cylinder, Air cooled, bertical, 2 stroke, spark ignition engine, High idle speed-8500+200 rpm, Low idle Speed-2500 rpm	SRFMTTI AP	410/1242 December 2020	Nov-25	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	143-R-11	1.97 hp, Air Coole, Single cylinder, Horizontal, 2 Stoke, SI Engine, 5500 RPM, 4 Tooth blade, Lenth-275mm, width-20mm	FMTTC KAU, Tavanur Kerala	16/63/2018 January, 2018	Jul-05	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	Husqvarna-236 R	Air cooled, bertical, 2 stroke, spark ignition engine, High idle speed-9300+200 rpm, Low idle Speed-2500+200 rpm, Bore/stroke-36/33	FMTTC-Kerla	Machine-17/64/2018 January 2018	2023	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	131R	Max Power-7000 rpm, Cylinder bore-36mm, Air filler type-foam, Cutting width-43cm, Tube Length-28mm	GBPUAT Panthnagar Uttrakhand	2021-157 September 2021		परीक्षण हेतु चिन्हित किया गया

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन / यंत्र का प्रकार	मैक / मॉडल	यंत्र का स्पेसिफिकेशन	ट्रेडिंग संस्था	ट्रेड रिपोर्ट की तिथि	ट्रेड की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
		Brush Cutter	Husqvarna-331 RB	Recommended use (apa) - For cutting of weeds and grass, Max. pwer kW- 1.0 @ 7000 rpm of engine, High idle speed-8500+200, Low idle speed-7000, max. torque, rpm- 6000, Bore/stroke, mm- 36/32	NERFMTTI Hisar Hararyana	44/2968/2023 January, 2023	Jan-28	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	131RB	Max Power-7000 rpm, Cylinder bore-36mm, Air filter type-foam, Cutting width-43cm, Tube Length-28mm	GBPUAT Pantnagar Uttarakhand	2021-155 September 2021		परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	542 RBS	Cylinder displacement-41.5 cm, Power Output-1.5 kW, Max Power Speed-7500 rpm, Fuel Weight-9 kg	GBPUAT Pantnagar Uttarakhand	2021-154 September 2021		परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	532 RBS	Cylinder displacement-33.6 cm, Power Output-1.1 kW, Max Power Speed-7500 rpm, Fuel consumption-589 g/kWh,	GBPUAT Pantnagar Uttarakhand	2021-156 September 2021		परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	Husqvarna-321 R	Type-Air cooled, Single cylinder, 2 stroke, Spark Ignition engine, Engine Displacement (cc)- 25.4, Power output (kW/hp)- 0.7 kW/0.93 HP, Fuel tank capacity (ml)- 6.1, Power /fuel type- Petrol +2T oil	KCAETKAV Kerala	PEC/2022/58 January 2023	Jan-25	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	Husqvarna-321 R	Recom. Use- For bushes, weeds and grass cutting, Type- 2 stroke single, cylinder, air cooled, max. speed at no load- 9000+300, low idle speed- 2700, Rated speed-7000, Speed max. torque- 6000,	SREMTTI Anantapur	448/1420 September, 2022	Aug-27	परीक्षण हेतु चिन्हित किया गया
9	Kisan Kraft Ltd, Bengaluru, Karnataka	Brush Cutter	KK-BC-8640	Two stroke, air cooled, single cylinder, recommended idle speed-2500+150rpm, RATED speed-6600rpm, max. speed-5750rpm, max. power-0.66kW, no. of cylinder-1, capacity of fuel tank-1.1L, Borex stroke-40x34mm, capacity-42.7cc	NERFMTTI ASSAM	46/410, DECEMBER- 2021	31/12/2026	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	KK-BC-8634	Four stroke, air cooled, single cylinder, recommended idle speed-3000+150rpm, RATED speed-7800rpm, max. speed-5000 rpm, max. power-0.42kW, no. of cylinder-1, capacity of fuel tank-0.65L, bore-39, capacity-34cc	NERFMTTI ASSAM	47/411, DECEMBER- 2021	31/12/2026	परीक्षण हेतु चिन्हित किया गया
10	Lalji And Sons Dehradun Road, Roorkee	Brush Cutter	RAW-BC4	Source of power-2.1 hp, single cylinder, 2 stroke petrol engine, Max. speed at no. load rpm-6500, low idle speed-2400, Rated speed rpm-6000 rpm, max. power-1.65kw @6500 rpm (apa), Bore/stroke-44/34, capacity (cc)-51.7,	GBPUAT Pantnagar	CITE/FMP/2021-150 July 2021		परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	BAM139BP	high speed 8600-8700, low speed 2600-2700rpm, capacity 31cc, air cooled, dimensions 2540x590x385mm	NERFMTTI Assam	57/422 March 2022	31.03.2027	परीक्षण हेतु चिन्हित किया गया
11	Mhaswadkar Autolines PVT LTD, Satara, MS	Brush Cutter	BAM139ST	high speed 3000, low speed 6000rpm, capacity 31cc, air cooled, dimensions 1945x585x570mm	NERFMTTI Assam	56/421 February 2022	28.02.2027	परीक्षण हेतु चिन्हित किया गया

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन / यंत्र का प्रकार	मैक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
12	MTD Product India Pvt. Ltd., Pune Nasik Highway, Pune	Brush Cutter	MTD R-S943	2 stroke, single cylinder, air cooled, spark ignition engine, Max Speed-9000+100rpm, Low idle - 3000+300rpm Power-0.44kW, Capacity-43cc, Fuel tank-0.7ltr.	SRFMTTI- Anantapur A.P.	404/1335/January 2022	Dec-26	परीक्षण हेतु विहित किया गया
		Brush Cutter	MTD R-B943	Horizontal, 2 stroke, single cylinder, air cooled, spark ignition engine, Max Speed-9000+100rpm, Low idle - 3000+300rpm Power-0.65kW, Capacity-43cc, Fuel tank-0.7ltr.	SRFMTTI- Anantapur A.P.	400/1327/January 2022	Dec-26	परीक्षण हेतु विहित किया गया
		Brush Cutter	RB-436	Under Prossing				टेस्ट रिपोर्ट प्राप्त होने पर परीक्षण माना जायेगा
		Brush Cutter	RS-436	Under Prossing				
		Brush Cutter	RS-943 Pro	Under Prossing				
		Brush Cutter	Cub Cadet CC 943	Under Prossing				
		Brush Cutter	Cub Cadet WST	Under Prossing				
13	Perfect House Pvt. Ltd. Mumbai, Maharashtra	Brush Cutter	PA-BC43-25H	Rated Power-1.25 KW (1.6HP) Displacement-42.7CC, Engine Type-2 Stroke and air Cooled, Speed 7000rpm, Fuel tank Capacity-600 ml, Fuel Use-Petrol	SRFMTTI- Anantapur A.P.	406/1337/Jan 2022	Dec-26	परीक्षण हेतु विहित किया गया
		Brush Cutter	PA-BC34-4SH	Type of cutting attachment nylon rope 3 teeth blade and circular disc, vertical 4 stroke, single cylinder, air cooled, rated speed 7800rpm, bore/stroke 39/28mm, capacity 33.50cc	SRFMTTI- Anantapur A.P.	472/1471 Jan 2023	Dec-27	परीक्षण हेतु विहित किया गया
		Power Operated Brush Cutter	RICOTTALY RI 430	Source of power- 02 stroke petrol engine 42.7 cc, Fuel Tank Capacity- 1.2 lit, Form of carburetor- Diaphragm, Mixed fuel ratio- 25:1, Diameter of aluminum pipe- 26 mm, Weight of Machine, kg- 8.8 kg	FIMTTTC Bikaner	FIMTTTC/MECH/13 /288 September, 2013		परीक्षण हेतु विहित किया गया
		Brush Cutter	RICOTTALY RI 431	Type- Air cooled, single cylinder, Four stroke spark ignition engine, Max. power kW (apa)- 0.92@6500 rpm of engine, Recomm. High idle speed, rpm (apa)- 6800, Recomm. Low idle speed, rpm (apa) - 2800 to 3200, Recomm. Rated speed for field operation rpm (apa) - 6500, Bore/stroke, mm(apa) - 39/30	NRFMTTI Hisar Haryana	18/2543/2020 October, 2020	Oct-25	परीक्षण हेतु विहित किया गया
14	Ramsons Impex, Bhagwanpur, haridwar	Brush Cutter	RICOTTALY RI 431 A	Type- Air cooled, single cylinder, Four stroke spark ignition engine, Max. power kW (apa)- 0.92@6300 rpm of engine, Recomm. High idle speed, rpm (apa)- 6300+100, Recomm. Low idle speed, rpm (apa) - 2800 to 3200, Recomm. Rated speed for field operation rpm (apa) - 6000, Bore/stroke, mm(apa) - 39x30	NRFMTTI Hisar Haryana	17/2542/2020 October 2020	Oct-25	परीक्षण हेतु विहित किया गया

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
		Brush Cutter	RI 451	Source of power- Engine, Recommended high idle speed rpm- 9000+/-300, Recom. Low idle speed rpm- 2700, Recom. Rated speed rpm- 7000, Speed at max torque, rpm- 6000, Capacity (cc) - 50 cc, Bore*Stroke (mm) - 36/33	GBPUAT Pantnagar	CTE/FMP/2021-165 October 2021		परीक्षण हेतु चिन्हित किया गया
15	Shakti Agro Industries, Ludhiana, PB	Brush Cutter	SBC-900	Recom. Use- For cutting of weeds and grass, Max. Power, kW- 1.2@7000 rpm of engine, high speed- 8500+100, low idle speed- 2800+100, rated speed- 7000, Bore/Stroke- 44/34, Capacity- 52	NREMTTI Hisar Haryana	41/2925/2022 October 2022	Oct-27	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	SBC-904	Recom. Use- For cutting of weeds and grass, Max. Power, kW- 0.8@7000 rpm of engine, high speed- 8500+100, low idle speed- 2800+100, rated speed- 7000, Bore/Stroke- 39/26, Capacity- 31	NREMTTI Hisar Haryana	42/2926/2022 October 2023	Oct-27	परीक्षण हेतु चिन्हित किया गया
16	V.S.T. Tillers Tractors Ltd, Plot No-1, Dyavasandra Indl. Layout, Whitefield Road, Mahadevapura Post, Bangalore, Karnataka	Brush Cutter	242 HD VST	high speed 8500rpm, low speed 2500rpm, power 0.5kW, bore/stroke 40/33mm, capacity 41.5cc, overall dimension 1940x640x430mm, mass 8.3kg	FMTTI-Asam	69/440 August 2022	31-08-2027	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	226 LD VST	high speed 10500rpm, low speed 2800rpm, power 0.6kW, bore/stroke 34/28mm, capacity 25.4cc, overall dimension 1900x630x425mm, mass 6.3kg	FMTTI-Asam	70/441 August 2022	31-08-2027	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	234 MD VST	high speed 11000rpm, low speed 2500rpm, power 1.0kW, bore/stroke 36/28mm, capacity 33.6cc, overall dimension 1965x590x510mm, mass 8.0kg	FMTTI-Asam	71/442 August 2022	31-08-2027	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	243 HD VST	high speed 9000rpm, low speed 3000rpm, power 0.73kW, bore/stroke 40/34mm, capacity 42.7cc, overall dimension 1955x645x440mm, mass 8.4kg	FMTTI-Asam	72/443 August 2022	30-09-2027	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	VST 4S36 HD	4 stroke air cooled, displacement 35.8cc, power 1.0kW(1.34hp), max rpm 10000rpm, idling 2800-3000rpm, weight 8kg(report not submitted)				टेस्ट रिपोर्ट न होने के कारण परीक्षण हेतु चिन्हित नहीं किया गया

Handwritten signatures and initials in blue ink are present on the left side of the page, including a large signature at the top and several smaller ones below it.

क्र.सं.	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की शैलता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
17	Varsha Agro Mach Enngg. Pvt. Ltd. Coimbatore tamil nadu	Brush Cutter	Varsha- BC 430	Two stroke, air cooled, single cylinder, petrol engine, Max. speed at no load- 9000, Low idle speed- 3000+200, Speed at max. torque- 5300, Rated speed- 7000+100, Speed at max. torque, rpm- 5800(apa), Fuel tank capacity, L- 0.90, Bore/stroke, mm- 40/34	FIMTTTC Bikaner	FIMTTTC/MECH/16/73 8 June, 2018		परीक्षण हेतु चिन्हित किया गया
18	VSM International Pvt. Ltd. Hisar haryana	Brush Cutter	VENUS 35G	Four stroke, Self aspirated air cooled, Over Head cam single cylinder petrol engine, Max. speed at no load- 8700, Low idle speed- 2900+200, Speed at max. torque- 5300, Rated speed- 7000+100, Speed at max. torque, rpm- 5800(apa), Fuel tank capacity, L- 0.65, Bore/stroke, mm- 39/30	FIMTTTC Bikaner	FIMTTTC/MECH/16/73 9 June, 2018		परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	Varsha- G-45	Four stroke, Self aspirated air cooled, Over Head cam single cylinder petrol engine, Max. speed at no load- 8700, Low idle speed- 2900+200, Speed at max. torque- 6800, Rated speed- 7000+100, Speed at max. torque, rpm- 6800(apa), Fuel tank capacity, L- 0.65, Bore/stroke, mm- 40/30	FIMTTTC Bikaner	FIMTTTC/MECH/16/73 4 February, 2021	Feb-28	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	XP-BBC-50	Max. power kW (apa)- 1.4 @ 7000 rpm of engine, Recommended high speed, rpm (apa)- 8200, Low idle speed, rpm (apa) - 2800, Rated speed for field- 6500, Speed at max. torque, rpm- 5500, Bore/stroke, mm (apa) - 43/33, Capacity, cc (apa) - 47.9	NREMTTI Hisar Haryana	23/2589/2020 November, 2020	Nov-25	परीक्षण हेतु चिन्हित किया गया
		Brush Cutter	XP-BC-62 PLUS	Tow stroke, Self aspirated air cooled, single cylinder petrol engine, Max. speed at no load- 9000 rpm, Low idle speed- 2600+100 rpm, Speed at max. torque- 5500 rpm, Rated speed- 7000+100 rpm, Speed at max. torque, rpm- 5500(apa), Fuel tank capacity, l- 1.1, Bore/stroke, mm- 47.5/35	FIMPE CCS HAU, Hisar	HAU/FIMPE/16-17/MISC-BC-02 December, 2016		परीक्षण हेतु चिन्हित किया गया

उप कृषि निदेशक,
तकनीकी सम्मक्षण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

प्रतिनिधि,
विभागब्याक्स (कार्म मशीनरी),
गो05040वि0वि0, पतनगर

अपर कृषि निदेशक,
कृषि निदेशालय

वित्त नियंत्रक,
कृषि निदेशालय

कृषि निदेशक,
उत्तराखण्ड ।

प्र संख्या-8216, दिनांक 29 मार्च, 2023 के द्वारा जारी विज्ञापन से प्राप्त बैंक कटर हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	रजिस्ट्र संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की श्रेया तिथि	अभ्युक्ति
1	Amar Agricultural Implants Works, Amar Street, Janta Nagar, Gill Road, Ludhiana, Punjab	Chaff Cutter	Chaff Cutter Blower Type	Blower type, Prime Power-3HP 1 phase electric motor, 1440 rpm, Main drive type-V-belt & pulley, Size of belt-B-2278 Diameter of main shaft-29.72 mm, No of blade-2	FIMTTC Bikaner	FIMTTC/MECH17/851 January 2018	Jan-25	पंजीकरण हेतु चिह्नित किया गया
2	Darshan Singh & Co. G.T Road, Goraya, Dist-Jalandhar, Punjab	Chaff Cutter	Samrat Motored Chaff Cutter	Dia Of Handle 14cm, Length of handle 465mm, Dia of flywheel 798mm, No. of arms-2, No. of hole in each arms-3, No. of feed rolls-2, No. of worm gear-2, Quantity of cut-336-680kg/hr	SLFMTTTRH Lucknow	2011/090 April 2016	Sep-21	पंजीकरण हेतु चिह्नित किया गया
3	M/s Kisan Kraft Machine Tools Pvt. Ltd. Dasarahalli, Hebbal, Bangalore	Chaff Cutter	KisanKraft KK-FEC-2500	3hp, average capacity- 1150kg/hr	NERFMTTI Assam	24/235 December 2015	Dec-22	पंजीकरण हेतु चिह्नित किया गया
			KisanKraft KK-FMC-1200	Engine 3HP, Electric operated, Capacity 429-752 kg per hour	NERFMTTI Assam	25/235 July 2016	2023	पंजीकरण हेतु चिह्नित किया गया
4	Bansal Traders, Vikasnagar	Chaff Cutter	Electric Motar Operated	Diameter of fly wheel-90cm, no. of arms-2, length of main shaft-84cm, worm outer dia.- 79cm, spring wire dia.-2.5mm, no. of Blade-2, power of prime mover-2.23 0 kw/hp, speed of motor-1500rpm	GBPUAT Pantnagar Utarakhand	CTE/FMP/2016-42, JANUARY-2016		पंजीकरण हेतु चिह्नित किया गया
			Manually Operated	Diameter of fly wheel-100cm, no. of arms-2, length of main shaft-40cm, worm outer dia.- 79cm, spring wire dia.-2.5mm, no. of Blade-2	GBPUAT Pantnagar Utarakhand	CTE/FMP/2016-41, JANUARY-2016		पंजीकरण हेतु चिह्नित किया गया
5	VSM International Pvt. Ltd., 65 Red Square Market, Hisar, Haryana	Chaff Cutter	Xtra power XP-CC	Cylinder, Thorv away, Power operated, Electric motar (2.25kw/3hp), Overall dimension-467X1060X930mm, Total Weight-72.400kg, height of feed from GI-840mm	DAFE-Bhubaneswar	167/2020-21/feb 2021	22-02-2028	पंजीकरण हेतु चिह्नित किया गया
6	Vinod kumar Virendra Kumar, Chandpur Road, Dhanaura, Amroha UP	Chaff Cutter	BAL-CHF-011	Fly Wheel, Thickness-40mm, Size of centre-+40, No of gears-3, Type of gears-super tyne, no of bearing-4, No of feed roll-3, diameter for feed-80	GBPUAT Pantnagar Utarakhand	2016-46 June 2016		पंजीकरण हेतु चिह्नित किया गया
7	Ramsoms Impex Bhagwanpur, Haridwar	Chaff Cutter	RICOTALY RI92P	Diameter of fly wheel (mm)- 178.57 Chaffing cylinder pulley also act as flywheel, Thickness of fly wheel-32.58, Chaffing cylinder size- 1850X225, Size of throat, (mm)-90X200, kW/hp-2.237/3.0, Rated RPM- 2800, Volts-190/240	FIMTTC Bikaner	FIMTTC/MECH/20/15 21 March 2021	21-03-2028	पंजीकरण हेतु चिह्नित किया गया

क्र० सं०	मूल विनिर्माण फर्म का नाम	यंत्र का नाम	मैक/माडल	यंत्र का स्पेसिफिकेशन	रजिस्ट्रेशन संख्या	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
8	Shri Balaji Foundry Shahapura, Punjab	Chaff Cutter	Sarpanch Power operated	Size of platform, (mm)- 1080x310, Height of platform form ground- 855, Dia of fly wheel (mm)- 795, Thickness of fly wheel (mm)- 30.24, Mass of fly wheel (kg)- 20, Shape for mounting blades, (mm)- Three, Diameter of handle support- 13.8, Length of handle- 383, Length of wooden grip- 372, Outer diameter of worm- 80, Number of springs- 2, Width of plate- 209, Height of plate- 136, Total length of trough- 916	CAETPAU Ludhiana (Punjab)	FMP/TC/Comm./2015/981 August, 2015		परीक्षण हेतु चिह्नित किया गया
9	Delux Foundry, G.T. Road, Batala, Punjab	Chaff Cutter	Sarpanch Manually operated	GW, Electric motor. 3 hp or above, Prower Driven, B-102 belt, No of belt-2, Pulley 495, V belt drive, Fly wheel & blades, 3 Blades, Speed 302 flywheel rpm 25.100 kg flywheel, size throat 230, Type of feeding manual,	CAETPAU Ludhiana (Punjab)	FMP/TC/Comm./2016/1000 February, 2016	Feb-23	परीक्षण हेतु चिह्नित किया गया
		Chaff Cutter	Khalsa Bomb Chaff Cutter GW	GW, Electric motor, 2 hp or above, Prower Driven, B-102 belt, No of belt-2, Pulley 420, V belt drive, Fly wheel & blades, 2 Blades, Speed 420 flywheel rpm 16.370 kg flywheel, size throat 230, Type of feeding manual,	FMTTC Ludhiana	2016/1001 February 2016	Feb-23	परीक्षण हेतु चिह्नित किया गया
		Chaff Cutter	Khalsa Bomb Chaff Cutter PD 3R	No of feed rolls-2nos, Handle-385 mm, flywheel, 4 leg stand, Gear-2 nos, Blades-2 chute, outer diameter of worm-75 or 80, length os worm-155	CAET Hisar	FMP/TC/Comm/2021/1252 April 2021		परीक्षण हेतु चिह्नित किया गया
10	Samyak Agro Implements, Muktsar, Punjab	Chaff Cutter	AGROMACH-1000 M	Reduction ratio- 1:0.312, Material of blade- High carbon steel, Dimension of blade, mm- 240x68.85x5.95, Dimension-26.5 mm, Length-460 mm, Size of feeding through, mm- 240	FIMTTC Rajasthan	FIMTTC/MECH/22/1901 September, 2022	Sep-29	परीक्षण हेतु चिह्नित किया गया
		Chaff Cutter	AGROMACH Speed Plus	To cut the crops in small pieces	NA			
		Chaff Cutter	AGROMACH Speed	To cut the crops in small pieces	NA			
		Chaff Cutter	AGROMACH Speed Plus 3 HP	To cut the crops in small pieces	NA			
11	Sun Agro, Bhillai	Chaff Cutter	AGROMACH Speed Plus Engine	To cut the crops in small pieces	NA			
		Chaff Cutter	SA-9ZT10.6	Size of platform, (mm)- 341x245, Dia. Of pulley for roller, mm- 166/192, Thickness, mm- 03, Overall Dimensions LxWxH- 894x428x808	SLAITCDA Chhattisgarh	2021-22/21 March, 2022	Mar-29	परीक्षण हेतु चिह्नित किया गया

उप कृषि निदेशक,
तकनीकी सम्प्रदाय,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
युवावर्ग नियंत्रण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियंत्रण,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

प्रतिनिधि,
विभागध्यक्ष (कम मशीनरी),
गो04040वि010, धनानगर

अपर कृषि निदेशक,
कृषि निदेशालय

वित्त निदेशक,
कृषि निदेशालय

कृषि निदेशक,
उत्तराखण्ड I

पत्र संख्या-8216, दिनांक 29 मार्च, 2023 के द्वारा जारी विज्ञापन से प्राप्त हैरो/कस्टीवेटर/एम.बी. प्लाक हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/माडल का विवरण

क्र.सं.	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेदता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
1	Vinod Kumar Virendra Kumar, Chandpur Road, Dhanaura, Amroha UP	Tractor drawn Trailed type Disc Harrow	Tractor drawn Trailed type Disc Harrow (8*8 disc)	Max PTO-27.90Kw, Type-square box type, Size of box section-372*612mm, Front gang-2112x811, Rear gang-2011x808, Type-Curved flat, No-14, Size of scraper-385x12mm	GBPUAT Pantnagar	CTE/FMP-2021-163 October 2021		पंजीकरण हेतु विहित किया गया।
2	Avon Agriculture industries, Gadarpur, US Nagar	Harrow	Avon Harrow(8*8)	Power Souce 35hp, 2 gangs, 8 disc in each gangs, dia of disc-620mm, working capacity-0.83 ha/hr, disc spacing-220mm, overall dimension 2130*1955*730mm	GBPUAT, Pantnagar	CTE/FMP/Test Report/ 29		पंजीकरण हेतु विहित किया गया।
3	Develop Mechanical Works, sangrur, PB	Tractor drawn Trailed type Disc Harrow	Disc Harrow offset(8*8 disc)	power 35hp and above, size of angle 103x100mm, length of shaft 1790mm, overall dimension 3300x2400x1010mm, mass 710kg	CSSHAU Hissar	HAU/FMPE/15-16/HAR-32 September 2016		पंजीकरण हेतु विहित किया गया।
4	Bansal Traders Vikasnagar, Dehradun	Tractor drawn Trailed type Disc Harrow	7X7 RI	Max PTO-27.90 (37.93), Type- Square box type, Size of box-1525X605mm, Rear gant-1522X610mm, Type-Curved flat, Size of scraper-410 Dia-55mm	GBPUAT Pantnagar	CTE/FMP-2021-152 July 2021		पंजीकरण हेतु विहित किया गया।
5	Ramsons Impex, Raipur sahkari udhoggic shetra, Bhagwanpur, Haridwar	Disc Harrow	RI/HR-14disc	Max PTO-32.5, Type-welded angle iron frame separates for each gang, Size of angle-100X100X8.40, Thickness-12.20, 10.00	FIMTTC-Bikaner	FIMTTC/IMP/20/14 08 February 2021	08-02-2028	पंजीकरण हेतु विहित किया गया।
6	Jaggi Agriculture Works, Kabbopur, District- patiala	Jaggi Disc Harrow 8X8	8X8	Max PTO-38.6kW, Power-35.45hp Type-Square box type, Size of box-101X101, Front gant-1885lenh,807 width No-12, Dia 62mm, Size of bolt-1885X807	CAET PAU-Punjab	FMPE/TC/Comm/20 15/995 December 2015		पंजीकरण हेतु विहित किया गया।
7	Karrar Sing and Sons, Railway Station Road, Kashipur, USNagar	Tractor drawn TrailedHarrow	RAW-H14D	Max PTO-27.90kW, Type-Square box type, Size of box-100X100, Front gant-1930lenh,790 width No-12, Dia 62mm, Size of bolt-100X10X5	GBPUAT Pantnagar	CTE/FMP/2014-16 September 2014		पंजीकरण हेतु विहित किया गया।
8	Jai hind agriculture industries, 111 gazawali, roorkee road, opp pal dharmshala, muzaffarnagar UP	offset Disc Harrow (mounted type)	MDH-14	49.4 HP, Length-1380 mm, Width-920 mm, Rear Gang- 1670 mm length,60,68 mm width, Type-L, Number 7, Size of bolt-139.58mm length, 18.44 mm Dia, 2.98 mm pitch	FMTCDAE ICAR-IARI, Pusa Newdelhi	IARI/AE?FMTC/23/ 36 February 2023		पंजीकरण हेतु विहित किया गया।
9	M/s Lalji & Sons, 261/3 Purani Tehsil, Dehradun Road, Roorkee, Haridwar	Disc Type Harrow	RAW-H14D	Max PTO-27.90kW, Type-Square box type, Size of box-150X5535, Front gant-1520 lenh, 610 width No-12, Dia 62mm, Size of bolt-121X14.50X4.56	GBPUAT Pantnagar	CTE/FMP/2021-138 March 2021		पंजीकरण हेतु विहित किया गया।

क्र.सं	मूल विनिर्माता फर्म का नाम	मशीन / यंत्र का प्रकार	मॉक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेबसाइट तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
10	Tirth Agro Technology Pvt. Ltd., Bhunava Taluka-gondal, Rajkot, Gujraat	Power Harrow	SPH-5D Single Speed 5 feet	Power-50 hp and above, Max PTO-34.9 kW, Working size-1485 mmType-box, Material-MS flat, Size of box-1470X71.50X71.50, Size fo supportin plate-675X180X60X10.7	SRFMTTI-Anantapur	IMP-406/727 January 2017		पंजीकरण हेतु विहित किया गया।
11	Sandhu Agro Industries, poligani, majhola, khatma US Nagar	Power Harrow	SPH-7D Single Speed 7 feet	Power-60 hp and above, Max PTO-37.3 kW, Working size-1970 mmType-box, Material-MS flat, Size of box-1730X71.50X71.50, Size fo supportin plate-675X180X60X10.7	SRFMTTI-Anantapur	IMP-408/729 January 2017		पंजीकरण हेतु विहित किया गया।
		Tractor Drawn Trailed Type- Disc Harrow	HE-MAN	power-27.90kw, dimension-2990x2170x560mm, ground clearance-323mm, no. of disc- 8	GBPUAT Pantnagar	CTE/FMP test report/2017-60 August 2017		पंजीकरण हेतु विहित किया गया।
12	Uttaranchal Agro industries, kishanpur,kichha	Disc Harrow	In process		GBPUAT Pantnagar			टेस्ट रिपोर्ट प्राप्त होने पर पंजीकरण माना जायेगा
		Disc harrow(8x8) 16 Disc	Tyagi-trailed Disc Harrow(8x8)	Primmover required=above 25hp, No. of gangs-2, No. of Disc in each gangs-07, Dia Of Disc 613mm, overall dimension- 3300*2020*870 mm, weight- 590kg, area covered- 0.613-0.795ha/hr	GBPUTAT Pantnagar	2015-29 July 2015	May-22	पंजीकरण हेतु विहित किया गया।
13	Namdhari industries, gadarpur, USNagar	Disc harrow(8x8)	NAMDHARI HARROW	MINIMUM 45 HP TRAILED OFFSET SINGLE POINT, 2 GANG DISK IN EACH GANG 8 LENGTH OF SHAFT 1928 MM OVERALL DIMENSION 26642233900 MM COVERED AREA 0.650.77 HAC. PER HOUR	GBPUAT Pantnagar	CTE/FMP TEST REPORT / 2018-73		पंजीकरण हेतु विहित किया गया।
		Disc harrow(7x7)	NAMDHARI HARROW	PADDY HARROW, ANGEL 9090, 65656 WITH FRAME, 508 MM DISC, 178 MM SPOOL, 630832308 BEARING, 2 GANGS, DISK IN EACH GANG-7,	GBPUAT Pantnagar	CTE/FMP/TEST REPORT / 2018-82		पंजीकरण हेतु विहित किया गया।
14	Dashmesh Agriculture Impliments Industries, Ward No-10, Siargani, USNagar UK	Tractor drawn Trailed type Disc Harrow	DAI 8x8	Front gang-length-1945, Width-782mm, Rear Gang-Length- 1945mm, Width-788mmDia of shaft-62mm, Size of bolt- 82X14.50	GBPUAT Pantnagar	CTE/FMP/2021-148 July 2021		पंजीकरण हेतु विहित किया गया।
15	Avi Agro Technology Haridwar Road, Dhadhendi Khwajipur, Roorkee	Harrow	Tractor Drawn Trailed type Harrow	Farmtrac-45 tractor, 27.90 (37.93) Kw (ps), Square box type, 148X530 mm, 1510 mm length, 605 mm width, Rear gang 1515 mm length, 600 mm width Cuverd flat, 12 no., Dia 60	GBPUAT Pantnagar	2018-85 December 2018	Dec-25	पंजीकरण हेतु विहित किया गया।

क्र.सं.	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेद्यता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
16	Raipoot Agriculture Works Sardar Nagar Chakki Kashipur Road, Gadarpur U.S. Nagar	Tractor Drwn Trailed Tyap Disc Harrow 8x8	RAW-086	Max. PTO power Kw- 27.90 (37.93), Prime mover used- John Deere Tractor 5310, Size of box section (mm)- 375*615, Rear gang Length- 2013, Width- 810	GBPUAT Pantnagar	CTE/FMP-2022-194/August 2022		परीक्षण हेतु विहित किया गया।
17	Sidhu Agriculture Implements US Nagar	Harrow 8x8	New Mahaveer	Underprocess	GBPUAT Pantnagar	Underprocess		टेस्ट रिपोर्ट प्राप्त होने पर परीक्षण माना जायेगा

उप कृषि निदेशक,
तकनीकी समीक्षण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

अपर कृषि निदेशक,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन
कृषि निदेशालय

वित्त नियंत्रक,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

कृषि निदेशक,
उत्तराखण्ड।

प्रतिनिधि,
विभागाध्यक्ष (कार्म मशीनरी),
गोवर्धन/विठो, पतनगर

पत्र संख्या-8216, दिनांक 29 मार्च, 2023 के द्वारा जारी विज्ञापन से प्राप्त कल्टीवेटर हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र.सं	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक/मॉडल	यंत्र का स्थापिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेधता तिथि	अभ्युक्ति
1	Bharat electric welding works, mandasaur MP	Tractor Mounted Rigid Cultivator	Bhoomi darshan, 09 Tyne Rigid type Cultivator	size of implement 9x223mm, power source 30-50 hp, max power 36.3 kW, material MS Flat,	NERFMTTI, biswanath, Assam tested	imp 317/424 march 2022	Mar-29	पंजीकरण हेतु चिन्हित किया गया
2	Lalji & Sons, 261/3 Purani Tehsil, Dehradun Road, Roorkee, Haridwar	Spring loaded 9 Tyne Cultivator	RAW-C9T	Dimension of frame-61X61 square, No of tyne-9, Type- Reversible shovel, Material-Carbon steel, Size-556X8mm, Length-56cm, curve, Width at top/bottom- 2032X1859mm, no of springs for each tyne-2	GBPUAT Pantnagar	CTE/FMP/2021-139 March 2021		पंजीकरण हेतु चिन्हित किया गया
3	Bansal Traders Vikasnagar, Dehradun	Spring loaded Cultivator	9 Tyne	Dimension of frame-60X60mm, no of tyne-9, type-reversible shovel, Size-554X8.5mm, length-54cm, curved, Width at top/bottom-2030/1860mm, fixing shovel-3.10 mm round	GBPUAT Pantnagar	CTE/FMP-2021-151 July 2021		पंजीकरण हेतु चिन्हित किया गया
4	Ransoms Impex, Raiপুর सहकारी उद्योगिक शेठरा, Bhagwanपुर, Haridwar	Tractor Mounted Cultivator	RICO-09 tines	Nomial Width-1810 mm, Source of power-35 hp and above , Max PTO-33.56, Length of frame-490mm, Width of frame-2050mm, Ground clearance-480mm, No of tyne 9, Material-Mild Steel	FIMTTTC-Bikaner	FIMTTTC/JMP/20/1409 December 2020	Dec-27	पंजीकरण हेतु चिन्हित किया गया
5	Uttaranchal Agro Industries, Kishanपुर, Kichha, US Nagar	Cultivator	Spring loaded 9 tyne	35 hp, Tractor drawn spring loaded, overall dimension- 225*55*96cm, no. of shovel- 9, no. of spring each tyne-2, avg. capacity- 0.89ha/hr	GBPUAT Pantnagar tested	2014-14 July 2014	Jul-21	पंजीकरण हेतु चिन्हित किया गया
6	Krishna Agro Industries, Karnal, Haryana	Cultivator	9 Tyne	Tactor horse power required hp(as applican)- 45 & above, Working width of implement, mm- 2047, Main frame- It is fabricated using the following: I) MS box of size 2190x60x6 mm, II) 10 number of MS angle of size 710x50x50x6mm, III) 8 number of MS angle of size 510 x 50x50x6mm, Dimension of frame, mm- 2190x525	CAET CCS HAU- Hisar	HAU/FMPE/19-20/CUL-52 December, 2019	Dec-26	पंजीकरण हेतु चिन्हित किया गया
7	Vinod Kumar Virendera Kumar, Amroha, UP	Cultivator 11 Tyne Cultivator 9 Tyne	BAI Cultivator (9+2) tyne	Dimension of frame-62x62mm, No. of tyne-11, size-558x9 mm, width at Top/bottom-2033/1862mm, overall dimensions-2180x820x970mm, mass-280 kg	GBPUAT PANTNAGAR	CTE/FMP/2021-162, OCTOBER-2021		पंजीकरण हेतु चिन्हित किया गया
8	Mahindra and Mahindra Limited Mohalli Punjab	Cultivator	Tractor Mounted 9 Tyne	Under Process	GBPUAT PANTNAGAR	28/2021/April-2022	Apr-29	पंजीकरण हेतु चिन्हित किया गया
9	Kartar Singh & Sons, Station Road, Kashipur	Cultivator 9 Tyne	Tractor Mounted 9 Tyne	Test report in process	GBPUAT PANTNAGAR			टेस्ट रिपोर्ट प्राप्त होने पर पंजीकरण माना जायेगा

क सं	विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेद्यता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
10	Avi Agro Technology Hardwar Road, Dhadhendi Khwajipur, Roorkee	Cultivator	Spring loded 9 tyne	60X60mm Frame, 9 of ynes, Nu bolt, reversible shovel, carbon steel, 55.5X8 mm, 55 cm length, coverd, 2130/1860mm top/botton,	GBPUAT Panhagar	2018-84 December 2018	Dec-25	पजीकरण हेतु सिद्धित किया गया

उप कृषि निदेशक,
तकनीकी सम्प्रक्षरण,
कृषि निदेशालय

अपर कृषि निदेशक,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन,
कृषि निदेशालय

वित्त नियंत्रक,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्यान,
उद्यान निदेशालय

कृषि निदेशक,
उत्तराखण्ड।

प्रतिनिधि,
विभागाध्यक्ष (पशु मशीनरी),
गो08040वि0वि0, पतनगर

क्र.सं	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक/मॉडल	यंत्र का स्थापिककरण	इंस्टॉल संख्या	इंस्टॉल रिपोर्ट की तिथि	इंस्टॉल की वेधता तिथि	अभ्युक्ति
1	Avon Agriculture industries, Gadarpur, US Nagar	DISC Plough	Avon	Report not submitted	6	7	8	9
1	Bharat electric welding works, mandasaur MP	Reversible MB PLOUGH(model 2021 tractor mounted)	Bhoomi darshan, two bottom hydraulic reversible M.B. Plough	size of implement 2x330mm, power source 45hp, power 36.4kw, material mild steel, dimension 1120x230x35.8mm	NERFMTTI, biswanah, Assam	imp 319/426 march 2022	31-03-2029	इंस्टॉल रिपोर्ट प्राप्त होने पर पंजीकरण माना जायेगा।
2								
3	Tirth Agro Technology Pvt. Ltd, gujraat	Tractor Mounted 3 Bottom MB Plough	SMP-2AX SMP-3AX	No o plough-2, Size of plough-2X380mm, Power-45 hp and above, power source-5500 tractor, Dimensions-90X90X7mm, Size of steel-1290X90X90mm, Length-1385mm, Width-1290X90X90mm, Length-1385mm, Width-90X90mm No o plough-3, Size of plough-3X380mm, Power-55 hp and above, power source-5500 tractor, Dimensions-90X90X7mm, Size of steel-1290X90X90mm, Length-1385mm, Width-90X90mm	FIMTTC-Bikaner FIMTTC-Bikaner	FIMTTC/IMP/18/982 December 2018 FIMTTC/IMP/18/983 January 2019	02-01-2026	पंजीकरण हेतु विहित किया गया।
4	BERI UDYOG Pvt. Ltd. Plot No. 225 to 240, Sector-03, Karnal (Haryana) Ph. No- 0184-2221571	Reversible PLOUGH	** FKRMMPH-2	Source of power- 50 HP tractor (apa), Size of plough- 325x2, Dimensions LxW-1380x100, Thickness FxR- 12x12	FMPECAETT Hisar	HAU/FMPE/21-22/PlOW-33, December-2021	Dec-28	पंजीकरण हेतु विहित किया गया।
5	GSA Industries, Village Daulatpur, Rasulpur Jaura Road, Patiala, Punjab	MB PLOUGH Reversible	Agrizone RP-3 Bottom Agrizone RP-2 Bottom	3 Bottom fixed Reversible MB Plough, Size of plough-3X582mm, Power-42.65 hp, Constructional details-A rectangular box fabricated 541808.0mm, Dimensions-1997mm, width-91mm 2 Bottom fixed Reversible MB Plough, Size of plough-2X712mm, Power-45 hp, Constructional details-A rectangular box fabricated 980X98X22mm, Dimensions-1092X39.85mm, width-383mm	SLFMTTI-UP SLFMTTI-UP	IMP-2011/282 May 2021 IMP-2011/301 June 2021	20.05.2026 24.06.2026	पंजीकरण हेतु विहित किया गया।
6	Saron Mechanical Works, Mansa Road, Cheema Mandi, Sangrur, Punjab	MB PLOUGH MB PLOUGH	2 Bottom Hydraulic Rev. M.B. Plough 3 Bottom Hydraulic Rev. M.B. Plough	2 Bottom Hydraulicly Reversible MB plough, Size of Plough-2X580mm, Source of Power-45 and above, Powe source used- Pretet 6049 Kw MS Plates of size-402X80X10 mm, MS flat of size-645X101X101 mm, Hexagonal headed bolts of size-86X19.8 mm and 83.2X13.8 mm, Dimension length-1995mm, Width-90mm	SLFMTTI Lucknow SLFMTTI Lucknow	2011/168 January 2019 2011/169 January 2019	Jan-26 Jan-26	पंजीकरण हेतु विहित किया गया।

क्र.सं	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मैक/माडल	यंत्र का स्वसिक्तिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेदता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
7	Sonalika Industries, Chak Gujram, PO Piplanwala, Hoshiarpur Punjab	MB PLOUGH	Sonalika SLRP-3-3	45 hp an above, Max PTO Power-28.6kW, No-3, Material -M.S. Plate, Dimensions- 650X1015X35.5 mm, Size & spacing-03	SLMTTI-Lucknow	IMP-1029/2486/2020 July 2020	Jul-27	पंजीकरण हेतु विहित किया गया।
8	Vinod Kumar Virandra Kumar, Dhanaura, Dist Amroha, UP	MB Plough Reversible 3 Bottom	2023	Size of plough-0.815, Power source as used- New Holland-3630, Length- 882, Width- 56 Vertical suction- 10 to 13	GBPUAT Pantnagar	CTE/FMP/2021-149 July 2021		पंजीकरण हेतु विहित किया गया।
9	Bhagwan Engg. Works Raikot Road, Malerkotla	MB Plough Reversible 2 Bottom	BEW-RP	Test report not submitted	GBPUAT Pantnagar			पंजीकरण हेतु विहित किया गया।
10	OSAW Udyog Private Ltd. Ambala Punjab	RMB Plough 2 Bottom	GRP2	3 bottom hydraulically reversible MB Plough, Power-45 hp and above, size of plough- 3x584mm, Max. PTO-37.4 kw, Length-1995mm, Width-90mm, Number & size of holes- 0.3 front, Main Frame of fizing each-03 for rear	SLFMTTI Lucknow	IMP-2011/292	Jun-28	पंजीकरण हेतु विहित किया गया।
				Source of power- 50 HP Tractor (apa), Size of plough- 1874x700x1490, Dimensions LxWxThickness- 780x390x10	FMPECAET CCS HAU Hisar	HAU/FMPE/18-19/PLow-16, December-2018	27-12-2025	पंजीकरण हेतु विहित किया गया।

उप कृषि निदेशक,
तकनीकी सम्मक्षण,
कृषि निदेशालय

अपर कृषि निदेशक,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन,
कृषि निदेशालय

वित्त नियंत्रक,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

कृषि निदेशक,
उत्तराखण्ड।

प्रतिनिधि,
विभागध्यक्ष (कार्म मशीनरी),
गोव040वि0वि0, पतनगर