

दिनांक 31.09.2014 तक वैद्य पावर वीडर हेतु सूचीबद्ध/पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण:-

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन
1	2	3	4	5	6
1	M/s Honda Siel Power Products Ltd. Plot No-5, Sector-41, Greater Noida, Industrial Development Area, Distt: Gautam Budh Nagar, (U.P)	Rotary Tiller (Power Weeder) Power operated weeder	1-VPS Agritech Limited, A-81, Netaji Subhash marg, Rudrapur, U.S Nagar 2-Ashok Machinery & Mill Store, 3, Gurunank Market, Nainital Road, Haldwani, Nainital 3-Premier Machinery, 8-Haridwar Road, Dehradun 4-Kissan Trading Corporation, Plot No-24, Surya Enclave, Rudrapur, U.S Nagar 5-Agarwal Machinery Store, F-34/2, Mandi Road, Rudrapur, U.S Nagar 6-Jagnath Traders And General Order Supplier, 02-Dharanaula-Jila Panchayat Campus, Almora 7-Rajat Agricultural Works, Dehradun Road, Roorkee 8-Bansal Traders, Vikas Nagar, Dehradun, 9-Subhi Agro India, 565, Gugal Road, Pandeywala, jwalapur, Haridwar 10-IRISS Welfare Foundation, 4-Shastri Nagar,	Honda Rotary Tiller FJ500/ Tested by FMTTI, Sonitpur, Assam Honda Rotary Tiller F300/ Tested by NRFMTTI, Hissar	4 Stroke, Air Cooled, Single Cylinder, Petrol Engine. Rated Power (RPM)-3.9 hp, no. of flanges-6, rotor blades-24, Field Capacity: 0.086 to 0.133Ha/Hr 4 Stroke, Air Cooled, Single Cylinder, Petrol Engine. Rated Power (RPM)-1.5kw, 3600, no. of flanges-4, rotor blades- 16, Field Capacity:0.060 to 0.1071 Ha/Hr
2	M/s New Swan Multitech Ltd. C-124 Naraina, Industrial Area Phase-1, Road no. 12, New Delhi	Engine operated Power Weeder	1- MS Darshan Agritech near Homoeopathic Hospital Rampur Road, Bazpur, Ph no. 9837047666 2- MS. Jai Gurudev Indsutries Rudrapur, ph no. 05944-243508 3- M/S- Saini Tractors co. Roorkee Haridwar, Ph no. 7906687629	NEW SWAN Z2/Tested by NRFMTTI, Hissar NEW SWAN RTT3/ Tested by NRFMTTI, Hissar NEW SWAN-P70/Tested by NRFMTTI, Hissar NEW SWAN EURO-05 EVO/Tested by NRFMTTI, Hissar	2.2 hp,4 stroke, air cooled, single cylinder petrol engine, no. of flanges- 4, rotor blades- 16, average capacity- 0.045-0.071 ha/hr 4 Stroke, 196cc, air cooled, single cylinder petrol engine, 3600 rpm, no. of flanges- 6, rotor blades- 20, average capacity- 0.105-0.122 ha/hr 4.5hp, 4 Stroke, air cooled, single cylinder petrol engine, no. of flanges- 4, rotor blades- 16, average capacity- 0.079-0.085 ha/hr 3.8hp, 4 Stroke, air cooled, single cylinder petrol engine, no. of flanges- 6, rotor blades- 24, average capacity- 0.060-0.070ha/hr

Handwritten signatures and marks at the bottom of the page.

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन	
1	2	3	4	5	6	
3	M/s BCS India Pvt. Ltd., Vill- Mangarh, P.O.Kohara, Distt- Ludhiana	Rotary Power weeder		BCS MC-720 Tested by NRFMTTI, Hissar	5.5 hp, 4 stroke air cooled single cylinder petrol engine, no. of flanges-4, rotor blades-12, gear 3 forward 2 reverse, average capacity 0.138-0.163 ha/hr	
				BCS MC-730 Tested by NRFMTTI, Hissar	8 hp, 4 stroke air cooled single cylinder petrol engine, self propelled, no. of flanges-6, rotor blades-20, 3600rpm, gear 3 forward 2 reverse, average capacity- 0.162-0.187ha/hr	
		Rotary Power Weeder			BCS MC-740D/Tested by NRFMTTI, Hissar	8.65 hp, 3600rpm, air cooled diesel engine, gear 4 forward 3 reverse, no. of flanges-6, rotor blades-24, average capacity- 0.22-0.25ha/hr
	M/s BCS India Pvt. Ltd., Vill- Mangarh, P.O.Kohara, Distt- Ludhiana	Rotary Power Weeder		Gratia 80H/ Tested by NRFMTTI, Hissar	5.5 hp, petrol engine, gear 2 forward 1 reverse,no. of flanges-6, rotor blades-24, average capacity- 0.099-0.114ha/hr	
				BCS Gratia 100BH/ Tested by NRFMTTI, Hissar	6.5hp, 4 stroke single cylinder, petrol engine, gear 2 forward 1 reverse, no. of flanges-6, rotor blades-24, average capacity- 0.134-0.149 ha/hr	
		Power Weeder			BCS Gratia 105 Tested by NRFMTTI, Hissar	4.0 kw, air cooled diesel engine, gear 2 forward 1 reverse, no. of flanges-6, rotor blades-32, average capacity- 0.117-0.140ha/hr
					BCS Gratia 135 Tested by NRFMTTI, Hissar	6.5 kw, air cooled diesel engine, no. of flanges-8, rotor blades-40, 2 steering handle bar, average capacity- 0.1643 to 0.1872ha/hr
4	M/s Bharat Agro Equipments, 27 Vidya Vihar, Phase-2 Kargi Road, Dehradun, Uttarakhand	Rotary Tiller (Power Weeder)	1- Krishna Trading Company 90/94 Dhak Patti, Rajpur	Century XL-5/ Tested by NRFMTTI, Hissar	3.88 HP, petrol engine,4 stroke air cooled, rpm 3600, no. of flanges-4, rotor blades-24, average capacity- 0.12-0.16 ha/hr	
			2- Bansal Traders, Vikasnagar, Dehradun			
		Power operated weeder	3- SSK Traders, Almora, Uttarakhand 4- Kisan Shakti Krishi Yantra Udhog, Dehradun	Century 1WG4.0C/ Tested by SRFMTTI, Anantpur, AP	4.56 hp, 3000rpm, 4 stroke air cooled,single cylinder, no. of flanges-6, rotor blades-24, Average capacity- 0.098-0.105 ha/hr	
		Power operated weeder	5- R.S.K Traders, Ramlila Mohalla, Haldwani 6- Chandra Agro Works, Akbarpur Dhadhekee, Tehsil-Roorkee, Haridwar	Century 1WG6.3C/ Tested by SRFMTTI, Anantpur, AP	7.37 hp, diesel engine,4 stroke air cooled, rpm 3000, no. of flanges-8, rotor blades-32, Average capacity- 0.139-0.150 ha/hr	

Signature
AAZ

Signature









Signature

Signature

Signature

Signature
Singh

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन
1	2	3	4	5	6
5	M/s VSM International Pvt. Ltd., 65 Red Square Market, Hissar, Haryana	Power operated weeder	-	XTRAPOWEX XPW-750T/ Tested by NRFMTTI, Hissar XTRAPOWEX XPW-750H/ Tested by NRFMTTI, Hissar XTRAPOWEX XPW-1050D (Manual) / NRFMTTI, Hissar tested XTRAPOWEX XPW-1050D (Electrical) XTRAPOWEX XPW-1150D (Manual)/ NRFMTTI, Hissar tested XTRAPOWEX XPW-1150D	4 Stroke single cylinder petrol engine, Gear 2 forward 1 reverse, no. of flanges-2, rotor blades-24, Average capacity- 0.18-0.20 ha/hr 4 Stroke single cylinder petrol engine, Gear spur combination, no. of flanges-2, rotor blades-24, Average capacity- 0.18 to 0.20 ha/hr 4 Stroke single cylinder diesel engine, 4.2 kw, Gear spur combination 3 ,no. of flanges-6, rotor blades-32, Average capacity- 0.19-0.22 ha/hr 4 Stroke single cylinder diesel engine, Gear spur combination 3 , ,no. of flanges-8, rotor blades-32, Average capacity- 0.15-0.22 ha/hr
6	M/s Falcon Garden Tools Pvt. Ltd., Malerkotla Road, Alamgir, Ludhiana	Rotary Power Weeder Power weeder	1- M/S VPS. Agritech Limited Vill. Bhurarani, Rudrapur, Ph No. 9719022500 2- M/S Kissan Trading Co. A-81, Rudrapur, Ph No. 9719015500 3- M/S Nidhi Enterprises, 35, Arhat Bazar, Dehradun Ph no. 0135-2727501, 2724651 4- M/S Green Future Technologies, 57/7, Rajpur Road Opp. Secretariat Office, Dehradun Ph No. 9837239955	Falcon FRTC-2010/Tested by NRFMTTI, Hissar Falcon FRTC-2011 tested by FMTC, Rajendranagar, Hyderabad	3.69 kw, single cylinder air cooled, petrol engine, no. of flanges-6, rotor blades- 24, overall dimension- 1560* 700* 1130mm, Average capacity- 0.037-0.049 ha/hr power recommended- 3.5 kw, Single cylinder air cooled, petrol engine, no. of flanges- 6, no. of rotor blades- 24, distance between flanges- 95mm, Average capacity- 0.053-0.055 ha/hr
7	M/s Kirloskar Engines Ltd., 498-143 KA, Near IT Collage Crossing, Lucknow	Power operated weeder	1- M/S Uttaranchal agro Industries, Kichha, Ph No. 9837318251 2- M/S Ashok Agri Implements & General Supply, Haldwani, Ph No. 7409628840 3- M/S Nidhi Enterprises, Dehradun Ph no. 9639000070 4- M/S Lalit Mohan & Brothers, Pithoragarh Ph No. 9897273236 5- M/S Shree Ambey Traders, Vill- Diyanagan, Bageshwar Ph No. 9720983883	Kirloskar KMW MINT-5/Tested by SRFMTTI, Anantpur, AP	4 Stroke, single cylinder, air cooled, diesel engine, 4.62 hp,no. of flanges-8, rotor blades- 32, overall dimension- 1700*760* 1080mm, Average capacity- 0.092-0.097 ha/hr

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन
1	2	3	4	5	6
	M/s Kirloskar Engines Ltd., 498-143 KA, Near IT Collage Crossing, Lucknow	Power operated weeder	6- M/S Jagnath Traders & General Order Suplier, Almora Ph No. 8937931327 7- M./S Rajat Agriculture Works, Roorkee, Haridwar Ph No. 9012120171 8- M/S Bansal Power & Machine Corporation, Ramnagar, Ph No. 9897652432 9- Green Future Technologies, 57/7 Rajpur Road, Dehradun Uttrakhand, Phone no- 9837239955, 9319989351	Kirloskar KMW MINT-8/Tested by SRFM TTI, Anantpur, AP	4 Stroke, single cylinder, air cooled, diesel engine, 7.75 hp, no. of flanges-10, rotor blades- 38, overall dimension- 1930*1360* 1080mm, Average capacity- 0.125-0.132 ha/hr
8	M/s BTL EPC Ltd., Sharachi Tower, 7th Floor, Anandapur, EM Bypass Kolkata	Engine operated Power Weeder	1- Uttaranchal Agro Industries Vill-Kishanpur, Kicha, Ph No. 9568148888 2- Tyagi Agro Sales, Kicha, Ph No. 98377052785 3- Ashok Agri Implements & General Supply, 68, Haldwani Ph No. 7409628840	SHRACHI 100H/Tested by- SRFM TTI, Anantpur, AP	Petrol operated, 3.4kw, 5500 rpm, rotor blades-24, no. of flanges-6, overall dimension- 1730* 890* 1035mm average capacity- 0.076-0.090 ha/hr
		Engine operated Power Weeder	4- Karma Agro & Machine Tools Near Sports College, Dehradun Pn No. 9997828821 5- Negi Traders, Vill- Bhagun Khola , Bageshwar Ph No. 9412908394	SHRACHI 105/Tested by- SRFM TTI, Anantpur, AP	4 stroke, single cylinder, forced air cooled Petrol operated 3.5kw, 3600 rpm, no. of flanges- 8, rotor blades- 32, average capacity- 0.069-0.080 ha/hr
		Power Tiller	6- Surbhi Agro India, Pandeywala, Jwalapur, Haridwar Ph No. 9045756020 7- Jai Maa Kali Traders, Vill- Bhujan, Almora Ph No. 8859802990	SHRACHI 135/Tested by- SRFM TTI, Anantpur, AP	4 stroke, single cylinder, forced air cooled, Petrol operated, 3600 rpm, gear- 2 forward 1 reverse, average capacity- 0.184-0.203 ha/hr
		Engine Operated Power Weeder	8- Krishi Seva Kendra, Ramgarh talla, Nainital Ph No. 9627458616 9- Bannu Enterprises, Near Sai Property, Thano Road, Raipur, Dehradun. Mob- 9456331636	SHRACHI 100 /Tested by- SRFM TTI, Anantpur, AP	Petrol operated, 3.6kw, 3600 rpm, rotor blades-24, no. of flanges-6, working width- 1450mm, overall dimension- 1750*900*1040mm, field capacity-0.087 to 0.095 ha/hr
		Engine Operated Power Weeder		SHRACHI 8D6/Tested by- SRFM TTI, Anantpur, AP	Diesel operated, 5.4 kw, 3600 rpm, rotor blades-40, working width- 1450mm, overall dimension- 1760*1620*1015mm, field capacity-0.157 to 0.183 ha/hr
				SHRACHI 308/Tested by GKVK, Bangalore	Petrol operated 3.3 hp, 5500 rpm, overall dimension- 1200*700* 1050mm, no. of flanges-6, rotor blades- 18,

Ans/

✓

Ans










4

Ans

Ans

Ans

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन
1	2	3	4	5	6
9	M/s Competent Agriculture Machinery, Near C.O. Office, Delhi-Saharanpur Road, Baraut, Bagpat, U.P.	Engine operated Power Weeder	1- Sha Motors Tankpur Road, Champawat, Ph No. 9412439009 2- M/S Rajat Agriculture WorkS Roorkee, Haridwar Ph No. 9012120171 3- Shree Enterprises, Dehradun, Ph No. 8171556969 4- S.S.K Traders, Almora, Ph No. 9359949609 5- Krishi Vikash Kendra Uttarkashi, Ph. No. 9412076138 6- A to Z Enterprises Bageshwar, Ph No. 9457835659 7- Krishi Vikash Kendra Talla Ramgarh, Haldwani Ph No. 9627458616 8- Ajeet Agri, Kasipur 9- Kisan Agriculture Machinery, Manglore Haridwar, Ph No. 7599193948	CAM 1G 4.1/ Tested by NRFMTTI, Hisar CAM ZA 1WG 4.1/Tested by NRFMTTI, Hissar	4 stoke single cylinder, 4.6 hp, 3060 rpm, no. of flanges-6, rotor blades- 24, average capacity- 0.223-0.280 ha/hr 4 stoke single cylinder, 4.8 hp, 3060 rpm, no. of flange-4, rotor blades- 16, drive wheels-2, average capacity- 0.212-0.261 ha/hr
10	M/s Ramsons Impex, IP-17, Raipur Sahkari Udhogic Shetra, Vill-Raipur, Bhagwanpur, Roorkee, Haridwar	Self Propelled Power Weeder Self Propelled Power Weeder Power Weeder /Rotary Tiller Power Weeder/ Rotary Tiller	1- Roorkee Machinery Store, Luxor, Haridwar, Ph No. 8534057758 2- S Kumar & Compnay, 15 Nahar Kinara, Roorkee, Haridwar, Ph No. 9837076949 3- Bharat Agro Engee. Works, Bhagwanpur, Haridwar, Ph No. 9837131623 4- Surbhi Agro India, Jwalapur, Haridwar Ph No. 9045756020 5- Bathla Machinery Store, Galla Mandi, Road, Rudrapur, Ph No. 99997711055 6- Janak Engg Co. Railway Road, Saharanpur, Ph No. 9897072453 7- Janak Engg Co. Prince Chowk Dehradun, Ph No. 9897072453 8- Kisan Fertilizer Agency, Kashipur, U.S. Nagar, Ph No. 9837047588 9- Kisan Tractors, Roorkee, Haridwar, Ph No. 9719355547 10- Sahani Traders, Bus Stand, Pithoragarh Ph No. 9410915222 11- Sah Motors, Tanakpur Road, Champawat, Ph No. 9412439009	RICO ITALY-RI-740 D/ Tested by NRFMTTI, Hisar RICO ITALY-RI500JX/Tested by FIMTTC, Bikaner RICO ITLAY RI-720/ Tested by FIMTTC, Bikaner, Rajasthan RICO ITALY-RI-720D/ Tested FIMTTC, Bikaner, Rajasthan	4 stroke, air cooled, diesel engine, 6.3kw, 3600 rpm, field capacity-0.159 to 0.189 ha/hr Self propelled, 9.0 hp, diesel engine, air cooled, 3600 rpm, tilling depth-150-380mm, weight-145-155 kg, handle bar fully adjustable Power source- 7 hp, tilling depth- 0-7inch, gear 3forward, 2 reverse, fully adjustable handle bar Power source- 4.6 hp, tilling depth- 0-7inch, gear 3forward, 2 reverse, fully adjustable handle bar

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन
1	2	3	4	5	6
	M/s Ramsons Impex, IP-17, Raipur Sahkari Udhogic Shetra, Vill-Raipur, Bhagwanpur, Roorkee, Haridwar	Power Weeder/ Rotary Tiller	12- SSK Traders, Ansar Manjil, Chowk Bazar, Dharanaulla Road, Almora, Ph No. 9359949609 13- A-One Agriculture Works, Gadarpur, Haridwar, Ph No. 9837667925 14- A to Z Enterprises, Bilona, Bageshwar, Ph No. 9457835659 15- Jai Gurudev Industries, Plot No. C-19-20, Kichha By Pass Road, Rudrapur 16- Pal Auto Sales, Opp. Trilok Singh and CO. Petrol Pump Tikonia Road, Haldwani Ph No. 9897675638 17- Chandra Agro Works, Akbarpur, Dhadekee, Haridwar, Ph No. 9027420773	RICO ITALY-RI-500 TESTED BY FIMTTC, Bikaner, Rajasthan	Power source- 4.6 hp, petrol engine, tilling depth-150-300mm, gear box 2 forward, 1 reverse, handle bar fully adjustable
11	M/s Goa Tractors Tillers & Agencies, 5C, Mapusa, Bardez, Goa	Power operated weeder	1- Atul Trading Corporation, 47 Dispensary Raod, Dehradun, GSTN. 05ADWPS57462ZZ	SHER KRF600/ Tested by- BAU, Ranchi SHER KRF900/ Tested by- BAU, Ranchi SHER JRF650/ Tested by- BAU, Ranchi SHER HRF650/ Tested by- BAU, Ranchi	Power source- 6 hp, tilling depth- 150-300mm, gear 2 forward, 1 reverse, average capacity- 0.040ha/hr Power source- 9 hp, tilling depth- 150-300mm, gear 2 forward, 1 reverse, average capacity- 0.040ha/hr Power source- 6.5 hp, tilling depth- 100-250mm, gear 2 forward, 1 reverse, average capacity- 0.040ha/hr Power source- 4.4 hp, tilling depth- 100-250mm, gear 2 forward, 1 reverse, average capacity- 0.040ha/hr
12	M/s Kerala Agro Machinery Corporation Ltd., Athani, Emakulam, Kerala	Power operated weeder		KAMCO B-30/ Tested by FMTTC, Kerala KAMCO K-40/ Tested by SRFMTTI, Anantpur, AP	Air cooled 4 stroke diesel engine, 3.94 hp, single cylinder, no. of flanges-6, no. of blades- 24, average capacity- 0.036-0.047 ha/hr Air cooled 4 stroke diesel engine, 4.60 hp, single cylinder, no. of flanges-6, no. of blades- 24, average capacity- 0.092-0.103 ha/hr

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन
1	2	3	4	5	6
13	M/s Farm & Garden Technologies Pvt. Ltd., 544-P, Pace City 2, Sector-37, Gurgaon, Haryana	Power weeder	1- New Competent Tractors, Bazpur Road, Kashipur, Uttarakhand, Ph No. 9837034096 2- Uttaranchal Agro Industries, Kashipur, Kichha, Rudrapur, Ph No. 9568148888 3- Karma Agro and Machine Tools, Near Sports College, Dehradun, Ph No. 9997828821 4- Shree Jay Ambe Traders, Bhageshwar, Uttarakhand, Ph No. 9720983883	Texas Pro Trac 950D/ Tested by SRFMTTI., Anantpur, AP	4.7hp, Air cooled 4 stroke diesel engine, single cylinder, 3600rpm, no. of flanges-6, rotor blades-20, drive wheel -2, average capacity- 0.098-0.114 ha/hr
				Texas Pro Trac 750D/ Tested by SRFMTTI., Anantpur, AP	3.8HP Air cooled 4 stroke single cylinder diesel engine, no. of flanges-4, rotor blades-16, drive wheel -2, average capacity- 0.049-0.057 ha/hr
		Power weeder		Texas Alligator-DP/ Tested by SRFMTTI., Anantpur, AP	4.7 hp, Air cooled 4 stroke diesel engine, single cylinder, 3600rpm, no. of flanges-8, rotor blades-32, average capacity- 0.202-0.231 ha/hr
				Texas Lilli 532TG/ Tested by SRFMTTI.,	3.9 hp, Air cooled 4 stroke diesel engine, single cylinder, no. of flanges-4, rotor blades-16 , average capacity- 0.068-0.071
				Texas TX 601TG Tested by SRFMTTI., Anantpur, AP	4.7hp, Air cooled 4 stroke diesel engine, no. of flanges-6, rotor blades-24 , single cylinder, average capacity- 0.095-0.099 ha/hr
				Texas HOBBY 500 TG Tested by SRFMTTI., Anantpur, AP	2.94 hp, Air cooled 4 stroke engine, no. of flanges-4, rotor blades-16 , average capacity- 0.052-0.055 ha/hr
14	M/s Kisan Kraft Machine Tools Pvt. Ltd., 04, Sri Huchanna Towers, 1st Main,, 7-A Cross, Maruthi Layout, Dasarahalli, HAF Post, Hebbal, Bangalore	Rotary Power weeder/Inter Cultivator	1- Abdul Rashid & Sons, Ganesh Bazar, Srinagar, Ph No. 7060704567 2- Ajit Agriculture Store, Staion Road, Ph No. 9837492668 3- Ashok Agri Implement & General Supply, Haldwani, Ph No. 7409628840 4- Avon Agriculture Industries, Ph No. 9917466925 5- Bharat Agro Equipments, Dehradun, Ph No. 999777092 6- Bharat Beej Bhandar, Bhawaniganj, Ramnagar	KISAN KRAFT KK-SRT-910D/ Tested by NRFMTTI, Hisar	8.5 hp, 4 stroke air cooled, diesel engine, 1800rpm, no. of blades- 24, drive wheel-2, overall dimension- 1950*800* 910mm, average capacity- 0.174- 0.295 ha/hr
		Rotary Power Weeder		KISAN KRAFT KK-CRT-550D/ Tested by NRFMTTI, Hisar	5.4 hp, 4 stroke air cooled, diesel engine, no. of blades- 12, 3600rpm, drive wheel-2, overall dimension- 1535*565*1095mm, average capacity- 0.045-0.069 ha/hr

✓

MA 2

✓

✓

✓

✓

✓

✓

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन
1	2	3	4	5	6
	M/s Kisan Kraft Machine Tools Pvt. Ltd., 04, Sri Huchanna Towers, 1st Main,, 7-A Cross, Maruthi Layout, Dasarahalli, HAF Post, Hebbal, Bangalore	Engine operated Power Weeder	7- Chandan Singh Kathayat, C/O Shri Ambey Traders, Bageshwar, Ph NO. 9458125705 8- Dept. of Horticulture & Food Processing, Dehradun, Ph No. 9410986890	KISAN KRAFT KK-IC-300D/ Tested by NRFMTTI, Hisar	5.5 hp, 4 stroke air cooled, diesel engine, No. of blades-32, 3000rpm, overall dimension- 1820* 1040*1450mm, average capacity- 0.137-0.195 ha/hr
		Engine operated Power Weeder	9- Gayatri Traders, Tara Palace, Haldwani, Ph No. 8954989495 10-IRISS Welfare Foundation, Dehradun, Ph No. 983723995 11- Jai Gurudev Industries, Rudrapur 12- Karma Agro & Machine Tools, Dehradun Pn No. 999782882 13- Krishna Trading Company 90/94 Dhak Patti, Rajpur, Dehradun, Ph No. 9997777092 14- National Agriculture Works, Laksar 15- Negi Traders, Bageshwar	KISAN KRAFT KK-IC-400D/ Tested by NRFMTTI, Hisar	8.5 hp, 4 stroke air cooled, diesel engine, no. of blades-40. no. of flange-10, overall dimension- 1535* 1660*1815mm, average capacity- 0.154-0.200 ha/hr
		Inter Cultivator	16- Nidhi Enterprises, 35, Arhat Bazar, Dehradun 17-Rajat Agricultural Works, Roorkee 18- Ravi Khad Bhandar, Roorkee, Ph No. 9997487707 19- Sandhu Agriculture, Jaspur 20- Sarika Enterprises, Kotdwar 21- Shree Ambey Traders, Bageshwar 22- Shri Vaibhav Luxmi Trading Company, Luksar, Ph No. 9690660093	KISAN KRAFT KK-IC-200P/ Tested by NRFMTTI, Hisar	5.3 hp, 4 stroke air cooled, petrol engine, no. of flanges-6, rotor blades- 24, drive wheels-2, overall dimension- 1535*840* 1130mm, average capacity- 0.083-0.168 ha/hr
			23- Simran Pesticides and Seeds, Bazpur 24- S.Kumar and Compnay, Roorkee 25- S.S.K. Traders, Almora 26- Surbhi Agro India, Haridwar 27- Tyagi Agro Sales, Kichha 28- Universal Agro Products, Rudrapur 29- Uttaranchal Agro Industries, Kichha	KISAN KRAFT KK-IC-8626/ Tested by NRFMTTI, Assam	1.5 hp, 2 stroke air cooled, petrol engine, 6250rpm, no. of flanges-4, rotor blades-16, overall dimension- 785*450* 1165mm, average capacity- 0.015-0.026 ha/hr
		Engine operated Power Weeder		KISAN KRAFT KK-IC-350D/ Tested by SRFMTTI, Anantpur, AP	5.8 hp, 4 stroke air cooled, diesel engine, no. of flanges-6, rotor blades- 18, overall dimension- 1550*740* 1000mm, average capacity- 0.092-0.103 ha/hr

✓

Shri
AA 2

✓

✓









p

✓

a

Srih

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन
1	2	3	4	5	6
15	M/s American Spring & Pressing Works, ASPEE House, B.J. Patel Road, Malad (West) Mumbai, Maharashtra	Engine operated Power Weeder	1-Kissan Trading Corporation, Plot No-24, Surya Enclave, Rudrapur 2- Agarawal Agro Sales, Kashipur 3- Shanti Prasad & Sons ,Kashipur 4- Kisan Fertilizers Agency, Cheti Chauraha, Kashipur 5- Ashok Agri Implements & General Supply, Shop No. 68, Haldwani, Ph No. 7409628840 6- Modern Krishi Sewa Kendra, Kaladhungi Road, Haldwani, Ph No. 9917264141 7- Modern Farming Service, Shop No. 21, Kaladhungi, Road, Haldwani 8- Sanwal Seeds, Shop No. 21, Naveen Mandi, Haldwani, Ph No. 05946-284650/284651 9- S.Kumar & CO. 15, Nahar, Kinara, Roorkee, Haridwar, Ph No. 9837076949 10- Nidhi Enterprises, 35, Dehradun Ph no. 9412972132 11- Anil Khad & Beej Bhandar, Prem Das, Banbasa, Ph No. 9760048541/9897648541 12- Uttarakhand Pesticides, Vikashnagar, Ph No. 9412974913	ASPEE RT-DE- 105/Tested by NRFMTTI, Hisar	Recommended power-, 6 hp, stroke, single cylinder, diesel engine, 2800 rpm, no. of flanges- 08, rotor blades- 32, average capacity- 0.09-0.14 ha/hr
16	M/s Shree Ganpati Agro Products, Plot No. 03, Mini Industrial Estate, Kishanpur, Kicha, U.S.Nagar	Engine operated Power Weeder	-	SGAP SG-PW- 55/Tested by GBPUAT, Pantnagar	4 stroke, single cylinder honda engine, 3600rpm, 4.8 hp, overall dimension- 304*362*335cm, weight- 15.1kg, average capacity- 0.098 ha/hr
17	M/s V.S.T. Tillers Tractors Ltd., C-14, Lohia Nagar, Ghaziabad	Power operated weeder	1- New Competent Tractors, Bazpur Road, Kashipur, Uttarakhand, Ph No. 9837034096 2- Shree Enterprises, Dehradun, Mob- 08171556969	VST SHAKTI- RT65/Tested by SRFMTTI, Anantpur, AP	Air cooled 4 stroke single cylinder petrol engine, 3.0KW, No. of flange- 4, distance between flanges-58mm, rotor blades-16, Average capacity- 0.059-0.63 ha/hr

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन
1	2	3	4	5	6
18	M/s Ratnagiri Impex Pvt. Ltd., Annupurna House, 1/1G, 7th Cross, New Guddadahalli, Mysore Road, Bangalore	Rotary Tiller/ Power Weeder	1- M/S Shri Enterprises 820, Kaulagarh Road, Dehradun, Phone no- 8171556969 2- M/S Prime Solutions, 823, Dehradun, Phone no- 9412053066/8266002688	Oleomac MH-160/ Tested by BAU, Ranchi	Air cooled 4 stroke single cylinder petrol engine, 3.5 kw, 163cc, overall dimension- 170*60*72cm, Average capacity- 0.051 ha/hr
		Self Propelled Rotary Tiller		Oleomac MH-180 RK/ Tested by SRFMTTI, Anantpur, AP	4 stroke air cooled, single cylinder, spark ignition petrol engine, 3.4KW, no. of flanges- 6, rotor blades-24, average capacity- 0.07- 0.10 ha/hr
		Multipurpose Rotary Tiller/Power Weeder		Oleomac MH-195X/ Tested by GKVK, Bangalore	Air cooled 4 stroke single cylinder petrol engine 3.5kw, rotor blades-24, working width- 80cm, field capacity- 0.25 ha/hr
		Mini Tiller			
		Self Propelled Rotary Tiller		Agrimate AMPW43/ tested by GKVK Bangalore	Air cooled 2 stroke single cylinder petrol engine 1.6hp, no. of tyne-4, Average capacity- 0.010 ha/hr
		Rotary Tiller/ Power Weeder		Oleomac-MTZ215 tested by GKVK Bangalore	Air cooled 4 stroke single cylinder petrol engine 5.5hp, rotor blades-6, gear- 2 forward 1 reverse, Average capacity- 0.040 ha/hr
		Rotary Tiller/ Power Weeder		Oleomac - MTZ215D/ Tested by BAU, Ranchi.	Diesel engine 4.6 hp, 3 speed gear, rotor blades-6, weight-90kg, Average capacity- 0.040 ha/hr
				Agrimate AMRTD tested by BAU, Ranchi.	Diesel engine 4.6 hp, 3 speed gear, tilling width- 800-1100mm, tilling depth- 150-300mm, Average capacity- 0.040 ha/hr
				Agrimate AMRTP tested by BAU, Ranchi.	Petrol engine 4.6 hp, 3 speed gear, tilling width- 800-1100mm, tilling depth- 150-300mm, Average capacity- 0.040 ha/hr
				Agrimate-AM MPT 720-6P/BAU, Ranchi tested	4.4 hp, petrol engine, 3000 rpm, working capacity-0.041 ha/hr
				Agrimate-AM MTP 720-6D/BAU, Ranchi tested	5.3 hp, diesel engine, 3600 rpm, fully adjustable, working capacity-0.041 ha/hr
				Agrimate-AM MTP 720-9D/BAU,	8.4 hp, diesel engine, 3600rpm, working capacity-0.039 ha/hr
		Multi-functional Tilling/ Cultivating Machine			

8/12/17
RAE

See

h

✓

✓

8/12/17

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मेक/माडल	यंत्र का स्पेसिफिकेशन
1	2	3	4	5	6
	M/s Ratnagiri Impex Pvt. Ltd., Annapurna House, 1/1G, 7th Cross, New Guddadahalli, Mysore Road, Bangalore	Multi-functional Tilling/ Cultivating Machine		Agrimate-AM MPT 1100-9D/BAU, Ranchi tested	8.4hp, diesel engine, 3600rpm, tilling width- 800-1100mm, working capacity-0.041 ha/hr
				Agrimate-AM WM 1100 B-6D/BAU, Ranchi tested	5.3hp, diesel engine, 3600 rpm, fully adjustable, tilling width-800-1100mm, working capacity-0.041 ha/hr
19	M/s RSR Retail Pvt. Ltd., E-27, Sector-6, Noida	Rotary Power Weeder	1- M/S Nav Durga Agro Chemicals, Main Road, Bazpur. U.S. Nagar, Ph No. 9412089338 2- M/S Surbhi Agro India, 565, Opp. Gughal Road, Pandeywala, Haridwar, Ph No. 9045756020 3- M/S Jagnath Traders & General Order Suppliers, Dharanaula, Almora, Ph No. 9458371655	RSR HY-PW-50P/Tested by CIAE, Bhopal	1.65 kw, 2 stroke air cooled petrol engine, single cylinder, no. of flanges-4, rotor blades-16, average capacity- 0.024ha/hr
		Engine operated Power Weeder		RSR HY-PW-105D/Tested by NRFMTTI, Hisar	4.0 kw, 4 stroke air cooled diesel engine, single cylinder, no. of flanges- 8, rotor blades- 32, average capacity- 0.225-0.256 ha/hr
				RSR HY-PW/750H/ Tested by NRFMTTI, Hisar	4.0 kw, 4 stroke air cooled petrol engine, single cylinder, no. of flanges- 6, rotor blades- 24, average capacity- 0.108-0.153 ha/hr
20	M/s Foggers India Pvt. Ltd., 313, 3rd Floor, Grohitam, Plot No. 14B, Sector 19, Vashi, Navi Mumbai	Engine operated Power Weeder	1- Surabhi Agro India, Haridwar, Mob- 9045756020	NAVNATH SM186FA/ Tested by NRFMTTI, Hisar	Power source 9 hp, air cooled Single cylinder, diesel engine, gear 2 forward 1 reverse, no. of flanges- 8, rotor blades- 32, average capacity- 0.077-0.088 ha/hr
21	M/s Greaves Cotton Ltd., Global Business Park, Tower-B, Unit-2, Near Dronacharya Metro Station, Gurgaon	Engine operated Power Weeder	1- M/S Mittal Machinery Store, 108/3 Chander Nagar Dehradun, Ph No. 9897099014 2- M/S Devanshi Irrigation System, 1143, Indira Nagar, Dehradun, Ph No. 9411110689	Greaves- GS 520 DIL, Tested by SRFMTTI, Anantpur, A.P	4 stroke, air cooled, single cylinder, 3600RPM, No of flanges-10, Gear Drive-14, driven 39, average capacity- 0.150-0.154 ha/hr
		Engine Operated Power Weeder	3- M/S Arjun Automobiles, Railway Road, Ganeshpur Purwawali Roorkee Haridwar, Ph No. 9412211531 4- M/S kisan Agro Machines, Bareilly Road, Kichha, U.S.Nagar, Uttarakhand, Ph No. 8077812338	Graeves- GS1 WG6.3-120FC-Z/ Tested By SRFMTTI, Anantpur, AP	4 stroke, air cooled, single cylinder, maxx. Power- 3.35kw, Gear Drive-14, driven 39, no. of flanges- 10, total no. of blades-40, average capacity- 0.151-0.162 ha/hr
		Engine operated Power Weeder		Greaves- GSI WG4-100FC-Z Tested by SRFMTTI, Anantpur, A.P	4 stroke, air cooled, single cylinder, Power 3kw, NO. OF FLANGES- 8, total blades-32, Gear Drive-14, driven 39, average capacity- 0.112-0.120 ha/hr

Shruti
1972

Shree

10

10

10

Shruti

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	डीलर का विवरण	मेक / माडल	यंत्र का स्पेसिफिकेशन
1	2	3	4	5	6
22	M/s Indra Marshal Power Pvt. Ltd., 13-B, Sector-A, Industrial Area, Sanwer Road, Indore, (MP)	Engine operated Paddy Weeder	1- M/s Shri Enterprise, 820, Ritu Chamber's Main Kaulagarh Road, Near Simour Plaza, Dehradun, Mob-8171556969 2- M/s Rajat Agriculture Works, Near Dwarika Dheesh Mandir, Dehradun, Mob-9012120171	INDRA MARSHAL YAMADA (RT-80) Tested by CIAE, Nabi Bagh, Bhopal, (M.P.) INDRA MARSHAL YAMADA (RT-105) Tested by CIAE, Nabi Bagh, Bhopal, (M.P.)	4hp single cylinder, Air cooled diesel engine, Rated engine speed -3600 rpm, No. of Flanges- 06, No. of blades- 24, over all dimensions- 370*570*980 average capacity- 0.123-0.13 ha/hr 6hp single cylinder, Air cooled diesel engine, Rated engine speed -3600 rpm, No. of Flanges- 08, No. of blades- 32, Over all dimensions- 370*570*980 Average capacity- 0.143-0.183 ha/hr

उप कृषि निदेशक,
तकनीकी संप्रेक्षण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन एवं अनुश्रवण,
कृषि निदेशालय

अपर कृषि निदेशक,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

वित्त नियंत्रक,
कृषि निदेशालय

प्रतिनिधि
निदेशक उद्योग
उद्योग निदेशालय

कृषि निदेशक,
उत्तराखंड

प्रतिनिधि,
विभागाध्यक्ष (फार्म मशीनरी)
गो०ब०प०वि०वि०,
पंतनगर